


PATHWORKS for DOS

digital

Client Master Index



PATHWORKS for DOS

Client Master Index

Order Number: AA-PAFDC-TK

September 1991

Revision/Update Information: This document supersedes *Client Master Index*, order number AA-PAFDB-TK.

Software Version: PATHWORKS for DOS Version 4.1

Digital Equipment Corporation
Maynard, Massachusetts

First Published, December 1989
Revised, January 1991, September 1991

The information in this document is subject to change without notice and should not be construed as a commitment by Digital Equipment Corporation. Digital Equipment Corporation assumes no responsibility for any errors that may appear in this document.

The software described in this document is furnished under a license and may be used or copied only in accordance with the terms of such license.

No responsibility is assumed for the use or reliability of software on equipment that is not supplied by Digital Equipment Corporation or its affiliated companies.

Restricted Rights: Use, duplication, or disclosure by the U.S. Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013.

© Digital Equipment Corporation 1989, 1991.

All Rights Reserved.
Printed in U.S.A.

The postpaid Reader's Comments form at the end of this document requests your critical evaluation to assist in preparing future documentation.

The following are trademarks of Digital Equipment Corporation:

ALL-IN-1, DDCMP, DDIF, DEC, DECconnect, DEClaser, DECmate, DECnet, DECnet-DOS, DECpc, DECrouter, DECSA, DECserver, DECstation, DECwindows, DECwrite, DELNI, DEMPR, DEPCA, DESTA, Digital, DNA, EtherWORKS, LA50, LA75 Companion, LAT, LN03, LN03 PLUS, LN03 ScriptPrinter, METROWAVE, MicroVAX, PATHWORKS, PrintServer, ReGIS, RMS-11, RSX, RSX-11, RT, RT-11, RX33, ThinWire, TK, ULTRIX, VAX, VAX Notes, VAXcluster, VAXmate, VAXmail, VAXserver, VAXshare, VMS, VT, WPS, WPS-PLUS, and the DIGITAL logo.

This document was prepared using VAX DOCUMENT, Version 1.2

The following are third-party trademarks: Apple, AppleTalk, Macintosh, MacTerminal, and MacX are registered trademarks of Apple Computer, Incorporated. COMPAQ is a registered trademark of COMPAQ Computer Corporation. Intel is a trademark of Intel Corporation. IBM, PS/2, Personal Computer AT, Personal System/2, and OS/2 are registered trademarks of International Business Machines Corporation. Lotus, is a registered trademark of Lotus Development Corporation. Microsoft, MS, MS-DOS, are registered trademarks of Microsoft Corporation. Motif is a registered trademark of Open Software Foundation, Inc. UNIX is a registered trademark of UNIX System Laboratories, Incorporated.

HOW TO ORDER ADDITIONAL DOCUMENTATION DIRECT MAIL ORDERS

USA*

Digital Equipment Corporation
P.O. Box CS2008
Nashua, New Hampshire 03061

CANADA

Digital Equipment
of Canada Ltd.
100 Herzberg Road
Kanata, Ontario K2K 2A6
Attn: Direct Order Desk

INTERNATIONAL

Digital Equipment Corporation
PSG Business Manager
c/o Digital's local subsidiary
or approved distributor

In Continental USA, Alaska, and Hawaii call 800-DIGITAL.

In Canada call 800-267-6215.

*Any order from Puerto Rico must be placed with the local Digital subsidiary (809-754-7575).

Internal orders should be placed through the Software Distribution Center (SDC), Digital Equipment Corporation, Westminster, Massachusetts 01473.

Preface

The *Client Master Index* is a compilation of indexes from the manuals in the PATHWORKS for DOS documentation set.

The *Client Master Index* has two parts:

- Part 1 covers PATHWORKS for DOS documentation.
- Part 2 covers the *Microsoft LAN Manager User's Guide for MS-DOS*.

Because the *Client Master Index* covers the manuals in all of the PATHWORKS for DOS kits, you will find entries for manuals that are not in your particular kit. Be assured that your kit contains all the manuals you need. You can disregard entries to manuals that are not in your kit.

To keep entries concise, the titles of the manuals in Part 1 are abbreviated, as shown in the following table.

Title of Manual	Abbreviation
<i>Client Installation and Configuration Guide for the VMS Server</i>	<i>InstallVMS</i>
<i>Client Installation and Configuration Guide for the ULTRIX Server</i>	<i>InstallULTRIX</i>
<i>Client Installation and Configuration Guide with Diskettes</i>	<i>InstallDiskettes</i>
<i>Client Commands Reference</i>	<i>ClientCmnds</i>
<i>DECnet Network Management Guide</i>	<i>NetMgt</i>
<i>DECnet User's Guide</i>	<i>DECnetUser</i>
<i>Mail User's Reference</i>	<i>Mail</i>
<i>Memory Solutions for Client Administrators</i>	<i>Memory</i>
<i>Microsoft Windows Support Guide</i>	<i>MSWindows</i>
<i>Overview</i>	<i>Overview</i>

Title of Manual	Abbreviation
<i>PC DECwindows Motif Guide</i>	<i>PCDECwin</i>
<i>SEDT User's Reference</i>	<i>SEDT</i>
<i>SETHOST Terminal Emulation Guide</i>	<i>SETHOST</i>
<i>User's Handbook</i>	<i>UserHandbook</i>

Part 1

PATHWORKS for DOS Documentation

Master Index

- 3270 emulation, *InstallDiskettes*, 9–1; *InstallVMS*, 10–1; *InstallULTRIX*, 8–1
configuration, *InstallDiskettes*, 9–7; *InstallVMS*, 10–6; *InstallULTRIX*, 8–6
386MAX, *Memory*, 2–21
386 memory manager
 See also 80386 memory manager
80286 client
 See also 80286 configuration examples
 adding memory, *Memory*, 3–11
 architecture, *Memory*, 1–2
 configuration examples
 DECnet, *Memory*, 6–2
 TCP/IP, *Memory*, 6–31
 extended memory capacity, *Memory*, 1–10
 memory, *Memory*, 1–2
PATHWORKS
 recommendations, *Memory*, 3–2
procedure for configuring, *Memory*, 3–6
real mode, *Memory*, 1–2
use of expanded memory, *Memory*, 1–16
80286 configuration examples
 See also 80286 client
DECnet
 base configuration, *Memory*, 6–3
 DOS Version 5.0 configuration,
 Memory, 6–27
 Enhanced Redirector configuration,
 Memory, 6–23
80286 configuration examples
 See also 80286 client
 adding extended memory, *Memory*, 1–18
80286 configuration examples
 DECnet (Cont.)
 expanded memory configuration,
 Memory, 6–7
 extended memory configuration,
 Memory, 6–7
 low-memory configuration,
 Memory, 6–3
 Microsoft Windows configuration,
 Memory, 6–19
 Non-Digital controller
 configuration, *Memory*, 6–15
 remote boot configuration,
 Memory, 6–11
 EMS memory configuration, *Memory*, 6–7, 6–35
 Enhanced Redirector configuration,
 Memory, 6–23, 6–43
TCP/IP
 base configuration, *Memory*, 6–31
 Enhanced Redirector configuration,
 Memory, 6–43
 expanded memory configuration,
 Memory, 6–35
 extended memory configuration,
 Memory, 6–35
 low-memory configuration,
 Memory, 6–31
 Non-Digital controller
 configuration, *Memory*, 6–39
XMS memory configuration, *Memory*, 6–7, 6–35
80386 client
 See also 80386 configuration examples
 adding extended memory, *Memory*, 1–18

80386 client (Cont.)
 adding memory, *Memory*, 3–11
 architecture, *Memory*, 1–2
 configuration examples
 DECnet, *Memory*, 5–3
 TCP/IP, *Memory*, 5–44
 DOS Version 5.0 configuration example,
 Memory, 5–28
 extended memory capacity, *Memory*,
 1–10
 memory, *Memory*, 1–2
 memory manager, *Memory*, 3–2
 configuration example, *Memory*,
 5–7, 5–28, 5–48
 options, *Memory*, 3–14
 using, *Memory*, 2–21, 3–14
PATHWORKS
 recommendations, *Memory*, 3–2
procedure for configuring, *Memory*,
 3–5
real mode, *Memory*, 1–2
use of expanded memory, *Memory*,
 1–16
using a 80386 memory manager,
 Memory, 1–18
virtual 8086 mode operation, *Memory*,
 1–10
80386 memory manager, *Memory*, 1–18,
 3–2
configuration example, *Memory*, 5–7,
 5–28, 5–48
options, *Memory*, 3–14
using, *Memory*, 2–21, 3–14
80386 configuration examples
 See also 80386 client
DECnet
 base configuration, *Memory*, 5–3
 DOS Version 5.0 configuration,
 Memory, 5–28
 Enhanced Redirector configuration,
 Memory, 5–20, 5–40
 expanded memory configuration,
 Memory, 5–7, 5–28
 extended memory configuration,
 Memory, 5–7, 5–28
80386 configuration examples
 See also 80386 client
DECnet (Cont.)
 IBM PS/2 Model 80 configuration,
 Memory, 5–36, 5–40
 low-memory configuration,
 Memory, 5–3
 memory manager configuration,
 Memory, 5–7, 5–28
 Microsoft Windows configuration,
 Memory, 5–16, 5–32, 5–61
 Non-Digital controller
 configuration, *Memory*, 5–24
 remote boot configuration,
 Memory, 5–12, 5–16
EMS memory configuration, *Memory*,
 5–7, 5–28, 5–48
Enhanced Redirector configuration,
 Memory, 5–20, 5–52
TCP/IP
 base configuration, *Memory*, 5–44
 Enhanced Redirector configuration,
 Memory, 5–52
 expanded memory configuration,
 Memory, 5–48
 extended memory configuration,
 Memory, 5–48
 IBM PS/2 Model 80 configuration,
 Memory, 5–65
 low-memory configuration,
 Memory, 5–44
 memory manager configuration,
 Memory, 5–48
 Non-Digital controller
 configuration, *Memory*, 5–57
XMS memory configuration, *Memory*,
 5–7, 5–28, 5–48
8086/88 client
 See also 8086/88 configuration
examples
 adding memory, *Memory*, 3–11
 architecture, *Memory*, 1–1
 configuration examples
 DECnet, *Memory*, 7–3
 TCP/IP, *Memory*, 7–23
 memory, *Memory*, 1–1
PATHWORKS

8086/88 client
PATHWORKS (Cont.)
 recommendations, *Memory*, 3–2
procedure for configuring, *Memory*,
 3–6
use of expanded memory, *Memory*,
 1–16

8086/88 configuration examples
See also 8086/88 client

DECnet
 base configuration, *Memory*, 7–3
 Enhanced Redirector configuration,
 Memory, 7–11
 expanded memory configuration,
 Memory, 7–7
 IBM PS/2 model 30 configuration,
 Memory, 7–19
 low-memory configuration,
 Memory, 7–3
 Non-Digital controller
 configuration, *Memory*, 7–19
 remote boot configuration,
 Memory, 7–15

EMS memory configuration, *Memory*,
 7–7, 7–27

TCP/IP
 base configuration, *Memory*, 7–23
 expanded memory configuration,
 Memory, 7–27
 low-memory configuration,
 Memory, 7–23
 Non-Digital controller
 configuration, *Memory*, 7–31

A

Abnormal termination
 of X server, *PCDECwin*, 8–1

Accelerators
 disabling for a 2-button mouse,
 PCDECwin, 7–5
 term defined, *PCDECwin*, 7–5

Access
 checking, *DECnetUser*, 3–3
 remote, *DECnetUser*, 1–4

Access control
 setting parameters, *PCDECwin*, 3–10

Access control information
 See also Security
 changing defaults, *DECnetUser*, 4–10
 defining, *NetMgt*, 6–14
 defining for remote nodes,
 DECnetUser, 4–7
 defining with the NFT utility,
 DECnetUser, 4–8
 displaying, *DECnetUser*, 4–11;
 NetMgt, 2–4, 3–2, 4–6, 6–35
 displaying access defaults,
 DECnetUser, 4–41
 password size, *DECnetUser*, 4–7
 purging, *NetMgt*, 6–61, 6–65
 saving, *DECnetUser*, 4–9
 setting defaults, *DECnetUser*, 4–40
 specifying, *NetMgt*, 2–3, 3–8
 term defined, *NetMgt*, 2–3
 using defaults, *DECnetUser*, 4–9

Access control list (ACL)
 creating, *ClientCmnds*, 1–65

Accessing
 remote files, *DECnetUser*, 4–1, A–1
 remote printers, *DECnetUser*, 5–4
 the FAL utility, *DECnetUser*, 3–4

Accounts
 information, *NetMgt*, 3–8
 term defined, *NetMgt*, 2–3

ACL
 See Access control list

Actions Set-Up screen
 Clear Communications setting,
 SETHOST, 3–4
 Clear Display setting, *SETHOST*, 3–4
 description of, *SETHOST*, 3–4
 Exit SETHOST setting, *SETHOST*,
 3–5
 overview of, *SETHOST*, 3–2
 Recall Set-Up Parameters setting,
 SETHOST, 3–5
 Reset Terminal setting, *SETHOST*,
 3–4
 sample of, *SETHOST*, 3–4

Actions Set-Up screen (Cont.)
Save Set-Up setting, *SETHOOKT*, 3–5
Set Default Set-Up setting,
SETHOOKT, 3–5
Set-Up settings, *SETHOOKT*, 3–4
Show Status setting, *SETHOOKT*, 3–5
To DOS setting, *SETHOOKT*, 3–5
Active nodes, *NetMgt*, 4–10
Adapter memory
 See Upper memory
ADD command (LATCP)
 selecting preferred services,
 ClientCmnds, 1–11
Adding a LAT service, *MSWindows*, 4–10
Adding memory, *Memory*, 3–11
 80286, *Memory*, 3–11
 80386, *Memory*, 3–11
 8086/88, *Memory*, 3–11
 configuring the memory board,
 Memory, 3–13
 testing expanded memory performance,
 Memory, 3–12
ADD LPTn command (LATCP)
 offering local printer as a LAT service,
 ClientCmnds, 1–14
Address
 trying new when connection fails,
 ClientCmnds, 1–16
Address class, *InstallDiskettes*, B–4;
 InstallVMS, B–4; *InstallULTRIX*,
 B–4
Address Resolution Protocol (ARP),
 UserHandbook, 1–6
 for TCP/IP, *Overview*, 5–11
Adjacent nodes, *DECnetUser*, 1–2
 term defined, *NetMgt*, 1–3
Algorithm
 with the FAL utility, *DECnetUser*,
 4–12
Alias
 term defined, *ClientCmnds*, 1–88
Aligning text, *SEDT*, 2–9
ALL-IN-1 software, *SETHOOKT*, C–9
Ambiguous device, *ClientCmnds*, 1–143
Analyzing problems
 See Troubleshooting
ANNOTATE command, *Mail*, 9–5
Annotating the current message, *Mail*,
 3–5
Answerback messages
 using, *MSWindows*, 5–15
Answerback setting, *SETHOOKT*, 3–25
Answerback String setting, *SETHOOKT*,
 3–26
ANSWER command, *Mail*, 9–8
API programming
 error returns, *ClientCmnds*, 1–148
APIs
 See Application programming interfaces
APPEND command
 in NFT utility, *DECnetUser*, 4–19,
 4–20
Appending files, *DECnetUser*, 4–15, 4–20
Appending text, *SEDT*, 2–6
AppleTalk/DECnet Transport Gateway,
 Overview, 7–9
AppleTalk for VMS, *Overview*, A–1, A–2
 description, *Overview*, 1–12, 2–12
 networking with, *Overview*, 7–8
Application Cursor Keys setting,
 SETHOOKT, 3–25
Application Keypad setting, *SETHOOKT*,
 3–25
Application programming interfaces
 (APIs), *Overview*, 5–7, 6–2
PATHWORKS support for, *Overview*,
 1–20
Applications
 See X applications
BCAST utility, *UserHandbook*, 1–5
Mail, *UserHandbook*, 1–4
Microsoft Windows, *MSWindows*, 1–1
PC DECwindows Motif,
 UserHandbook, 1–5
printing from, *UserHandbook*, 3–14
RCV utility, *UserHandbook*, 1–5
running under windows, *DECnetUser*,
 1–5
SEDT, *UserHandbook*, 1–5

Applications (Cont.)

- selecting directory for, *UserHandbook*, 2-4
 - terminal emulation, *UserHandbook*, 1-5
 - TRCV utility, *UserHandbook*, 1-5
 - USE utility, *UserHandbook*, 1-5
 - using line echo and, *UserHandbook*, 3-15
- Application startup information
- parameter, *PCDECwin*, 3-10, 7-7, 7-9
- Application Startup program
- installing on ULTRIX nodes, *PCDECwin*, 4-4
 - making available, *PCDECwin*, 4-1
- Area
- term defined, *InstallDiskettes*, B-2; *InstallVMS*, B-2; *InstallULTRIX*, B-2
- Area number
- term defined, *InstallDiskettes*, B-2; *InstallVMS*, B-2; *InstallULTRIX*, B-2
- ARP protocol
- See Address Resolution Protocol (ARP)*
- ASCII, *DECnetUser*, 4-13
- character set, *SETHOST*, 3-22, C-1
 - file attributes, *DECnetUser*, 4-13
 - files, *DECnetUser*, 3-5, 3-6, 4-12, 4-13
 - switch, *DECnetUser*, 4-6
- ASCII character sets, *SEDT*, D-1
- ASCII files
- converting to binary, *SEDT*, B-2
 - dos2ult utility, *UserHandbook*, 5-4
 - term defined, *UserHandbook*, 5-2
 - transferring, *UserHandbook*, 5-10
 - ult2dos utility, *UserHandbook*, 5-4
- Asterisk
- using as a wildcard, *DECnetUser*, A-2
- Asynchronous communications, *MSWindows*, 5-11
- Asynchronous DECnet, *InstallDiskettes*, 3-3; *Overview*, 1-8, 2-13; *SETHOST*, 1-3
- client profile, *InstallDiskettes*, A-5; *InstallVMS*, A-5
 - configuring for, *InstallVMS*, 6-1
 - file and print services, *InstallDiskettes*, 2-3; *InstallVMS*, 3-3
 - illustration, *Overview*, 1-8
 - overview, *InstallDiskettes*, 2-2; *InstallVMS*, 3-2
 - running, *InstallDiskettes*, 7-1; *InstallVMS*, 15-1
- Asynchronous memory requirements, *Memory*, 2-3, 3-30
- loading DNNDCLD, *Memory*, 2-3, 3-30
 - loading DNNDCCPC, *Memory*, 2-3, 3-30
 - loading DNPDCCPC, *Memory*, 2-3, 3-30
- Asynchronous ports, *ClientCmnds*, 3-28
- Asynchronous serial communications port, *MSWindows*, 5-10
- ATTRIB command (DOS)
- using DOS attributes, *ClientCmnds*, 3-2
- Attributes
- character, *SETHOST*, 3-19
 - line, *SETHOST*, 3-18
 - video, *SETHOST*, 3-19
- Auto Answerback setting, *SETHOST*, 3-25
- AUTOEXEC.BAT file
- calling batch file from, *ClientCmnds*, 2-1, 2-2
 - editing, *Memory*, 3-20
 - modifying, *InstallDiskettes*, D-2, E-1; *InstallVMS*, F-2, G-1; *InstallULTRIX*, E-2, G-1; *MSWindows*, 2-6, 3-7
 - specifying swap file location, *PCDECwin*, 3-22
 - with KEYBRD command, *ClientCmnds*, 3-26

AUTOEXEC.BAT file (Cont.)
 with XONXOFF command,
 ClientCmnds, 3–12
Automatic screen shifting, *SEDT*, 3–6
Auto Repeat setting
 LK250, *SETHOST*, 3–26
 VT100, *SETHOST*, 3–26
Autosave
 term defined, *SEDT*, 4–2
 troubleshooting, *SEDT*, 4–2
AUTOSAVE= command, *SEDT*, A–10
Autotyping
 See VT320 emulator Set-Up utility
AUTOUSER.BAT file, *ClientCmnds*,
 1–129, 1–137
 editing, *Memory*, 3–20
Auto Wrap setting, *SETHOST*, 3–15

B

Background
 changing in the VT320 emulator,
 MSWindows, 5–17
Background Color setting, *SETHOST*,
 3–16
Background setting, *SETHOST*, 3–15
Backing store parameter, *PCDECwin*,
 3–15
BACKUPFILE= command, *SEDT*, A–10
Backup procedure (VMS), *InstallVMS*,
 8–1
 creating the procedure on the client,
 InstallVMS, 8–3
 creating the procedure on the server,
 InstallVMS, 8–1
 running, *InstallVMS*, 8–6
Backward compatibility parameter,
 PCDECwin, 3–17
Base memory
 See Conventional memory
Base RAM
 See Conventional memory
Basic Redirector, *InstallDiskettes*, 2–4;
 InstallVMS, 3–4; *InstallULTRIX*,
 3–3; *Overview*, 5–7

Batch file program loading
 for FTP, *Memory*, 4–9
 for TELNET, *Memory*, 4–8
Batch files, *DECnetUser*, 2–7
 checking for and replacing broken
 connection, *ClientCmnds*, 1–144
environment variable in, *ClientCmnds*,
 1–141, 1–145
error returns for USE, *ClientCmnds*,
 1–142
loading components from,
 ClientCmnds, 2–2
modifying, *ClientCmnds*, 2–3
sending to a printer, *ClientCmnds*,
 1–114
USE /CHECK in, *ClientCmnds*, 1–140
with the NFT utility, *DECnetUser*,
 4–18

Batch processes
 providing error returns to,
 ClientCmnds, 1–148

BAUD RATE command, *InstallDiskettes*,
 7–4; *InstallVMS*, 15–4; *SETHOST*,
 4–16

Baud rates
 setting in the VT320 emulator,
 MSWindows, 5–14

BCAST command
 sending Broadcast messages,
 ClientCmnds, 1–6

BCAST utility
 See Broadcast utility

Bell
 setting duration, *PCDECwin*, 3–17
 setting pitch, *PCDECwin*, 3–17

Bell duration parameter, *PCDECwin*,
 3–17

Bell pitch parameter, *PCDECwin*, 3–17

Binary files, *DECnetUser*, 3–5, 3–6, 4–12
 converting to ASCII, *SEDT*, B–2
 term defined, *UserHandbook*, 5–2
 transferring, *UserHandbook*, 5–9

Bind count for program loading, *Memory*,
 4–6

BIOS memory

BIOS memory (Cont.)

See Upper memory

Bitmap Distribution Format (.BDF) file
compiling the file, *PCDECwin*, 10-2

Bold Color setting, *SETHOST*, 3-17

Boot

local and remote, *Overview*, 1-17

BREAK command, *SETHOST*, 4-17

Break setting, *SETHOST*, 3-25

BREAKSRC.EXE file, *SETHOST*, C-10

/BRIEF switch

Network File Transfer switch,
DECnetUser, 4-16

British character set, *SETHOST*, 3-22

Broadcast messages, *UserHandbook*,
9-20

Broadcast utility, *UserHandbook*, 1-5

for DOS clients, *Overview*, 5-16

for OS/2 clients, *Overview*, 6-4

reading messages on DECnet,
ClientCmnds, 1-127, 1-135

sending messages, *ClientCmnds*, 1-6
using, *UserHandbook*, 9-20

Browser, *UserHandbook*, 9-5

elements of, *UserHandbook*, 9-6

keypad keys and, *UserHandbook*, 9-8

mouse and, *UserHandbook*, 9-7

using, *UserHandbook*, 9-7

Buffer information blocks

allocating for DLL802, *ClientCmnds*,
2-5

BUFFERING=EMS command, *SEDT*,
A-11

MS-Windows limitation, *SEDT*, A-11

BUFFERING=FREE command, *SEDT*,
A-11

BUFFERING=NOEMS command, *SEDT*,
A-11

MS-Windows requirement, *SEDT*,
A-11

BUFFERING=NOFREE command,
SEDT, A-11; *Memory*, 2-14

Buffers

creating and editing, *SEDT*, 2-2
paste, *SEDT*, 2-5, 2-6

Buffers (Cont.)

saving, *SEDT*, 2-4

term defined, *SEDT*, 2-2

writing contents to a file, *SEDT*, 3-8

BUFFERS= command, *SEDT*, 2-2

Buffers size

term defined, *NetMgt*, 3-6

C

Canadian French character set,
SETHOST, 3-22

Canceling

an operation, *SEDT*, 2-8

a text selection, *SEDT*, 2-6

Carriage controls

converting, *DECnetUser*, 4-13

Carriage return and line feed
in the VT320 emulator, *MSWindows*,
5-19

CASE command, *SETHOST*, 4-18

CASE END command, *SETHOST*, 4-20

CDEX

See MSCDEX

CDROM services

description, *Overview*, 1-15

for DOS users, *Overview*, 5-6

CFGWS.DAT file, *InstallDiskettes*, D-3;
InstallVMS, F-3; *InstallULTRIX*,
E-3

CHAIN command, *SETHOST*, 4-21

Change Directory options

in NFT, *MSWindows*, 6-6

Changing case, *SEDT*, 2-6

Changing files

See Appending files

Changing settings

for the VT320 emulator Set-Up utility,
MSWindows, 4-14, 5-3

in VT320 emulator configuration files,
MSWindows, 5-33

Changing Set-up selections, *SETHOST*,
2-26

Character attributes

displaying, *SETHOST*, 3-19

Character attributes (Cont.)
 underline, *SETHOST*, 3-19

Character Mode setting, *SETHOST*, 3-21

Character sets, *SEDT*, D-1; *SETHOST*, C-1
 ASCII, *SETHOST*, 3-22
 British, *SETHOST*, 3-22
 Canadian French, *SETHOST*, 3-22
 DEC Multinational, *SETHOST*, C-6
 DEC special graphics, *SETHOST*, C-3
 Dutch, *SETHOST*, 3-22
 Finnish, *SETHOST*, 3-22
 French, *SETHOST*, 3-22
 German, *SETHOST*, 3-22
 graphic, *SETHOST*, C-1
 IBM ROM, *SETHOST*, C-1
 ISO Latin1, *SETHOST*, C-4
 Italian, *SETHOST*, 3-22
 location of, *MSWindows*, 6-19
 Norwegian/Danish, *SETHOST*, 3-22
 Portuguese, *SETHOST*, 3-22
 selection of, *SETHOST*, 1-11
 settings, *SETHOST*, 3-22
 Spanish, *SETHOST*, 3-22
 Swedish, *SETHOST*, 3-22
 technical, *SETHOST*, C-2
 with VT320 terminal emulator,
 MSWindows, 5-19

Character translation files, *SETHOST*, C-1

CHECK command, *Mail*, 9-10

Checking for new mail, *Mail*, 4-2, 9-10

Chooser application (Macintosh),
 Overview, 1-19

Circuit counters
 listing of, *NetMgt*, 4-2
 user buffer unavailable, *NetMgt*, 4-2

Circuits
 defining parameters, *NetMgt*, 6-16
 displaying information, *NetMgt*, 4-12,
 6-37, 6-93
 loop testing, *NetMgt*, 6-49
 setting parameters, *NetMgt*, 6-71
 states, *NetMgt*, 4-12
 substates, *NetMgt*, 4-12

Circuits (Cont.)
 term defined, *NetMgt*, 3-2, 4-12
 zeroing counters, *NetMgt*, 6-107

C language programming, *DECnetUser*, 1-5

Clear All Tabs setting, *SETHOST*, 3-37

CLEAR command, *NetMgt*, 2-6

Clear Communications setting,
 SETHOST, 3-4

Clear Display setting, *SETHOST*, 3-4

CLEAR EXECUTOR command, *NetMgt*, 6-6

Clearing communications
 in the VT320 emulator, *MSWindows*, 5-6

Clearing tabs, *SETHOST*, 3-37

CLEAR LINE command, *SETHOST*, 4-23

CLEAR LOCAL-ADAPTER-NAME command, *NetMgt*, 6-8

CLEAR REMOTE-ADAPTER-NAME command, *NetMgt*, 6-10

Client
 See also Client profile
 See also Configuration files
 See also X client
 collecting information for configuration,
 InstallDiskettes, 2-7, B-1;
 InstallVMS, 3-7, B-1;
 InstallULTRIX, 3-6, B-1
 configuration, preparing for,
 InstallDiskettes, 2-6; *InstallVMS*, 3-6; *InstallULTRIX*, 3-5
 configuration files, *InstallDiskettes*, D-1; *InstallVMS*, F-1;
 InstallULTRIX, E-1
 configuration overview,
 InstallDiskettes, 2-1;
 InstallVMS, 3-1; *InstallULTRIX*, 3-1
 configuring for
 asynchronous DECnet connections,
 InstallVMS, 6-1
 DECnet-DOS only,
 InstallULTRIX, 6-1

- Client**
- configuring for (Cont.)
 - local boot, *InstallDiskettes*, 5–1; *InstallVMS*, 6–1; *InstallULTRIX*, 6–1
 - remote boot, *InstallVMS*, 7–1
 - TCP/IP, *InstallVMS*, 6–1; *InstallULTRIX*, 6–1
 - Ethernet adapters, *InstallDiskettes*, 2–6, C–1; *InstallVMS*, 3–6, C–1; *InstallULTRIX*, 3–5, C–1
 - initial client/server connection, *InstallVMS*, 4–2; *InstallULTRIX*, 4–2
 - key disk for, *InstallDiskettes*, 2–1; *InstallVMS*, 3–1; *InstallULTRIX*, 3–1
 - LAN Manager terminology for, *UserHandbook*, 4–2
 - manual remote boot, *InstallVMS*, 14–1
 - modifying STARTNET.BAT to connect to OS/2 server, *InstallDiskettes*, 4–7
 - NDIS adapters, *InstallDiskettes*, 2–6; *InstallVMS*, 3–6; *InstallULTRIX*, 3–5
 - NDIS drivers, *InstallDiskettes*, C–1; *InstallVMS*, C–1; *InstallULTRIX*, C–1
 - Netsetup function keys, *InstallDiskettes*, 2–10; *InstallVMS*, 3–10; *InstallULTRIX*, 3–9
 - Netsetup help, *InstallDiskettes*, 2–11; *InstallVMS*, 3–11; *InstallULTRIX*, 3–10
 - Netsetup overview, *InstallDiskettes*, 2–8; *InstallVMS*, 3–8; *InstallULTRIX*, 3–7
 - Netsetup screens, *InstallDiskettes*, 2–10; *InstallVMS*, 3–10; *InstallULTRIX*, 3–9
 - network adapters, *InstallDiskettes*, 2–6; *InstallVMS*, 3–6; *InstallULTRIX*, 3–5
 - Client (Cont.)
 - network key disk, *InstallVMS*, 3–4
 - node address, *InstallDiskettes*, B–2; *InstallVMS*, B–2; *InstallULTRIX*, B–2
 - node name, *InstallDiskettes*, B–1; *InstallVMS*, B–1; *InstallULTRIX*, B–1
 - profile, *InstallDiskettes*, 2–1; *InstallVMS*, 3–1; *InstallULTRIX*, 3–1
 - using copies of, *InstallDiskettes*, 2–13; *InstallVMS*, 3–13; *InstallULTRIX*, 3–12
 - relationship with servers, *Overview*, 1–2
 - saving copies of profile form, *InstallDiskettes*, 2–14; *InstallVMS*, 3–14; *InstallULTRIX*, 3–13
 - starting Netsetup, *InstallDiskettes*, 2–8; *InstallVMS*, 3–8; *InstallULTRIX*, 3–7
 - term defined, *UserHandbook*, 1–2; *Overview*, 1–2
 - Token Ring adapters, *InstallDiskettes*, 2–6, C–1; *InstallVMS*, 3–6, C–1; *InstallULTRIX*, 3–5, C–1
 - Client commands
 - DOS enhancements, *ClientCmnds*, 3–1
 - for loading network components, *ClientCmnds*, 2–1
 - summary of network commands, *ClientCmnds*, 1–3 - Client directory
 - contents, *InstallVMS*, E–1; *InstallULTRIX*, D–1
 - structure, *InstallVMS*, E–1; *InstallULTRIX*, D–1 - Client operating system
 - See DOS* - Client profile
 - creating for local boot, *InstallDiskettes*, 5–1; *InstallVMS*, 6–1; *InstallULTRIX*, 6–1

- Client profile (Cont.)
- creating for remote boot, *InstallVMS*, 7-1
 - form for asynchronous connections, *InstallDiskettes*, A-5; *InstallVMS*, A-5
 - form for local boot (asynchronous), *InstallDiskettes*, A-5; *InstallVMS*, A-5
 - form for local boot (DECnet), *InstallDiskettes*, A-2; *InstallVMS*, A-2; *InstallULTRIX*, A-1
 - form for local boot (DECnet-DOS only), *InstallDiskettes*, A-7; *InstallVMS*, A-7; *InstallULTRIX*, A-5
 - form for local boot (TCP/IP), *InstallDiskettes*, A-10; *InstallVMS*, A-10; *InstallULTRIX*, A-8
 - form for remote boot, *InstallVMS*, A-13
 - local boot, *InstallDiskettes*, 5-1; *InstallVMS*, 6-1; *InstallULTRIX*, 6-1
 - remote boot, *InstallVMS*, 7-1
 - saving copies of, *InstallDiskettes*, 2-14; *InstallVMS*, 3-14; *InstallULTRIX*, 3-13
 - using copies of, *InstallDiskettes*, 2-13; *InstallVMS*, 3-13; *InstallULTRIX*, 3-12
- Client software
- hard disk installation guidelines, *InstallDiskettes*, 3-7
 - on file service, *InstallDiskettes*, 1-1, 4-1, 4-8; *InstallULTRIX*, 1-1
 - on PC hard disk, *InstallDiskettes*, 1-1, 3-1, 3-7
 - OS/2 server installation guidelines, *InstallDiskettes*, 4-8
 - PC hard disk installation procedure, *InstallDiskettes*, 3-8
- Clipboard, *MSWindows*, 4-14
- CLOSE command, *SETHOST*, 4-24
- in NDU, *DECnetUser*, 5-7
- Code pages, *SETHOST*, 1-12, C-9
- 437, *SETHOST*, 1-13
 - 850, *SETHOST*, 1-13
 - 860, *SETHOST*, 1-13
 - 863, *SETHOST*, 1-13
 - 865, *SETHOST*, 1-13
 - default, *SETHOST*, 1-13
 - directories, *SETHOST*, C-10
 - files, *SETHOST*, C-9
- Colors
- See* Screen colors
 - changing in the VT320 emulator, *MSWindows*, 5-17
- for Broadcast header, *ClientCmnds*, 1-128, 1-136
- for Broadcast message, *ClientCmnds*, 1-128, 1-136
- COLUMN= command, *SEDT*, A-4
- Columns
- 80-column setting, *SETHOST*, 3-15
 - 132-column setting, *SETHOST*, 3-15
 - environment variable, *SETHOST*, 3-44
 - switching between 80 and 132, *SETHOST*, 3-44
- Command files, *DECnetUser*, 4-18;
- NetMgt*, 1-5
 - running, *DECnetUser*, 4-18
 - submitting, *DECnetUser*, 4-43
 - used with NFT, *DECnetUser*, 4-2
 - with the Job Spawner utility, *DECnetUser*, 2-2
- Command line
- changing configuration options, *SEDT*, 3-6
 - error messages, *DECnetUser*, B-2, B-3
 - in Mail, *UserHandbook*, 9-7
 - invoking FAL from, *DECnetUser*, 3-2
 - NDU error messages, *DECnetUser*, C-2
 - options, *SEDT*, 3-3
 - sample for FAL, *DECnetUser*, 2-6
 - starting FAL from, *DECnetUser*, 3-1
- Command line method, *SETHOST*, 2-1

Command prompt
 using Mail without, *Mail*, A-1

Commands
 customizing, *SEDT*, A-8
 for asynchronous DECnet
 communication, *InstallDiskettes*, 7-4; *InstallVMS*, 15-4
 for displaying text, *SEDT*, A-4
 for editing, *SEDT*, A-9
 for hardware, *SEDT*, A-7
 for loading SEDT into EMS, *SEDT*, A-11
 for prompting, *SEDT*, 3-8
 for saving rulers and marks, *SEDT*, A-9
 in a subprocess, *SEDT*, 3-9
 in the FAL utility, *DECnetUser*, 3-5
 running operating system, *Mail*, 9-66
 that recover, *SEDT*, A-10
 using in the Mail Composition window, *Mail*, 3-8
 using in the Message Viewer, *Mail*, 2-3

Commands for starting X applications
 from a terminal session, *PCDECwin*, 6-9, 6-12
 from the PC Session Manager, *PCDECwin*, 6-6

COMMENT command, *SETHOST*, 4-25

Comm Port 1: setting
 using, *SETHOST*, 3-10

Communication device names
 term defined, *UserHandbook*, 1-10

Communications
 and server functions, *Overview*, A-1, A-2
 asynchronous DECnet, *Overview*, 1-8, 2-13
 devices requiring XON/XOFF protocol, *ClientCmnds*, 3-28
 Ethernet, *Overview*, 1-4, 2-13
 physical connection, *DECnetUser*, 1-2
 programming task-to-task, *DECnetUser*, 1-5

Communications (Cont.)
 services for OS/2 clients, *Overview*, 4-3, 6-2
 setting up parameters (DOS), *ClientCmnds*, 3-13
 Token Ring, *Overview*, 2-13

Communications option
 defined, *MSWindows*, 5-12
 selecting a communications protocol for VT320 emulator, *MSWindows*, 4-6
 selecting Port/Network, *MSWindows*, 4-6
 setting on VT320 emulator Set-Up screen, *MSWindows*, 4-5
 VT320 emulator Set-Up utility, *MSWindows*, 5-10

Communications Set-Up screen
 Comm Port 1: setting, *SETHOST*, 3-10
 Data Bits setting, *SETHOST*, 3-11
 default settings, *SETHOST*, A-1
 description of, *SETHOST*, 3-9
 Disconnect Delay setting, *SETHOST*, 3-10
 overview of, *SETHOST*, 3-2
 Parity setting, *SETHOST*, 3-11
 sample of, *SETHOST*, 3-9
 Speed setting, *SETHOST*, 3-11
 Stop Bit setting, *SETHOST*, 3-11
 Transmit = Receive setting, *SETHOST*, 3-11
 XOFF setting, *SETHOST*, 3-10

COMPAQ LTE/286 external keys
 setting from command line, *SETHOST*, 2-4

COMPAQ LTE/286 keys
 setting from command line, *SETHOST*, 2-4

COMPAQ LTE/286 Laptop (with keypad) keys
 KBDLTEKP.HLP file, *SETHOST*, 1-8

COMPAQ LTE/286 Laptop keys
 KBDLTE.HLP file, *SETHOST*, 1-8

COMPAQ LTEKP keys

COMPAQ LTEKP keys (Cont.)
setting from command line,
SETHOST, 2-4

COMPAQ SLT/286 keys
setting from command line,
SETHOST, 2-4

COMPAQ SLT/286 Laptop
KDBSLT.HLP file, *SETHOST*, 1-8

COMPILE KEYS command, *SEDT*, B-2

Compose sequences, *PCDECwin*, 7-2

Computername, *UserHandbook*, 4-2

CONFIG.SYS file, *InstallDiskettes*, D-2;
InstallVMS, F-2; *InstallULTRIX*,
E-2

DECMOUSE command, *ClientCmnds*,
3-24

editing to save memory,
InstallDiskettes, D-2; *InstallVMS*,
F-2; *InstallULTRIX*, E-2;
Memory, 3-18

modifying, *InstallDiskettes*, D-2,
E-1; *InstallVMS*, F-2, G-1;
InstallULTRIX, E-2, G-1

Configuration
client, *InstallDiskettes*, 2-1;
InstallVMS, 3-1; *InstallULTRIX*,
3-1

files for, *InstallDiskettes*, D-1;
InstallVMS, F-1; *InstallULTRIX*,
E-1

initial client/server connection,
InstallVMS, 4-2; *InstallULTRIX*,
4-2

key disk and, *InstallDiskettes*, 2-1;
InstallVMS, 3-1; *InstallULTRIX*,
3-1

local boot, *InstallDiskettes*, 5-1;
InstallVMS, 6-1; *InstallULTRIX*,
6-1

network key disk and, *InstallVMS*,
3-4

remote boot, *InstallVMS*, 7-1

Configuration examples
See 80286 configuration examples
See 80386 configuration examples

Configuration examples (Cont.)
See 8086/88 configuration examples

Configuration files, *InstallDiskettes*, D-1;
InstallVMS, F-1; *InstallULTRIX*,
E-1
and VT320 emulator Set-Up utility,
MSWindows, 5-30

AUTOEXEC.BAT, *InstallDiskettes*,
D-2; *InstallVMS*, F-2;
InstallULTRIX, E-2

CFGWS.DAT, *InstallDiskettes*, D-3;
InstallVMS, F-3; *InstallULTRIX*,
E-3

CONFIG.SYS file, *InstallDiskettes*,
D-2; *InstallVMS*, F-2;
InstallULTRIX, E-2
creating, *MSWindows*, 5-30;
PCDECwin, 3-2

DECLAT.DAT, *InstallDiskettes*, D-3;
InstallVMS, F-3; *InstallULTRIX*,
E-3

DECLAT.INI, *InstallDiskettes*, D-4;
InstallVMS, F-4; *InstallULTRIX*,
E-4

DECNET.INI, *InstallDiskettes*, D-3;
InstallVMS, F-3; *InstallULTRIX*,
E-3

DECNODE.DAT, *InstallDiskettes*,
D-3; *InstallVMS*, F-3;
InstallULTRIX, E-3

DECOBJ.DAT, *InstallDiskettes*, D-3;
InstallVMS, F-3; *InstallULTRIX*,
E-3

DECPARM.DAT, *InstallDiskettes*, D-4;
InstallVMS, F-4; *InstallULTRIX*,
E-4

default name for, *PCDECwin*, 3-2
defining in WIN.INI file, *MSWindows*,
5-32

double-clicking on, *MSWindows*, 5-32

DWDOS.INI, *PCDECwin*, 3-2

EXECINFO.BAT, *InstallDiskettes*,
D-4; *InstallVMS*, F-4;
InstallULTRIX, E-4

location, *PCDECwin*, 3-4

Configuration files (Cont.)

- order of processing, *InstallDiskettes*, D–2; *InstallVMS*, F–2; *InstallULTRIX*, E–2
- Running the VT320 emulator from Program or File Manager, *MSWindows*, 5–32
- saving current settings, *MSWindows*, 5–33
- saving VT320 emulator settings, *MSWindows*, 5–30
- specifying file name, *PCDECwin*, 3–2, 5–2
- specifying on startup, *MSWindows*, 5–31
- starting the VT320 emulator, *MSWindows*, 5–31
- STARTNET.BAT**, *InstallDiskettes*, D–3; *InstallVMS*, F–3; *InstallULTRIX*, E–3
- STOPNET.BAT**, *InstallDiskettes*, D–3; *InstallVMS*, F–3; *InstallULTRIX*, E–3
- TEMPLATE.INI**, *InstallVMS*, F–4
- troubleshooting, *MSWindows*, 5–31
- valid directories, *MSWindows*, 5–31
- valid file names, *MSWindows*, 5–31

Configuration guidelines, *Memory*, 3–2

Configuration procedures

- adding memory, *Memory*, 3–11
 - 80286, *Memory*, 3–11
 - 80386, *Memory*, 3–11
 - 8086/88, *Memory*, 3–11
- configuring the memory board, *Memory*, 3–13
- testing expanded memory
 - performance, *Memory*, 3–12
- configuring the network controller, *Memory*, 3–15
- determining current memory configuration, *Memory*, 3–7
- editing DOS files, *Memory*, 3–18
- editing network files, *Memory*, 3–21
- installing DECnet-DOS, *DECnetUser*, 3–3

Configuration procedures (Cont.)

- loading PATHWORKS components, *Memory*, 3–17
- TCP/IP**
 - tuning, *Memory*, 3–33
- testing and maintaining network, *DECnetUser*, 1–4
- using an 80386 memory manager, *Memory*, 3–14

Configuration utility, *PCDECwin*, 1–4

- See also* Parameters
- description of parameters, *PCDECwin*, 3–4
- exiting, *PCDECwin*, 3–4
- guidelines for using, *PCDECwin*, 3–3
- running, *PCDECwin*, 3–1
- specifying new font file location, *PCDECwin*, 10–5, 10–7
- specifying new keysym file information, *PCDECwin*, 9–6
- starting, *PCDECwin*, 3–2

Configuring an expanded memory board, *Memory*, 3–13

Configuring PC DECwindows Motif, *UserHandbook*, 6–5

- See also* Configuration utility
- See also* Parameters
- loading the mouse driver, *PCDECwin*, 3–21
- planning for, *PCDECwin*, 2–1
- running the Configuration utility, *PCDECwin*, 3–1
- setting swap file location for DWDOS386, *PCDECwin*, 3–22

Configuring SEDT

- changing options, *SEDT*, 3–2
- cut and paste, *SEDT*, 3–7
- default file for, *SEDT*, A–3
- Insert mode, *SEDT*, 3–7
- key functions, *SEDT*, A–1
- Replace mode, *SEDT*, 3–7
- screen display width, *SEDT*, 3–8
- screen shift option, *SEDT*, 3–6
- setting tab expansion, *SEDT*, 3–6
- the SEDT.CNF file, *SEDT*, A–1, A–3

Configuring SEDT (Cont.)
 the text display, *SEDT*, A-4
 workstation options, *SEDT*, A-8

Configuring the network controller,
 Memory, 3-15

Connecting to a network printer
 See Digital printers

Connecting to file, disk, and printer
 service, *MSWindows*, 2-5

Connections
 broken, checking for, *ClientCmnds*,
 1-144
 CDROM service, *ClientCmnds*, 1-143
 errors in, *UserHandbook*, 2-8
 listing, *ClientCmnds*, 1-142
 loading a saved connection,
 ClientCmnds, 1-141
 next available drive, *ClientCmnds*,
 1-143
 processing different requests,
 DECnetUser, 2-1
 remote, *UserHandbook*, 1-3
 replacing, *ClientCmnds*, 1-142, 1-148
 restoring, *ClientCmnds*, 1-91, 1-117,
 1-142
 saving, *ClientCmnds*, 1-91, 1-117,
 1-142
 showing information about,
 ClientCmnds, 1-42
 specifying maximum, *ClientCmnds*,
 1-19
 storing in an environment variable,
 ClientCmnds, 1-145
 suspending, *ClientCmnds*, 1-102
 to personal directory, *ClientCmnds*,
 1-48

CONTEXT= command, *SEDT*, A-9

Context file
 saving connections in, *ClientCmnds*,
 1-117

Control keys
 Ctrl/Z, *DECnetUser*, 4-7

Controllers
 See Network controllers

Controlling access to the X server,
 PCDECwin, 3-10

Controlling hosts parameter, *PCDECwin*,
 3-10

Control utility
 See Digital Control utility

CONTROLZ= command, *SEDT*, A-10

Conventional memory, *Memory*, 1-4
 defined, *Memory*, 1-6
 users of, *Memory*, 1-6
 DOS, *Memory*, 1-7
 TSRs, *Memory*, 1-7
 user applications, *Memory*, 1-7

COPY command, *Mail*, 9-11;
 UserHandbook, 5-4; *SETHOST*, 3-8
 in NFT, *DECnetUser*, 4-15, 4-16,
 4-19, 4-24

Copying
 all messages, *Mail*, 7-4
 a message to another folder, *Mail*,
 9-11
 files, *DECnetUser*, 4-12, 4-15, 4-24
 files to remote, *DECnetUser*, 4-14
 local files to remote node, *DECnetUser*,
 4-16
 marked messages, *Mail*, 7-4
 message to another folder, *Mail*, 5-4
 multiple files with wildcard,
 DECnetUser, 4-29
 remote files to local node, *DECnetUser*,
 4-15
 to the Clipboard, *MSWindows*, 4-14

Copying text, *SEDT*, 2-6

Copying text to the VT320 emulator,
 MSWindows, 4-14

COPY NODE command, *NetMgt*, 6-12

Counters
 See Error counters
 displaying, *NetMgt*, 4-4
 loopback, *NetMgt*, 5-7
 zeroing, *NetMgt*, 5-7, 6-107, 6-108,
 6-109

CREATE command
 in NDU, *DECnetUser*, 5-7, 5-14

Creating a shared network directory for Windows, *MSWindows*, 2–7
Creating VT320 emulator configuration files, *MSWindows*, 5–30
CTERM protocol, *Overview*, 1–18; *SETHOST*, 1–3, 2–18, 2–22
and terminal emulation, *Overview*, 5–11
defined, *MSWindows*, 5–11
defining node names, *MSWindows*, 4–9
defining nodes, *SETHOST*, 2–24
definition, *InstallDiskettes*, B–12; *InstallVMS*, B–12;
InstallULTRIX, B–12
error messages, *SETHOST*, B–3
in SETHOST, *UserHandbook*, 7–5
loading, *MSWindows*, 7–5;
SETHOST, 1–4
loading into memory, *Memory*, 2–4
memory requirements, *Memory*, 2–4
selecting as a communications protocol,
MSWindows, 5–11
using, *SETHOST*, 3–10
Ctrl/Z
 NFT exit, *DECnetUser*, 4–7
Cursor
 disabling the blink, *PCDECwin*, 7–19
 displaying in the VT320 emulator,
MSWindows, 5–16
Cursor Keys setting, *SETHOST*, 3–25
CURSORLINE= command, *SEDT*, A–4
Cursor movement
 direction, *SEDT*, 1–1, 1–2
 key sequences, *SEDT*, 1–2
 setting marks, *SEDT*, 1–4
Cursor Style setting, *SETHOST*, 3–15
Cursor Type setting, *SETHOST*, 3–15
Customizing commands
 See Commands
Custom keyboard mapping, *SETHOST*, 3–28
Cut and paste
 configuring, *SEDT*, 3–7

D

DAP
 See Data Access Protocol

Data
 ASCII, *DECnetUser*, 4–12, 4–13
 binary, *DECnetUser*, 4–12
 image, *DECnetUser*, 4–13
Data Access Language (DAL)
 and Macintosh clients, *Overview*, 7–4

Data Access Protocol (DAP)
 error messages, *DECnetUser*, D–1
 Maccode field, *DECnetUser*, D–1
 Miccode field, *DECnetUser*, D–2

Databases
 creating for Job Spawner,
 DECnetUser, 2–2
 DECACC.DAT file, *DECnetUser*, 3–3
 DECOBJ.DAT file, *DECnetUser*, 2–1
 sample contents of, *DECnetUser*, 2–7

DATA BITS command, *SETHOST*, 4–26
Data Bits setting, *SETHOST*, 3–11
Data link
 DEPCA, loading, *ClientCmnds*, 2–6
 extended, loading, *ClientCmnds*, 2–5

Data overruns
 preventing in the VT320 emulator,
 MSWindows, 5–9

Data transfer type, *InstallVMS*, H–2

Data types
 defaults in NFT, *MSWindows*, 6–17

Date, setting, *ClientCmnds*, 1–122
DEBUG command, *SETHOST*, 4–27
DECACC.DAT database, *DECnetUser*, 3–3; *NetMgt*, 2–6, 6–14, 6–35
DECALIAS.DAT database, *NetMgt*, 2–2, 2–4, 2–6, 3–8
DECGRAPH command (DOS)
 printing graphic video images,
 ClientCmnds, 3–5

DECIBM character set, *SETHOST*, C–1
DECKEYB command (DOS)
 changing keyboard mappings,
 ClientCmnds, 3–9

DECKEYB command (DOS) (Cont.)
with KEYBRD command,
ClientCmnds, 3–11
DEC laser 2200 printer, *MSWindows*, 3–8
DECLAT.DAT file, *InstallDiskettes*, D–3;
InstallVMS, F–3; *InstallULTRIX*,
E–3
deleting preferred services from,
ClientCmnds, 1–29
LAT parameters in, *ClientCmnds*,
2–35
loaded into LAT service table,
ClientCmnds, 1–11
maximum circuits stored in,
ClientCmnds, 1–19
printer service stored in, *ClientCmnds*,
1–14
saving LAT service information in,
ClientCmnds, 1–12
DECLAT.INI file, *InstallDiskettes*, D–4;
InstallVMS, F–4; *InstallULTRIX*,
E–4
DEC LK250 keys
setting from command line,
SETHOST, 2–4
DEC MODE command (DOS)
Communications setup mode,
ClientCmnds, 3–13
disabling modem before using
XONXOFF, *ClientCmnds*, 3–28
Help mode, *ClientCmnds*, 3–15
help on options and syntax,
ClientCmnds, 3–12, 3–15
Keyboard mode, *ClientCmnds*, 3–16
preceded by XONXOFF, *ClientCmnds*,
3–28
Printer setup mode, *ClientCmnds*,
3–18
run after KEYBRD command,
ClientCmnds, 3–26
Video mode, *ClientCmnds*, 3–22
with XONXOFF command,
ClientCmnds, 3–12
DECMOUSE.COM, *InstallDiskettes*, B–6;
InstallVMS, B–6; *InstallULTRIX*,
B–6
DECMOUSE command (DOS),
ClientCmnds, 3–24
CONFIG.SYS file, *ClientCmnds*, 3–24
DEC Multinational character set,
SETHOST, C–6
DECnet, *UserHandbook*, 1–4; *Overview*,
A–1, A–2
and ULTRIX server, *Overview*, 3–7
and VMS server, *Overview*, 2–12
capabilities, *DECnetUser*, 1–5
choosing a communications protocol,
MSWindows, 5–11
configuration examples
80286, *Memory*, 6–2
80386, *Memory*, 5–3
8086/88, *Memory*, 7–3
defined, *DECnetUser*, 1–1
defining node names, *MSWindows*,
4–9; *PCDECwin*, 3–19
description, *Overview*, 1–10
directory description, *InstallVMS*,
E–1; *InstallULTRIX*, D–1
directory structure, *InstallVMS*, E–1;
InstallULTRIX, D–1
drivers, *Memory*, 2–6
LADCDDRV, *Memory*, 2–6
LADDRV, *Memory*, 2–6
NDDRV.SYS, *Memory*, 2–6
NDIS, *Memory*, 2–6
NPDRV.SYS, *Memory*, 2–6
PROTMAN.SYS, *Memory*, 2–6
logging messages in the directory,
DECnetUser, 2–5
maximum file specifications,
DECnetUser, 4–14
memory requirements, *Memory*, 2–3
monitoring, *NetMgt*, 4–1
network components
editing STARTNET.BAT, *Memory*,
3–22
unloading, *Memory*, 4–1
unloading all components,
Memory, 4–2
unloading and Netsetup, *Memory*,
4–5

DECnet
network components (Cont.)
 unloading individual components, *Memory*, 4-2
 unloading restrictions, *Memory*, 4-3
 using batch files, *Memory*, 4-3
network process (DNP), *NetMgt*, 3-6
nodes on Ethernet, *Overview*, 1-6
selecting LAT or CTERM for the VT320
 emulator, *MSWindows*, 4-7
Test Receiver, *DECnetUser*, 2-1
tunnel, *Overview*, 7-8
utilities
 SETHOST, *SETHOST*, 1-1
 with PATHWORKS for Macintosh
 client, *Overview*, 7-10
DECNET.INI file, *InstallDiskettes*, D-3;
 InstallVMS, F-3; *InstallULTRIX*, E-3
DECnet/SNA Gateway Access Routine
 See NETBIOS access routine
DECnet-DOS, *InstallDiskettes*, 2-2,
 3-3; *InstallVMS*, 3-2, 6-1;
 InstallULTRIX, 3-2
configuration procedure, *DECnetUser*, 3-3
defined, *DECnetUser*, 1-2
functions, *DECnetUser*, 1-2
predefined object numbers,
 DECnetUser, 2-3
programming library, *DECnetUser*, 1-5
terminology, *NetMgt*, 1-3
uses for, *NetMgt*, 1-1
using file and print services,
 InstallVMS, 3-3; *InstallULTRIX*, 3-2
using Microsoft Windows with,
 DECnetUser, 1-5
using NETBIOS, *DECnetUser*, 1-5
utilities, *DECnetUser*, 1-5
 FAL, *MSWindows*, 6-1;
 DECnetUser, 3-3
 Job Spawner, *DECnetUser*, 2-3

DECnet-DOS
 utilities (Cont.)
 NDU, *DECnetUser*, 5-1
 NFT, *MSWindows*, 6-3;
 DECnetUser, 4-1
DECnet Socket Library, *MSWindows*, 1-2
DECnet transport
 loading PSC on, *ClientCmnds*, 2-40
DECnet-ULTRIX
 version required, *InstallULTRIX*, 1-4
DECnet utilities
 File Access Listener (FAL),
 UserHandbook, 1-5
 for OS/2 clients, *Overview*, 6-3
 Network Control Program (NCP),
 UserHandbook, 1-5
 Network File Transfer (NFT),
 UserHandbook, 1-5
DECnet-VAX, *DECnetUser*, 5-3
DECNODE.DAT database, *NetMgt*, 2-6,
 3-7, 6-12, 6-30, 6-65, 6-89
DECNODE.DAT file, *InstallDiskettes*,
 D-3; *InstallVMS*, F-3;
 InstallULTRIX, E-3
registering nodes in, *ClientCmnds*, 1-75
showing nodes in, *ClientCmnds*, 1-90
DECNODE.TXT file
 modifying, *InstallDiskettes*, E-1;
 InstallVMS, G-1; *InstallULTRIX*, G-1
DECOBJ.DAT database, *DECnetUser*,
 3-3; *NetMgt*, 2-6, 6-27, 6-45, 6-46,
 6-66
DECOBJ.DAT file, *InstallDiskettes*, D-3;
 InstallVMS, F-3; *InstallULTRIX*, E-3
contents of, *DECnetUser*, 2-7
 in Job Spawner, *DECnetUser*, 2-1
DECPARM.DAT database, *NetMgt*, 2-1,
 2-6, 6-21, 6-24, 6-75, 6-77
DECPARM.DAT file, *InstallDiskettes*,
 D-4; *InstallVMS*, F-4;
 InstallULTRIX, E-4; *ClientCmnds*, 2-7

DECREM.DAT database, *NetMgt*, 2–6, 6–30, 6–47, 6–67

DEC special graphics character set, *SETHOST*, C–3

DECW\$XDEFAULTS.DAT file, *PCDECwin*, 7–16, 7–20, 7–21

DECwindows Motif, *Overview*, 1–19
See also PC DECwindows Motif and MacX server, *Overview*, 7–5
 description, *Overview*, 5–13
 explanation of, *PCDECwin*, 1–1

DEFAULT.320 configuration file, *MSWindows*, 5–30

Default ruler file, *SEDT*, A–1

Defaults
 changing access control, *DECnetUser*, 4–10
 modifying, *PCDECwin*, 7–16, 7–18, 7–20

Default settings, *SETHOST*, A–1
 recalling factory settings for the VT320 emulator, *MSWindows*, 5–6

DEFINE ACCESS command, *NetMgt*, 6–14
 in NCP, *DECnetUser*, 3–3

DEFINE CIRCUIT command, *NetMgt*, 6–16

DEFINE command, *NetMgt*, 2–6, 3–6

DEFINE EXECUTOR command, *NetMgt*, 2–1, 3–7

DEFINE FALBACK command (LATCP)
 trying all addresses, *ClientCmnds*, 1–16

DEFINE GROUP CODES command (LATCP)
 distributing users among nodes, *ClientCmnds*, 1–17

DEFINE LINE command, *NetMgt*, 6–23

DEFINE LPT THROTTLE command (LATCP)
 specifying maximum bytes to a printer, *ClientCmnds*, 1–18

DEFINE MAX CIRCUITS command (LATCP)

DEFINE MAX CIRCUITS command (LATCP) (Cont.)
 specifying maximum virtual circuits, *ClientCmnds*, 1–19

DEFINE MULTICAST command (LATCP)
 listening for service announcements, *ClientCmnds*, 1–20

DEFINE NODE command, *PCDECwin*, 3–19; *NetMgt*, 2–4, 3–7, 4–9, 6–25

DEFINE OBJECT command, *NetMgt*, 6–27
 in NCP, *DECnetUser*, 3–3

DEFINE REMOTE-ADAPTER-NAME command, *NetMgt*, 6–30

DEFINE RETRANSMIT LIMIT command (LATCP)
 specifying message retransmissions, *ClientCmnds*, 1–21

DEFINE SCB BUFFER command (LATCP)
 allocating SCB buffers, *Memory*, 3–27
 allocating session control block buffers, *ClientCmnds*, 1–24

DEFINE SCB command (LATCP)
 allocating session control blocks, *ClientCmnds*, 1–22; *Memory*, 3–26

DEFINE SEARCH command (LATCP)
 requesting service information, *ClientCmnds*, 1–25

DEFINE SERVICE TABLE command (LATCP)
 specifying maximum stored services, *ClientCmnds*, 1–27; *Memory*, 3–27

DEFINE SESSION THROTTLE command (LATCP)
 specifying slot size, *ClientCmnds*, 1–28

Defining node names, *MSWindows*, 4–8, 4–9; *PCDECwin*, 3–18, 3–19, 3–21

DECnet nodes, *MSWindows*, 4–9
 Internet nodes, *MSWindows*, 4–11

Defining object, *PCDECwin*, 4–1, 4–3, 4–5, 4–7

Definition (.DEF) files
 editing, *Mail*, A–11

DEFINITIONS= command, *SEDT*, A–7

Deinstallation, *InstallULTRIX*, F-1, F-2
sample procedure, *InstallULTRIX*, F-2

Deinstallation procedure
See Deinstallation

DELETE command, *Mail*, 9-13
in NDU, *DECnetUser*, 5-7, 5-17
in NFT, *DECnetUser*, 4-16, 4-19,
4-32

DELETE command (LATCP)
deleting preferred services,
ClientCmnds, 1-29

DELETE LPTn command (LATCP)
deleting local printer service,
ClientCmnds, 1-31

Deleting
the message you are reading, *Mail*,
2-4

Deleting a message, *Mail*, 5-2, 6-4, 9-13

Deleting DOS on server
See DOSLOAD utility

Deleting files, *DECnetUser*, 4-16
using the NFT command, *DECnetUser*,
4-32

Deleting text, *SEDT*, 2-8

Demand Protocol Architecture (DPA),
Memory, 4-5, 4-8
batch files, *Memory*, 4-8, 4-9
tcpunld utility, *Memory*, 4-8
unload utility, *Memory*, 4-7

DEMPR
See Digital ThinWire Ethernet
Multiport Repeater

DEPCA (Digital) mouse, *MSWindows*,
1-2
installing, *MSWindows*, 2-3

DEPCA.DOS driver, *ClientCmnds*, 2-10,
2-14

DEPCA controller, *InstallDiskettes*, 2-6;
InstallVMS, 3-6; *InstallULTRIX*, 3-5
deallocating, LAST, *ClientCmnds*,
2-34

DESQview
See Task-Switching Environments

Determining current memory
configuration, *Memory*, 3-7

Determining current memory
configuration (Cont.)

Memman utility, *Memory*, 3-7
third-party utilities, *Memory*, 3-11

Device control library, VMS,
ClientCmnds, 1-109

Device drivers
incompatible, *PCDECwin*, 7-23
term defined, *Overview*, 1-4

Device name, *ClientCmnds*, 1-146

Device names
term defined, *UserHandbook*, 1-10

Devices
accessing remote, *DECnetUser*, 5-1
installing remote printer drivers,
DECnetUser, 5-5
limit of disks in operation,
DECnetUser, 5-5
printer errors, *DECnetUser*, C-10
remote printers, *DECnetUser*, 5-3, 5-4
remote print queues, *DECnetUser*,
5-14
saving space with Microsoft Windows,
DECnetUser, 3-2
sharing disks, *DECnetUser*, 1-4
sharing printers, *DECnetUser*, 1-4
special considerations, *DECnetUser*,
5-11
the NDDRV.SYS driver, *DECnetUser*,
5-5
the NPDRV.SYS driver, *DECnetUser*,
5-5
using NDU, *DECnetUser*, 1-4
virtual disk access limit, *DECnetUser*,
5-4
virtual printer access limit,
DECnetUser, 5-4

DIAL command, *InstallDiskettes*, 7-5;
InstallVMS, 15-5; *SETHOOK*, 4-28

Dialog boxes
disabling reserved memory used by,
PCDECwin, 7-21

LAN Manager Screen and,
UserHandbook, 4-6

Dialog boxes (Cont.)

- PC DECwindows Motif and, *UserHandbook*, 6-16
- term defined, *UserHandbook*, 4-6

Digital mouse driver

- DEC.MOUSE.COM, *InstallDiskettes*, B-6; *InstallVMS*, B-6; *InstallULTRIX*, B-6
- loading, *InstallDiskettes*, B-6; *InstallVMS*, B-6; *InstallULTRIX*, B-6
- memory considerations, *InstallDiskettes*, B-6; *InstallVMS*, B-6; *InstallULTRIX*, B-6

Digital ThinWire Ethernet Multiport Repeater (DEMPr), *DECnetUser*, 1-2

Direction settings

- table of, *SEDT*, 1-1

Directories

- connecting to, *ClientCmnds*, 1-149
- connecting to personal, *ClientCmnds*, 1-48
- displaying information, *DECnetUser*, 4-8, 4-16, 4-33
- logging messages in DECnet, *DECnetUser*, 2-5

DIRECTORY command, *Mail*, 9-17

- in NFT, *DECnetUser*, 4-16, 4-19, 4-33

Directory contents

- DECnet, *InstallVMS*, E-1; *InstallULTRIX*, D-1
- displaying, *UserHandbook*, 2-4
- Microsoft Windows, *InstallVMS*, E-3; *InstallULTRIX*, D-3
- PC DECwindows Motif, *InstallVMS*, E-3; *InstallULTRIX*, D-3
- PCSAV41, *InstallVMS*, E-1; *InstallULTRIX*, D-1

Directory in New Window option

- in NFT, *MSWindows*, 6-6

Disconnect

Disconnect (Cont.)

- excluding specified drives from, *ClientCmnds*, 1-144
- from services, *ClientCmnds*, 1-144

Disconnect Delay setting, *SETHOST*, 3-10

Disconnecting

- network file services, *ClientCmnds*, 1-147

Disk device names

- term defined, *UserHandbook*, 1-10

Disk drives

- changing, *UserHandbook*, 4-12
- disconnecting from, *UserHandbook*, 2-11

Disks

- accessing remote, *DECnetUser*, 5-1
- assigning volume names, *DECnetUser*, 5-2
- determining free space, *InstallVMS*, 1-6; *InstallULTRIX*, 1-6
- sharing using NDU, *DECnetUser*, 1-4
- space requirements for installation, *InstallVMS*, 1-6; *InstallULTRIX*, 1-6
- special considerations, *DECnetUser*, 5-11

Disk services, *UserHandbook*, 1-8; *Overview*, A-1, A-2

See also Virtual disk services

- connecting to another server, *UserHandbook*, 2-6

contrasted with file services, *Overview*, 2-6

- description, *Overview*, 1-15
- features of, *Overview*, 2-5
- for DOS clients, *Overview*, 5-6
- for OS/2 clients, *Overview*, 6-4
- types of, *Overview*, 2-6
- with PATHWORKS for VMS, *Overview*, 2-5

Disk space

- required for installation, *InstallVMS*, 1-6; *InstallULTRIX*, 1-6

DISPLAY command, *SETHOST*, 4-31

Display commands, *SEDT*, A-4
Displaying
 all deleted messages, *Mail*, 6-4
 all marked messages, *Mail*, 6-4
 all messages, *Mail*, 6-3
 all messages in reverse order, *Mail*, 6-4
 character attributes, *SETHOST*, 3-19
 file contents, *DECnetUser*, 4-44
 line attributes, *SETHOST*, 3-18
 messages about a specified topic, *Mail*, 6-2
 messages containing specified text, *Mail*, 6-2
 messages from a specified user, *Mail*, 6-2
 messages in a folder, *Mail*, 9-17
 number of new messages, *Mail*, 9-64
 version number, *Mail*, 9-65
Display Set-Up screen
 Auto Wrap setting, *SETHOST*, 3-15
 Background Color setting, *SETHOST*, 3-16
 Background setting, *SETHOST*, 3-15
 Bold Color setting, *SETHOST*, 3-17
 Columns, *SETHOST*, 3-15
 Cursor Style setting, *SETHOST*, 3-15
 Cursor Type setting, *SETHOST*, 3-15
 default settings, *SETHOST*, A-1
 description of, *SETHOST*, 3-14
 Foreground Color setting, *SETHOST*, 3-17
 overview of, *SETHOST*, 3-2
 Reverse Color setting, *SETHOST*, 3-16
 sample of, *SETHOST*, 3-14
 Underline Color setting, *SETHOST*, 3-18
 Video Adapter setting, *SETHOST*, 3-16
Distribution list
 for BCAST messages, *ClientCmnds*, 1-6
 in Mail, *UserHandbook*, 9-14
DLL802 command, *ClientCmnds*, 2-5
DLLDEPCA, *ClientCmnds*, 2-6
 editing, *Memory*, 3-28
DLLDEPCA.EXE file, *ClientCmnds*, 2-6
 loading, *ClientCmnds*, 2-6
DLLNDIS, *ClientCmnds*, 2-10
 modifying, *Memory*, 3-29
DLLNDIST, *ClientCmnds*, 2-14
 modifying, *Memory*, 3-29
DMA channel number, *InstallVMS*, H-2
DNETHHeapSize
 increasing, *MSWindows*, 6-9
 setting, *MSWindows*, 6-9
DNNDCPLD
 See also DNP
 editing, *Memory*, 3-30
 loading asynch DNP with NETBIOS,
 expanded memory, *ClientCmnds*, 2-18; *Memory*, 2-3, 3-30
 memory requirements, *Memory*, 2-3
DNNDCPPC
 editing, *Memory*, 3-30
 loading asynch DNP with NETBIOS,
 conventional memory, *ClientCmnds*, 2-21; *Memory*, 2-3, 3-30
 memory requirements, *Memory*, 2-3
DNNETH
 See also DNP
 editing, *Memory*, 3-30
 loading Ethernet DNP, *ClientCmnds*, 2-24; *Memory*, 2-3, 3-30
 memory requirements, *Memory*, 2-3
DNP, *InstallDiskettes*, 12-1, B-9, B-10;
 InstallVMS, 13-1, B-9, B-10;
 InstallULTRIX, 11-1, B-9, B-10
 memory requirements, *Memory*, 2-3
 modifying, *Memory*, 3-30
DNP.EXE
 See DECnet, network process
DNPDCPPC
 See also DNP
 editing, *Memory*, 3-30
 loading asynch DNP, no NETBIOS,
 ClientCmnds, 2-26; *Memory*, 2-3, 3-30

DNPDCPPC (Cont.)

memory requirements, *Memory*, 2-3

DNP Ethernet variants

loading into EMS, *ClientCmnds*, 2-27

Domain name, *InstallDiskettes*, B-5;

InstallVMS, B-5; *InstallULTRIX*, B-5

Domain name server, *InstallDiskettes*,

 B-5; *InstallVMS*, B-5;

InstallULTRIX, B-5

DOS

See also DOSLOAD utility

and memory use of TSRs, *Memory*, 3-18

checking versions on a file service, *InstallDiskettes*, 6-4; *InstallVMS*, 5-4; *InstallULTRIX*, 5-4

conventional memory use, *Memory*, 1-7

creating a bootable diskette, *ClientCmnds*, 1-119

deleting on server, *InstallDiskettes*, 6-1, 6-9; *InstallVMS*, 5-1, 5-9; *InstallULTRIX*, 5-1, 5-9

editing files, *Memory*, 3-18

 AUTOEXEC.BAT, *Memory*, 3-20

 AUTOUSER.BAT, *Memory*, 3-20

 CONFIG.SYS, *Memory*, 3-18

file attributes, *DECnetUser*, 4-5

information needed to install, *InstallDiskettes*, 6-2; *InstallVMS*, 5-3; *InstallULTRIX*, 5-2

installing on server, *InstallDiskettes*, 6-1; *InstallVMS*, 5-1; *InstallULTRIX*, 5-1

listing versions available on server, *InstallDiskettes*, 6-8; *InstallVMS*, 5-8; *InstallULTRIX*, 5-8

materials needed to install, *InstallDiskettes*, 6-2; *InstallVMS*, 5-2; *InstallULTRIX*, 5-2

preparing to install, *InstallVMS*, 4-1; *InstallULTRIX*, 4-1

restrictions with FAL, *DECnetUser*, 3-4

DOS (Cont.)

returning to, *PCDECwin*, 3-13

sample subdirectory names,

InstallDiskettes, 6-3; *InstallVMS*, 5-3; *InstallULTRIX*, 5-3

single-tasking, *DECnetUser*, 3-1

spawning to, *SETHOST*, 2-6

suspending a session to use, *PCDECwin*, 3-15

using from a session without suspending, *PCDECwin*, 7-6

Version 5.0, *InstallDiskettes*, 6-4; *InstallVMS*, 5-4; *InstallULTRIX*, 5-3; *Memory*, 3-36

versions supported, *InstallDiskettes*, 6-4; *InstallVMS*, 5-4; *InstallULTRIX*, 5-3

DOS16M environment variables, *PCDECwin*, 7-23

dos2ult utility, *UserHandbook*, 5-5

DOS 5.0

See Task-Switching Environments

DOS clients

See also PATHWORKS for DOS

CDROM services for, *Overview*, 5-6

configuring, *Overview*, 5-16

connections from, *Overview*, 5-1

disk services for, *Overview*, 2-5, 5-6

file services for, *Overview*, 5-5

Mail for, *Overview*, 5-10

managing DECnet, *Overview*, 5-10

managing memory, *Overview*, 5-15

managing the LAT transport, *Overview*, 5-10

Microsoft Windows support for, *Overview*, 5-14

OS/2 file services for, *Overview*, 4-2

OS/2 printer services for, *Overview*, 4-3

PC DECwindows Motif for, *Overview*, 5-13

printer services for, *Overview*, 5-9

services for on DECnet, *Overview*, 5-17

services for on TCP/IP, *Overview*, 5-18

- DOS clients (Cont.)
- terminal emulation from, *Overview*, 5–11
 - ULTRIX file services for, *Overview*, 3–1
 - ULTRIX printer services for, *Overview*, 3–3
 - VMS file services for, *Overview*, 2–3
 - VMS printer services for, *Overview*, 2–7
- #DOS command, *PCDECwin*, 7–6
- DOS enhancements, *ClientCmnds*, 3–1
- changing keyboard mappings, *ClientCmnds*, 3–9
 - help on DECMODE, *ClientCmnds*, 3–12, 3–15
 - Microsoft mouse emulation, *ClientCmnds*, 3–24
 - printing graphic video images, *ClientCmnds*, 3–5
 - setting up a video screen, *ClientCmnds*, 3–22
 - setting up communications, *ClientCmnds*, 3–13
 - setting up printers, *ClientCmnds*, 3–18
 - using Digital Gold keyboard, *ClientCmnds*, 3–26
 - using DOS attributes, *ClientCmnds*, 3–2
 - using XON/XOFF protocol, *ClientCmnds*, 3–28
- DOS KEYB program, *SETHOST*, C–2
- DOSLOAD utility
- deleting DOS on server, *InstallDiskettes*, 6–9; *InstallVMS*, 5–9; *InstallULTRIX*, 5–9
 - error messages, *InstallDiskettes*, G–1; *InstallVMS*, I–1; *InstallULTRIX*, H–1
 - function keys, *InstallDiskettes*, 6–5; *InstallVMS*, 5–5; *InstallULTRIX*, 5–5
- DOSLOAD utility (Cont.)
- information needed to install DOS, *InstallDiskettes*, 6–2; *InstallVMS*, 5–3; *InstallULTRIX*, 5–2
 - installing DOS on the server, *InstallDiskettes*, 6–6; *InstallVMS*, 5–6; *InstallULTRIX*, 5–6
 - listing DOS versions on server, *InstallDiskettes*, 6–8; *InstallVMS*, 5–8; *InstallULTRIX*, 5–8
 - materials needed to install DOS, *InstallDiskettes*, 6–2; *InstallVMS*, 5–2; *InstallULTRIX*, 5–2
 - messages, *InstallDiskettes*, G–2; *InstallVMS*, I–2; *InstallULTRIX*, H–2
 - responding to prompts, *InstallDiskettes*, 6–6; *InstallVMS*, 5–6; *InstallULTRIX*, 5–6
 - running, *InstallDiskettes*, 6–5; *InstallVMS*, 5–5; *InstallULTRIX*, 5–4
 - sample DOS subdirectory names, *InstallDiskettes*, 6–3; *InstallVMS*, 5–3; *InstallULTRIX*, 5–3
 - supported DOS versions, *InstallDiskettes*, 6–4; *InstallVMS*, 5–4; *InstallULTRIX*, 5–3
 - upgrade information, *InstallVMS*, 5–2
- DOS Version 4.0, *InstallDiskettes*, D–2; *InstallVMS*, F–2; *InstallULTRIX*, E–2
- DOS Version 5.0
- 80386 configuration example, *Memory*, 5–28
 - using task switcher with PATHWORKS, *InstallDiskettes*, 10–2; *InstallVMS*, 11–2; *InstallULTRIX*, 9–2
- DOS Version 5.0 configuration examples
- 80386 client
 - DECnet, *Memory*, 5–28
 - 80286 client
 - DECnet, *Memory*, 6–27

DOSX environment variables,
 PCDECwin, 3–22, 7–25

Double-height/double-width characters,
 SETHOST, 3–18

Double-width characters, *SETHOST*,
 3–18

DPA
 See Demand Protocol Architecture

Drag and Drop option
 in NFT, *MSWindows*, 6–12

Drive references
 removing from the PATH,
 ClientCmnds, 1–142

Drivers
 See also Device drivers, Mouse, Printer
 Drivers

DECnet, *Memory*, 2–6
 LADCDDRV, *Memory*, 2–6
 LADDRV, *Memory*, 2–6
 NDDRV.SYS, *Memory*, 2–6
 NDIS, *Memory*, 2–6
 NPDRV.SYS, *Memory*, 2–6
 PROTMAN.SYS, *Memory*, 2–6

memory, *Memory*, 2–7
 expanded memory managers,
 Memory, 2–8
 HIMEM.SYS, *Memory*, 2–8
 requirements, *Memory*, 2–7

NDIS, *InstallDiskettes*, C–1;
 InstallVMS, C–1; *InstallULTRIX*,
 C–1

PATHWORKS, *Memory*, 2–6

TCP/IP, *Memory*, 2–7
 NDIS, *Memory*, 2–7
 NEMM.DOS, *Memory*, 2–7
 PROTMAN.DOS, *Memory*, 2–7
 TCPDRV.DOS, *Memory*, 2–7

DTR
 See DECnet Test Receiver

DTR CLEAR command, *SETHOST*, 4–32

DTR SET command, *SETHOST*, 4–33

dump command, *InstallULTRIX*, 1–6

Dump Program for MOP, *NetMgt*, B–1

Dutch character set, *SETHOST*, 3–22

DWCONFIG command, *PCDECwin*, 3–2

DWDOS.INI file
 creating or editing, *PCDECwin*, 3–2
 location of, *PCDECwin*, 3–4
 specifying alternative name file,
 PCDECwin, 5–2
 specifying alternative name for,
 PCDECwin, 3–2

DWDOS.RGB file
 editing, *PCDECwin*, 7–15

DWDOS286
 See also X server
 guidelines for using, *PCDECwin*, 2–1
 running incompatible device drivers
 with, *PCDECwin*, 7–23
 starting, *PCDECwin*, 5–1
 term defined, *PCDECwin*, 1–2

DWDOS386
 See also X server
 guidelines for using, *PCDECwin*, 2–1
 running incompatible device drivers
 with, *PCDECwin*, 7–24
 specifying the swap file location,
 PCDECwin, 3–6
 starting, *PCDECwin*, 5–1
 term defined, *PCDECwin*, 1–2

DWINFO2 utility, *PCDECwin*, 3–23, 8–3

DWINFO3 utility, *PCDECwin*, 3–23, 8–3

E

ECHO command, *SETHOST*, 4–34

Echoing characters
 in the VT320 emulator, *MSWindows*,
 5–18

Editing DOS and network files
 editing network files
 DECnet, *Memory*, 3–22

Editing DOS files, *Memory*, 3–18

Editing network files, *Memory*, 3–21

Editor
 See SEDT editor

EDT
 losing characters during a VT320
 emulator session, *MSWindows*,
 5–7

EEMS 3.2
 See Enhanced Expanded Memory Specification 3.2

EGA43= command, *SEDT*, A-5

EMB
 See Extended memory blocks

EMM.SYS, *Memory*, 2-8

EMS
 See Expanded Memory Specification

EMS 3.2
 See Expanded Memory Specification 3.2

EMS 4.0
 See Expanded Memory Specification 4.0

EMS configuration examples

- 80386 client
 - DECnet, *Memory*, 5-7, 5-28
 - TCP/IP, *Memory*, 5-48
- 80286 client
 - DECnet, *Memory*, 6-7
 - TCP/IP, *Memory*, 6-35
- 8086/88 client
 - DECnet, *Memory*, 7-7
 - TCP/IP, *Memory*, 7-27

EMSLOAD command

- loading components into EMS,
 ClientCmnds, 2-27

EMS memory
 See Expanded memory

EMS performance index

- defined, *Memory*, 3-13

EMSSPEED test program, *Memory*, 3-12

Emulations

- NETBIOS, *DECnetUser*, 1-5
- VT100, *DECnetUser*, 1-4
- VT200, *DECnetUser*, 1-4
- VT220, *DECnetUser*, 1-4
- VT320, *DECnetUser*, 1-4
- VT52, *DECnetUser*, 1-4

Emulator
 See VT320 terminal emulator

Enabling HOSTSYNC

- with the VT320 emulator Set-Up utility, *MSWindows*, 5-9

Ending SETHOST session, *SETHOST*, 2-6

End nodes, *DECnetUser*, 1-2

- term defined, *NetMgt*, 1-3

END ON ERROR command, *SETHOST*, 4-35

Enhanced Expanded Memory Specification 3.2, *Memory*, 1-16

Enhanced Redirector, *InstallDiskettes*, 2-5; *InstallVMS*, 3-5; *InstallULTRIX*, 3-4; *Overview*, 5-8 and NET commands, *ClientCmnds*, 1-1

80386 configuration examples, *Memory*, 5-20, 5-40, 5-52

80286 configuration examples, *Memory*, 6-23, 6-43

modifying to save memory, *Memory*, 3-24

with Full LAN Manager V2.0 or higher, *Overview*, 5-8

with Full LAN Manager V2.0 support, *InstallDiskettes*, 2-5; *InstallVMS*, 3-5; *InstallULTRIX*, 3-4

Enhanced Redirector configuration examples

- 80386 client
 - DECnet, *Memory*, 5-20, 5-40
 - TCP/IP, *Memory*, 5-52
- 80286 client
 - DECnet, *Memory*, 6-23
 - TCP/IP, *Memory*, 6-43
- 8086/88 client
 - DECnet, *Memory*, 7-11

Entering Set-up screens, *SETHOST*, 2-6

Entities

- for the NDU, *DECnetUser*, 5-8

Environment variable

- DOSX, *PCDECwin*, 3-22

Environment variables, *SEDT*, A-2

- creating, *ClientCmnds*, 1-141
- DOS16M, *PCDECwin*, 7-23
- DOSX, *PCDECwin*, 7-25
- memory use of, *Memory*, 3-18
- placing connections in, *ClientCmnds*, 1-145

SET CETERMBUF, *SETHOST*, 3-42

Environment variables (Cont.)

SET NVT80/132, *SETHOST*, 3-44
SET NVTCOLOR, *SETHOST*, 3-43
SET NVDTR, *SETHOST*, 3-42
SET NVTEXIT, *SETHOST*, 3-42
SET NVTID, *SETHOST*, 3-42
SET NVTLK250, *SETHOST*, 3-44
SET NVTMONO, *SETHOST*, 3-43
SET NVTMSG, *SETHOST*, 3-42
SET NVTNRC, *SETHOST*, 3-44
SET NVTSCRIPTLOG, *SETHOST*,
 3-44
SET NVTWIN, *SETHOST*, 3-44

Error checking

in the VT320 emulator, *MSWindows*,
 5-14

Error codes

Netsetup utility, *InstallDiskettes*, G-1,
 G-23; *InstallVMS*, I-1, I-23;
InstallULTRIX, H-1, H-23

Error counters

clearing, *ClientCmnds*, 1-47
clearing virtual disk counters,
 ClientCmnds, 1-124
showing, *ClientCmnds*, 1-43, 1-85

Error handling, *SETHOST*, 4-8

ERRORLEVEL

values explained, *DECnetUser*, 4-2

Error messages

See also Data Access Protocol
See also Messages
command line, *DECnetUser*, B-3
connection, *UserHandbook*, 2-8
CTERM protocol, *SETHOST*, B-3
DOS enhancements, *ClientCmnds*,
 C-1
DOSLOAD, *InstallDiskettes*, G-1;
 InstallVMS, I-1; *InstallULTRIX*,
 H-1
execution, *DECnetUser*, C-12
file input/output, *DECnetUser*, B-7
for the NFT DAP Maccode field,
 DECnetUser, D-1
for the NFT DAP Miccode field,
 DECnetUser, D-2

Error messages (Cont.)

for the NFT DAP protocol,
 DECnetUser, D-1
generating a log file for, *PCDECwin*,
 3-12, 8-1
in NDU, *DECnetUser*, C-1, C-2
input/output, *DECnetUser*, B-2
installation, *InstallVMS*, 2-5;
 InstallULTRIX, 2-6
LAT protocol, *SETHOST*, B-1
miscellaneous, *DECnetUser*, B-14
Netsetup, *InstallDiskettes*, G-1,
 G-11; *InstallVMS*, I-1, I-11;
 InstallULTRIX, H-1, H-11
network, *ClientCmnds*, C-1;
 DECnetUser, B-3
network related, *DECnetUser*, B-9
number generated, *PCDECwin*, 3-12,
 A-2
number not logged, *PCDECwin*, 3-12,
 A-2

on command lines, *DECnetUser*, B-2
Remote boot, *InstallDiskettes*, G-1;
 InstallVMS, I-1; *InstallULTRIX*,
 H-1
secondary, *DECnetUser*, B-11
TELNET protocol, *SETHOST*, B-10
warnings, *DECnetUser*, B-6, B-25

Error processing, *SETHOST*, 4-7

Error return

API programming, *ClientCmnds*,
 1-148
instead of prompt, *ClientCmnds*,
 1-148

Error returns

using USE in batch, *ClientCmnds*,
 1-142

Error statistics

See Error counters

Escape sequences

callable editor, *Mail*, B-3
Ethernet, *Overview*, 2-13, A-1, A-2
 communicating over, *MSWindows*,
 5-10
Ethernet address, *DECnetUser*, 1-2

Ethernet address (Cont.)
 of preferred service, *ClientCmnds*, 1–35
 using X qualifier for, *ClientCmnds*, 1–142, 1–155
Ethernet controller
 determining hardware address, *InstallVMS*, H–3
 determining hardware address for remote boot, *InstallVMS*, 7–4
 selecting in Netsetup, *InstallDiskettes*, 2–6; *InstallVMS*, 3–6; *InstallULTRIX*, 3–5
 SW6 switch location, *InstallVMS*, 7–3
 W16 jumper location, *InstallVMS*, 7–4
Ethernet hardware address
 determining, *InstallVMS*, H–3
EtherWORKS adapters
 choosing, *InstallDiskettes*, 2–6; *InstallVMS*, 3–6; *InstallULTRIX*, 3–5
EtherWORKS controller boards
 list of, *Overview*, 1–4
Event log
 continuous, *NetMgt*, 6–60
 reading contents of, *NetMgt*, 6–69
 sample, *NetMgt*, 6–60, 6–69
Events
 logging of, *NetMgt*, 4–13
 term defined, *NetMgt*, 4–13
Excluding specified drives from disconnect, *ClientCmnds*, 1–141, 1–144
EXECINFO.BAT file, *InstallDiskettes*, D–4; *InstallVMS*, F–4; *InstallULTRIX*, E–4
Executor counters
 CCB allocation failures, *NetMgt*, 4–3
 LDB allocation failures, *NetMgt*, 4–3
 link allocation failures, *NetMgt*, 4–3
 listing of, *NetMgt*, 4–3
 receive connect resource errors, *NetMgt*, 4–3
 response timeouts, *NetMgt*, 4–3
 SDB allocation failures, *NetMgt*, 4–3
Executor nodes, *DECnetUser*, 1–2
 clearing parameters, *NetMgt*, 6–6
 defining parameters, *NetMgt*, 6–18
 displaying characteristics, *NetMgt*, 6–39, 6–95
 displaying information, *NetMgt*, 3–4, 4–8, 6–39
 loop testing, *NetMgt*, 6–53
 operating, *NetMgt*, 3–1
 purging parameters, *NetMgt*, 6–63
 setting information, *NetMgt*, 6–75
 setting parameters, *NetMgt*, 6–75
 term defined, *NetMgt*, 1–3
 zeroing counters, *NetMgt*, 6–108
Executor state
 term defined, *NetMgt*, 3–6
EXIT command, *Mail*, 9–20; *NetMgt*, 6–33
 in NFT, *DECnetUser*, 4–19, 4–35
EXIT command (LATCP), *ClientCmnds*, 1–32
 leaving LATCP, *ClientCmnds*, 1–32
EXIT EMULATOR command, *SETHOST*, 4–36
EXIT EMULATOR ON command, *SETHOST*, 4–37
Exiting
 LAN Manager Screen, *UserHandbook*, 4–17
 Mail, *UserHandbook*, 9–19
 NFT, *DECnetUser*, 4–7
 SEDT, *UserHandbook*, 8–10
 SETHOST, *SETHOST*, 3–5
 SETHOST utility, *UserHandbook*, 7–9
 Set-Up, *SETHOST*, 2–26
 the X server, *PCDECwin*, 3–14, 7–6
 VT320 terminal emulator, *UserHandbook*, 7–15
 X server, *UserHandbook*, 6–27
Exiting Mail, *Mail*, 9–20
EXIT SCRIPT command, *SETHOST*, 4–38
EXIT SCRIPT ON command, *SETHOST*, 4–40
Exit setting, *SETHOST*, 3–5

- Expanded memory, *Memory*, 1–4, 2–2
 80386 configuration example, *Memory*,
 5–7, 5–28, 5–48
 80286 configuration example, *Memory*,
 6–7, 6–35
 8086/88 configuration example,
 Memory, 7–7, 7–27
 configuring the memory board,
 Memory, 3–13
 defined, *Memory*, 1–15
 displaying information about, *Memory*,
 3–10
 effect on maximum links parameter,
 PCDECwin, 3–8
 effects on performance, *Memory*, 2–18
 8086/88 Enhanced Redirector
 configuration examples, *Memory*,
 7–11
 loading network components into,
 ClientCmnds, 2–27
 mapping into upper memory, *Memory*,
 1–15
 memory managers, *Memory*, 2–8
 performance tips, *Memory*, 2–19
 possible conflicts, *Memory*, 2–19
 showing information about,
 ClientCmnds, 1–51
 specifications, *Memory*, 1–16
 testing performance, *Memory*, 3–12
 8086/88 use, *Memory*, 1–16
 80286 use, *Memory*, 1–16
 80386 use, *Memory*, 1–16
 using in a PATHWORKS network,
 Memory, 2–18
- Expanded Memory Specification,
 InstallDiskettes, B–9; *InstallVMS*,
 B–9; *InstallULTRIX*, B–9; *Memory*,
 1–4
- Expanded Memory Specification 3.2,
 Memory, 1–16
- Expanded Memory Specification 4.0,
 Memory, 1–16, 3–14
 defined, *Memory*, 1–16
- Extended Edition
 See OS/2 clients
- Extended memory, *Memory*, 1–4, 2–2
 adding on an 80386, *Memory*, 1–18
 80386 configuration example, *Memory*,
 5–7, 5–28, 5–48
 80286 configuration example, *Memory*,
 6–7, 6–35
 defined, *Memory*, 1–10
 displaying information about, *Memory*,
 3–10
 in 80286 processors, *Memory*, 1–10
 in 80386 processors, *Memory*, 1–10
 requirements for use, *Memory*, 1–13
 showing information about,
 ClientCmnds, 1–61
 use, *Memory*, 1–12
 using in a PATHWORKS network,
 Memory, 2–15
- Extended memory blocks
 defined, *Memory*, 1–15
- Extended Memory Specification,
 InstallDiskettes, B–9; *InstallVMS*,
 B–9; *InstallULTRIX*, B–9; *Memory*,
 1–4
 allocation methods, *Memory*, 1–13
 defined, *Memory*, 1–13
 extended memory blocks, *Memory*,
 1–15
 high memory area, *Memory*, 1–15
 memory areas governed, *Memory*,
 1–13
 upper memory blocks, *Memory*, 1–15
- EXTRACT command, *Mail*, 9–21
- Extracting
 a message to a file, *Mail*, 5–5, 9–21
 marked messages, *Mail*, 7–5
- Extracting a binary attachment, *Mail*,
 5–6
-
- F**
-
- FAL
 See File Access Listener utility
- FAL.EXE executable
 running Microsoft Windows,
 DECnetUser, 3–2

FAL.EXE file
location of, *MSWindows*, 6–2

FALLBACK command (LATCP)
preceding **DEFINE SEARCH**,
ClientCmnds, 1–25

FAL Menu options
using, *MSWindows*, 6–3

FALNOWIN.EXE file
saving space without windows,
DECnetUser, 3–2

Fast Video setting, *SETHOST*, 3–22

Fatal messages, *PCDECwin*, A–3

File access
defining, *MSWindows*, 6–2

File Access Listener (FAL) utility,
UserHandbook, 1–5, 5–7;
DECnetUser, 1–5

accessing files, *DECnetUser*, 3–3

algorithm used with, *DECnetUser*,
4–12

as an object, *DECnetUser*, 3–3

command line, *DECnetUser*, 3–2

command syntax, *DECnetUser*, 3–5

file transfer options, *MSWindows*, 6–3

function of, *MSWindows*, 1–2

functions of, *DECnetUser*, 3–1

getting help for, *UserHandbook*, 5–10

invoking, *DECnetUser*, 3–1

Job Spawner support, *DECnetUser*,
2–1

menu options, *MSWindows*, 6–3

performance, *DECnetUser*, 3–4

remote access, *DECnetUser*, 1–4

restrictions with DOS, *DECnetUser*,
3–4

sample command line, *DECnetUser*,
2–6

starting, *MSWindows*, 6–2;
UserHandbook, 5–7; *DECnetUser*,
3–2

stopping, *UserHandbook*, 5–10;
DECnetUser, 3–2

switches, *DECnetUser*, 3–6

syntax problem, *DECnetUser*, 3–4

three uses of, *DECnetUser*, 3–2

File Access Listener (FAL) utility (Cont.)

troubleshooting, *MSWindows*, 6–3

tuning, *DECnetUser*, 3–4

using, *MSWindows*, 6–1

using with Microsoft Windows,
DECnetUser, 3–2

File and printer services
using LAST as transport,
InstallDiskettes, 12–1;
InstallIVMS, 13–1; *InstallULTRIX*,
11–1

File Manager
establishing network connections,
MSWindows, 2–5

Files
access using the FAL utility,
DECnetUser, 3–3

appending, *DECnetUser*, 4–15, 4–20

ASCII, *DECnetUser*, 3–5, 3–6, 4–12,
4–13

batch, *DECnetUser*, 4–18

binary, *DECnetUser*, 3–5, 3–6, 4–12

cancelling NFT transfers, *MSWindows*,
6–20

conversion utilities, *UserHandbook*,
5–4

dos2ult utility, *UserHandbook*,
5–4

SETHOST utility and,
UserHandbook, 5–4

ult2dos utility, *UserHandbook*,
5–4

copying, *DECnetUser*, 4–13, 4–15,
4–24

copying from a server, *MSWindows*,
6–11

copying local, *DECnetUser*, 4–11

copying multiple, *DECnetUser*, 4–29

copying remote to local node,
DECnetUser, 4–13

copying to remote nodes, *DECnetUser*,
4–16

DDIF type, *DECnetUser*, 4–13, 4–21

deleting, *DECnetUser*, 4–16, 4–32

Files (Cont.)

displaying contents of, *DECnetUser*, 4–17, 4–44
DOTS type, *DECnetUser*, 4–13
extracting from Mail, *UserHandbook*, 9–17
image, *DECnetUser*, 4–12
input/output error messages, *DECnetUser*, B–2, B–7
loading into the paste buffer, *SEDT*, 2–6
local specifications, *DECnetUser*, 4–11
location of character sets, *MSWindows*, 6–18
logging operations, *DECnetUser*, 4–18
losing characters while transferring, *MSWindows*, 5–7
manipulating, *DECnetUser*, 4–14
moving from in PC directories, *MSWindows*, 6–12
MS–DOS attributes, *DECnetUser*, 3–4
name specification, *DECnetUser*, 2–2
naming specification, *DECnetUser*, 4–11
naming specifications, *UserHandbook*, 5–2
Network File Transfer (NFT)
operations, *DECnetUser*, 4–14
nonstream, *DECnetUser*, 4–12
printing, *DECnetUser*, 4–17, 4–38
receiving with the VT320 emulator, *MSWindows*, 5–7
remote specifications, *DECnetUser*, 4–11, A–1
remote to local, *DECnetUser*, 4–15
script, using, *MSWindows*, 5–8
sending to another PC, *MSWindows*, 6–9
sharing, *Overview*, 7–3
specifying remote, *DECnetUser*, A–1
stream, *DECnetUser*, 4–12, 4–22, 4–28
temporary, *DECnetUser*, B–9
transfer of, *DECnetUser*, 4–1

See File transfer

Files (Cont.)

transferring with the VT320 emulator, *MSWindows*, 4–14, 5–6
types of, *DECnetUser*, 4–12
types of systems, *DECnetUser*, 4–12
using DOS attributes, *ClientCmnds*, 3–2
using wildcards, *DECnetUser*, A–4
wildcard specification, *DECnetUser*, A–2
File server
offering single session, *ClientCmnds*, 1–125
single session, single connection, *ClientCmnds*, 1–125
File services, *UserHandbook*, 1–6;
Overview, A–1, A–2
See also Shared directories
application, *UserHandbook*, 1–7
common, *UserHandbook*, 1–7
connecting to, *ClientCmnds*, 2–31, 2–33
connecting to, from the LAN Manager Screen, *UserHandbook*, 4–10
connecting to another server, *UserHandbook*, 2–8
contrasted with disk services, *Overview*, 2–6
creating on OS/2 server, *InstallDiskettes*, 4–3
description, *Overview*, 1–14, 2–3
disconnecting, *ClientCmnds*, 1–147
display parameters for, *UserHandbook*, 2–10
for DOS and OS/2 clients, *Overview*, 4–2
for DOS clients, *Overview*, 2–3, 5–5
for Macintosh clients, *Overview*, 2–4, 7–1
for OS/2 clients, *Overview*, 2–3, 6–4
installing client software as, *InstallVMS*, 2–1; *InstallULTRIX*, 2–1

- File services (Cont.)**
- installing client software on,
 - InstallDiskettes*, 1-1, 4-1, 4-8;
 - InstallVMS*, 1-1; *InstallULTRIX*, 1-1
 - LAN Manager terminology for,
 - UserHandbook*, 4-2
 - on a specified server, *ClientCmnds*, 1-150
 - personal, *UserHandbook*, 1-7
 - resuming, *ClientCmnds*, 1-70
 - selecting, from the LAN Manager Screen, *UserHandbook*, 4-8
 - showing list of, *ClientCmnds*, 1-87
 - suspending connection to, *ClientCmnds*, 1-102
 - term defined, *InstallVMS*, 1-7
 - types of in PATHWORKS for Macintosh, *Overview*, 2-4
 - types of in PATHWORKS for ULTRIX, *Overview*, 3-2
 - types of in PATHWORKS for VMS, *Overview*, 2-4
 - verifying installation, *InstallVMS*, 2-5; *InstallULTRIX*, 2-5
- File space**
- required for installation, *InstallVMS*, 1-6; *InstallULTRIX*, 1-6
- File specifications**
- in NFT, *MSWindows*, 6-8
- File transfer**, *UserHandbook*, 5-1
- COPY command and, *UserHandbook*, 5-4
 - File Access Listener (FAL) and, *UserHandbook*, 5-7
 - for binary files, *UserHandbook*, 5-9
 - for text files, *UserHandbook*, 5-10
 - for ULTRIX server, *UserHandbook*, 5-4
 - FTP utility, *UserHandbook*, 5-11
 - getting help for, *UserHandbook*, 5-10
 - NCP and, *UserHandbook*, 5-6
 - NCP DEFINE NODE command and, *UserHandbook*, 5-8
 - NFT and, *UserHandbook*, 5-6
- File transfer (Cont.)**
- NFT COPY command and, *UserHandbook*, 5-9
 - over TCP/IP, *UserHandbook*, 5-11
 - PATHWORKS servers and, *UserHandbook*, 5-4
 - special characters and, *UserHandbook*, 5-2
 - to and from PATHWORKS servers, *UserHandbook*, 5-3
 - to other DECnet nodes, *UserHandbook*, 5-6
 - USE command and, *UserHandbook*, 5-4
- File Transfer Protocol (FTP)**
- See* FTP utility, *Overview*, 5-11
- File types**, *UserHandbook*, 5-2
- Filter menu**, *Mail*, 6-1
- All messages, *Mail*, 6-3
 - Deleted messages, *Mail*, 6-4
 - Marked messages, *Mail*, 6-4
 - Messages matching . . ., *Mail*, 6-2
 - Reverse order, *Mail*, 6-4
- Finnish character set**, *SETHOST*, 3-22
- Fixed mode**
- defined, *Memory*, 3-12
- FLAG command**, *Mail*, 9-23
- Flags**, *Mail*, 1-6
- Floppy Remote Boot disk**
- See* FRB disk
- Flow control setting**, *SETHOST*, 3-10
- Folder menu**, *Mail*, 4-1
- Check for new mail, *Mail*, 4-2
 - Continue header search, *Mail*, 4-4
 - Display folder list, *Mail*, 4-3
 - Search headers, *Mail*, 4-4
 - Search next, *Mail*, 4-5
 - Switch folders, *Mail*, 4-3
- Folders**
- displaying a list, *Mail*, 4-3
 - selecting another, *Mail*, 9-51
 - setting options for local folders, *Mail*, 9-59
 - switching, *Mail*, 4-3
- Font aliases**, *PCDECwin*, 10-1

Font aliases (Cont.)
 creating, *PCDECwin*, 10–5
Font Compiler utility, *PCDECwin*, 1–4,
 10–1
 messages, *PCDECwin*, A–30
 starting, *PCDECwin*, 10–4
 syntax messages, *PCDECwin*, A–31
Font file location parameter, *PCDECwin*,
 3–6, 10–5, 10–7
Font files
 compiling additional font files,
 PCDECwin, 10–1
 creating new font files, *PCDECwin*,
 10–1
 font aliases, *PCDECwin*, 10–1
 font file location parameter,
 PCDECwin, 3–6
 setting file location parameter,
 PCDECwin, 10–5, 10–7
 substituting existing ones, *PCDECwin*,
 10–1
 X font naming conventions,
 PCDECwin, E–1
FONTNAME.MAP file, *PCDECwin*, 10–4
Fonts
 See Font files
 creating new font files, *PCDECwin*,
 10–1
 substituting existing fonts,
 PCDECwin, 10–1
Font size
 changing in the VT320 emulator,
 MSWindows, 5–17
Foreground
 tasks, *DECnetUser*, 2–1
Foreground Color setting, *SETHOST*,
 3–17
Formatting text, *SEDT*, 2–9
FORWARD command, *Mail*, 9–27
Forwarding
 a message, *Mail*, 9–27
 the current message, *Mail*, 3–4
FPRINT command, *SETHOST*, 4–41
FRBCON.EXE
 customizing FRB disk, *InstallVMS*,
 7–9

FRBCON.EXE (Cont.)
 running, *InstallVMS*, 7–5, 7–9
FRBCON command, *InstallVMS*, 7–9
FRB disk, *InstallVMS*, 7–4
 creating for remote boot, *InstallVMS*,
 7–9
 customizing, *InstallVMS*, 7–9
 determining hardware address,
 InstallVMS, 7–4, H–3
 for DEC EtherWORKS adapters,
 InstallVMS, 7–3
 for DEPCA adapters, *InstallVMS*, 7–3
 for EtherLink/MC controllers,
 InstallVMS, 7–2
 for EtherLink II controllers,
 InstallVMS, 7–2
 preparing for remote boot, *InstallVMS*,
 7–2, 7–4

Free memory
 See Conventional memory
French character set, *SETHOST*, 3–22
FTP.BAT file, *Memory*, 4–9
FTP utility, *UserHandbook*, 1–6, 5–11;
 SETHOST, 3–8
for TCP/IP
batch file, *Memory*, 4–9
closing connections, *UserHandbook*,
 5–13
exiting, *UserHandbook*, 5–13
on DOS client, *Memory*, 3–32
starting, *UserHandbook*, 5–12
suspending, *UserHandbook*, 5–13
TCP connections for, *Memory*, 3–33
transferring files with, *UserHandbook*,
 5–12

Function definition file, *SEDT*, B–1, B–2
 converting ASCII to binary, *SEDT*,
 B–2
 converting binary to ASCII, *SEDT*,
 B–2

Function keys, *SETHOST*, 1–10
 for DOSLOAD utility, *InstallDiskettes*,
 6–5; *InstallVMS*, 5–5;
 InstallULTRIX, 5–5

Function keys (Cont.)

- for Netsetup utility, *InstallDiskettes*, 2–10; *InstallVMS*, 3–10; *InstallULTRIX*, 3–9
- table of, *SETHOST*, 1–10

G

General counters

- listing of, *NetMgt*, 4–1
- seconds since last zeroed, *NetMgt*, 4–1

General Set-Up screen

- Character Mode setting, *SETHOST*, 3–21
- Character Set settings, *SETHOST*, 3–22
- default settings, *SETHOST*, A–2
- description of, *SETHOST*, 3–20
- Line Mode setting, *SETHOST*, 3–20
- Local Echo setting, *SETHOST*, 3–21
- New Line setting, *SETHOST*, 3–21
- overview of, *SETHOST*, 3–2
- sample of, *SETHOST*, 3–20
- Terminal Emulation settings, *SETHOST*, 3–22
- User-Defined Keys setting, *SETHOST*, 3–23
- User Features setting, *SETHOST*, 3–23
- Video Mode settings, *SETHOST*, 3–22
- Generic keymap, *SETHOST*, 3–27
- Generic keys
 - KBDOTHER.HLP file, *SETHOST*, 1–8
 - German character set, *SETHOST*, 3–22
 - Getting help, *NetMgt*, 6–34
 - Gold key, *SETHOST*, 1–10
 - GOTO command, *SETHOST*, 4–42
 - Graphic images
 - printing, *ClientCmnds*, 3–5
 - Group codes
 - defining, *ClientCmnds*, 1–17
 - in LAST, *ClientCmnds*, 2–34
 - Group menu, *Mail*, 7–1
 - Copy all messages to . . . , *Mail*, 7–4
 - Copy Marked Messages to . . . , *Mail*, 7–4

Group menu (Cont.)

- Extract marked messages, *Mail*, 7–5
 - Move all messages to . . . , *Mail*, 7–3
 - Move marked messages to . . . , *Mail*, 7–2
 - Print marked messages, *Mail*, 7–5
 - Unmark all messages, *Mail*, 7–6
- Guidelines for system configuration, *Memory*, 3–2

H

Handle

- term defined, *ClientCmnds*, 1–52
- HANG UP command, *SETHOST*, 4–44
- Hard disk
 - installation guidelines, *InstallDiskettes*, 3–7
 - installation procedure, *InstallDiskettes*, 3–8
 - install client software on, *InstallDiskettes*, 1–1, 3–1, 3–7

Hardware

- prerequisite, *InstallDiskettes*, 1–4; *InstallVMS*, 1–4; *InstallULTRIX*, 1–4; *PCDECwin*, 1–6
- Hardwired Dedicated DECnet Line, *InstallDiskettes*, 7–6; *InstallVMS*, 15–6
- Hardwired Dynamically Switched Terminal Line, *InstallDiskettes*, 7–6; *InstallVMS*, 15–6
- HARDDYN.SCR script, *InstallDiskettes*, 7–6; *InstallVMS*, 15–6
- Help, *SEDT*, A–1
 - DECMODE, *ClientCmnds*, 3–12, 3–15
 - File Access Listener (FAL), *UserHandbook*, 5–10
 - LAN Manager, *UserHandbook*, 4–17
 - LATCP functions, *ClientCmnds*, 1–33
 - Mail, *UserHandbook*, 9–19
 - MAILSETUP, *UserHandbook*, 9–3
 - MEMMAN, *ClientCmnds*, 1–53
 - NET commands, *ClientCmnds*, 1–89

- Help (Cont.)
- NET PRINT command,
UserHandbook, 3–10
 - Netsetup help, *InstallDiskettes*, 2–11; *InstallVMS*, 3–11; *InstallULTRIX*, 3–10
 - Network Control Program (NCP),
UserHandbook, 5–10; *NetMgt*, 1–8, 6–34
 - Network File Transfer (NFT),
UserHandbook, 5–10
 - PC DECwindows Motif,
UserHandbook, 6–21
 - printer services, *UserHandbook*, 3–10
 - SEDT, *UserHandbook*, 8–10
 - services, *UserHandbook*, 2–11
 - SETHOST, *SETHOST*, 1–14
 - SETHOST utility, *UserHandbook*, 7–9
 - USE, *UserHandbook*, 2–11
 - USE commands, *ClientCmnds*, 1–141
 - HELP command, *Mail*, 9–29; *NetMgt*, 6–34
 - example for, *Mail*, 9–29
 - in NDU, *DECnetUser*, 5–7, 5–10, 5–18
 - in NFT, *DECnetUser*, 4–4, 4–6, 4–19, 4–36
 - switches, *DECnetUser*, 4–36
 - HELP SHOW command, *DECnetUser*, 4–6
 - High memory area, *Memory*, 2–15
 - defined, *Memory*, 1–15
 - HIMEM.SYS, *Memory*, 2–8, 2–15
 - installing, *Memory*, 2–16
 - options, *Memory*, 2–16
 - 80286 processor, *Memory*, 2–15
 - 80386 processor, *Memory*, 2–15
 - HMA
 - See* High memory area
 - Host node, *SETHOST*, 1–1
 - Hosts
 - term defined, *UserHandbook*, 1–2
 - HOSTS.
 - editing, *MSWindows*, 4–11
 - Hosts file database, *InstallDiskettes*, B–5; *InstallVMS*, B–5; *InstallULTRIX*, B–5
 - HOSTSYNC command, *SETHOST*, 3–8
 - HOSTSYNC parameter, *MSWindows*, 5–9
 - Hot keys
 - in Mail, *UserHandbook*, 9–7
 - Hyphenation, *SEDT*, 2–10
-
- I
- I/O base address, *InstallVMS*, H–2
 - IBM AT keymap, *SETHOST*, 3–27
 - IBM color settings, *SEDT*, A–5
 - IBMDEC character set, *SETHOST*, C–1
 - IBM Enhanced keymap, *SETHOST*, 3–27
 - IBM Enhanced PC keys
 - KBDEPC.HLP* file, *SETHOST*, 1–8
 - IBM PC AT keys
 - KBDAT.HLP* file, *SETHOST*, 1–8
 - setting from command line, *SETHOST*, 2–4
 - IBM PC XT/AT keys
 - setting from command line, *SETHOST*, 2–4
 - IBM PC XT keymap, *SETHOST*, 3–27
 - IBM PC XT keys
 - KBDXT.HLP* file, *SETHOST*, 1–8
 - setting from command line, *SETHOST*, 2–4
 - IBM personal computers
 - AT, *SEDT*, A–8
 - AT-339, *SEDT*, A–8
 - PS/2-50, *SEDT*, A–8
 - PS/2-60, *SEDT*, A–8
 - PS/2-80, *SEDT*, A–8
 - XT, *SEDT*, A–8
 - IBM PS/2 Model 30
 - configuration example, *Memory*, 7–19
 - IBM PS/2 Model 80
 - configuration example, *Memory*, 5–36, 5–40, 5–65
 - IBM ROM character set, *SETHOST*, C–1
 - Image files, *DECnetUser*, 4–12
 - term defined, *UserHandbook*, 5–2
 - /IMAGE switch
 - in NFT, *DECnetUser*, 4–13

Initial client/server connection,
 InstallVMS, 4-2; *InstallULTRIX*, 4-2
 preparing for, *InstallDiskettes*, 4-2
 using Netsetup utility to make,
 InstallDiskettes, 4-3

Initial client diskette
 creating, *InstallDiskettes*, 3-2, 4-3;
 InstallVMS, 4-2; *InstallULTRIX*,
 4-2
 writing information to,
 InstallDiskettes, 3-6, 4-5;
 InstallVMS, 4-5; *InstallULTRIX*,
 4-4

Inserting text, *SEDT*, 2-4
 into paste buffer, *UserHandbook*, 8-8

Insert mode
 configuring, *SEDT*, 3-7

Installation and configuration paths,
 InstallDiskettes, 1-2; *InstallVMS*,
 1-2; *InstallULTRIX*, 1-2

Installing Application Startup program
 on ULTRIX nodes, *PCDECwin*, 4-4

Installing character translation files,
 SETHOST, C-1

Installing DOS on server
 See DOSLOAD utility

Installing HIMEM.SYS, *Memory*, 2-16

Installing PATHWORKS
 error messages, *InstallVMS*, 2-5;
 InstallULTRIX, 2-6
 files installed, *InstallVMS*, E-1;
 InstallULTRIX, D-1
 file space required, *InstallVMS*, 1-6
 on server, *InstallVMS*, 2-1
 on the server, *InstallULTRIX*, 2-1
 OS/2 procedure, *InstallDiskettes*, 4-1,
 4-8

OS/2 server guidelines,
 InstallDiskettes, 4-8

PC hard disk guidelines,
 InstallDiskettes, 3-7

PC hard disk procedure,
 InstallDiskettes, 3-8

Installing PATHWORKS (Cont.)
 preparation, *InstallDiskettes*, 1-1;
 InstallVMS, 1-1; *InstallULTRIX*,
 1-1

prerequisites
 hardware, *InstallDiskettes*,
 1-4; *InstallVMS*, 1-4;
 InstallULTRIX, 1-4
 software, *InstallDiskettes*, 1-4,
 4-2; *InstallVMS*, 1-4;
 InstallULTRIX, 1-4

sample script, *InstallVMS*, D-1

stopping, *InstallVMS*, 2-2;
 InstallULTRIX, 2-2

upgrade, *InstallVMS*, 1-1, 2-1
 verifying, *InstallVMS*, 2-5;
 InstallULTRIX, 2-5

Installing virtual device programs,
 DECnetUser, 5-5

Installing Windows support software
 checklist for setting up Windows
 environment, *MSWindows*, 2-1
 memory considerations, *MSWindows*,
 2-5
 preliminary tasks, *MSWindows*, 2-2
 running WIN3SETU, *MSWindows*,
 2-2

Interfaces
 factors in choosing, *DECnetUser*, 1-5
 NETBIOS, *DECnetUser*, 1-5
 programming applications for,
 DECnetUser, 1-4
 task-to-task, *DECnetUser*, 1-5

International
 See Multilingual support

Internet
 access to, with TCP/IP, *Overview*, 1-19
 defining node names, *MSWindows*,
 4-11

Internet address
 format, *InstallDiskettes*, B-4;
 InstallVMS, B-4; *InstallULTRIX*,
 B-4
 how to obtain, *InstallDiskettes*, B-4;
 InstallVMS, B-4; *InstallULTRIX*,
 B-4

Internet domain names, *InstallDiskettes*, B-5; *InstallVMS*, B-5; *InstallULTRIX*, B-5

Invoking

See also Starting
command files, *DECnetUser*, 4-18
the Job Spawner utility, *DECnetUser*, 2-5

IRQ setting, *InstallVMS*, H-2

ISO Latin-1
left half, *SETHOST*, C-4
right half, *SETHOST*, C-5

ISO Latin-1 character set, *SETHOST*, C-4

Italian character set, *SETHOST*, 3-22

J

Job Spawner utility, *DECnetUser*, 2-1
creating object database, *NetMgt*, 6-27
database, *DECnetUser*, 2-1
DECOBJ.DAT database, *DECnetUser*, 2-1
displaying objects, *NetMgt*, 6-45
on Microsoft Windows, *DECnetUser*, 2-5
overview, *DECnetUser*, 2-1
purging objects, *NetMgt*, 6-66
remote access, *DECnetUser*, 1-4
service program limitations,
DECnetUser, 2-1
starting, *DECnetUser*, 2-5, 3-2
using batch files with, *DECnetUser*, 2-7

K

KBCODE.EXE file, *SETHOST*, 3-29
KBD.HLP file, *SETHOST*, 1-7
KBD.KBD file, *SETHOST*, 1-7
KEYB
as a TSR, *SETHOST*, 3-5
Keyboard
setting from command line,
SETHOST, 2-4

KEYBOARD= command, *SEDT*, A-7

Keyboard bell

setting the duration, *PCDECwin*, 3-17
setting the pitch, *PCDECwin*, 3-17

Keyboard buffer

limitations, *SETHOST*, 3-5

Keyboard help files, *SETHOST*, 1-7

Keyboard map, *SETHOST*, 3-27

customizing, *SETHOST*, 3-28, 3-29
files, *SETHOST*, 3-28
sample file, *SETHOST*, 3-29
setting from command line,
SETHOST, 2-4

Keyboard mapping files, *SEDT*, B-3

Keyboard mappings, *SEDT*, B-1

See also Keysym file parameter
converting ASCII map to binary,
SEDT, B-2

converting binary map file to ASCII,
SEDT, B-2

creating additional, *PCDECwin*, 9-1
IBM enhanced to Digital LK250,

SEDT, C-2

IBM enhanced to PC/AT, *SEDT*, C-4

illustrations of, *PCDECwin*, B-1

setting keysym parameter,
PCDECwin, 9-6

setting related parameter, *PCDECwin*, 3-7

term defined, *PCDECwin*, 9-1

Keyboard mouse

enabling and disabling, *PCDECwin*, 7-4

how to use, *PCDECwin*, 7-4

setting speed for, *PCDECwin*, 3-16

Keyboard mouse speed parameter,
PCDECwin, 3-16

KEYBOARD OFF command, *SETHOST*, 4-45

KEYBOARD ON command, *SETHOST*, 4-46

Keyboard operations

defining, *MSWindows*, 5-22

Keyboards

Canadian, *ClientCmnds*, A-2

Keyboards (Cont.)

changing mappings, *ClientCmnds*, 3-9
changing to previous mapping,
 ClientCmnds, 3-9
changing to US mapping,
 ClientCmnds, 3-9
COMPAQ SLT, *SEDT*, A-2, A-7, B-1
Danish, *ClientCmnds*, A-3
editing with the numeric keypad,
 MSWindows, A-4
Finnish, *ClientCmnds*, A-4
French, *ClientCmnds*, A-5
function keys, *MSWindows*, A-4
German-Austrian, *ClientCmnds*, A-6
IBM AT, *SEDT*, A-2, A-7, B-1
IBM enhanced, *UserHandbook*, 8-7;
 SEDT, A-2, A-7, B-1, C-1
IBM XT, *SEDT*, A-2, A-7, B-1
international, *MSWindows*, A-1
international, illustrations of,
 ClientCmnds, A-1
Italian, *ClientCmnds*, A-7
LK250, *MSWindows*, 5-24; *SEDT*,
 A-2, A-7, B-1, C-2
mapping, *SEDT*, B-1, C-1
mapping IBM enhanced to Digital
 LK250, *SEDT*, C-2
mapping IBM enhanced to PC/AT,
 SEDT, C-4
mapping with DOS, *ClientCmnds*, A-1
Norwegian, *ClientCmnds*, A-8
PC AT, *MSWindows*, A-5
PC XT, *MSWindows*, A-5
Spanish, *ClientCmnds*, A-9
Swedish, *ClientCmnds*, A-10
Swiss-French, *ClientCmnds*, A-11
Swiss-German, *ClientCmnds*, A-12
troubleshooting, *MSWindows*, 2-5
UK, *ClientCmnds*, A-13
using Digital extended keys,
 ClientCmnds, 3-16
using Digital Gold ROM BIOS
 functions, *ClientCmnds*, 3-26
VT320 labels, *MSWindows*, A-1
Keyboard Set-Up screen

Keyboard Set-Up screen (Cont.)

Answerback setting, *SETHOST*, 3-25
Answerback String setting,
 SETHOST, 3-26
Auto Answerback setting, *SETHOST*,
 3-25
Auto Repeat setting, *SETHOST*, 3-26
Break setting, *SETHOST*, 3-25
Cursor Keys settings, *SETHOST*,
 3-25
default settings, *SETHOST*, A-2
description of, *SETHOST*, 3-24
Keyboard Map, *SETHOST*, 3-27
Keyclick setting, *SETHOST*, 3-26
Keypad Mode settings, *SETHOST*,
 3-25
Margin Bell setting, *SETHOST*, 3-25
overview of, *SETHOST*, 3-2
sample of, *SETHOST*, 3-24
Warning Bell setting, *SETHOST*, 3-25
KEYBRD command (DOS)
 run before DECKEYB and DECMODE,
 ClientCmnds, 3-26
 using Digital Gold features,
 ClientCmnds, 3-26
 with DECKEYB, *ClientCmnds*, 3-11
Keyclick setting, *SETHOST*, 3-26
Keycodes, *SETHOST*, 3-28
 identifying names, *PCDECwin*, 9-5
 illustrations of keyboards with,
 PCDECwin, C-1
 term defined, *PCDECwin*, 9-1
Key disk
 term defined, *InstallDiskettes*, 2-1;
 InstallVMS, 3-1; *InstallULTRIX*,
 3-1
 writing information to,
 InstallDiskettes, 3-6, 4-5
Keymap
 selecting, *SETHOST*, 1-7
Keypad
 .HLP files, *SETHOST*, 1-8
 keys, *SETHOST*, 1-8
Keypad Mode settings, *SETHOST*, 3-25
Keys

Keys (Cont.)

Compose, *MSWindows*, 5-23
creating additional key definitions,
PCDECwin, 9-1
definition and help files, *SEDT*, A-1
for repetitive tasks, *SEDT*, 3-1, 3-2
function, *MSWindows*, A-1
locking, *MSWindows*, 5-23
redefining, *PCDECwin*, 9-1; *SEDT*,
 3-1
user-defined, *MSWindows*, 5-20
valid names to use in keysym files,
PCDECwin, D-1
values for, *SEDT*, B-5

Key sequences
 groupings, *SEDT*, 2-1

Keysym Compiler utility, *PCDECwin*,
 1-4
messages, *PCDECwin*, A-27
starting, *PCDECwin*, 9-6
valid keysym names, *PCDECwin*, D-1

Keysym file parameter, *PCDECwin*, 3-7,
 9-6

Keysym files
 creating, *PCDECwin*, 9-5
 locating and identifying, *PCDECwin*,
 9-2
 naming convention, *PCDECwin*, 9-2
 sample file, *PCDECwin*, 9-4
 setting file name and path,
 PCDECwin, 3-7, 9-6
 term defined, *PCDECwin*, 9-1
 understanding the contents of,
 PCDECwin, 9-3
 valid names for keys, *PCDECwin*, D-1

L

<LABEL> command
 in SETHOST scripts, *SETHOST*, 4-47

LAD
 See Local area disk

LAD command
 starting virtual disk software,
 ClientCmnds, 2-29

LADDRV.SYS file, *ClientCmnds*, 2-29

LAN

 See Local area network

LANMAN 2.0 support
 Redirector option, *InstallDiskettes*,
 2-5; *InstallVMS*, 3-5;
 InstallULTRIX, 3-4

LAN Manager, *UserHandbook*, 4-1
 and PATHWORKS for OS/2, *Overview*,
 4-1, 6-2
 application programming interfaces
 (APIs) in, *Overview*, 5-7
 naming conventions in,
 UserHandbook, 4-2;
 Overview, 4-2

LAN Manager redirector
 and NET commands, *ClientCmnds*,
 1-1

LAN Manager Screen, *UserHandbook*,
 1-6, 4-1; *Overview*, 4-4
 connecting to printer services from,
 UserHandbook, 4-15
 disconnecting from printer queues,
 UserHandbook, 4-16
 displaying, *UserHandbook*, 4-3
 displaying printer queues,
 UserHandbook, 4-14
 elements, *UserHandbook*, 4-5
 exiting, *UserHandbook*, 4-17
 getting help for, *UserHandbook*, 4-17
 menu, *UserHandbook*, 4-6
 NET command and, *UserHandbook*,
 4-3
 starting, *UserHandbook*, 4-3
 using dialog boxes in, *UserHandbook*,
 4-6
 using printer services, *UserHandbook*,
 4-14
 using shared directories,
 UserHandbook, 4-8

LANSDRIVER.EXE program,
 ClientCmnds, 2-31

LANSESS
 See Local Area Network Session

LANSESS command

- LANSESS command (Cont.)
- controllers and default transaction settings, *ClientCmnds*, 2-32
 - starting local area network session, *ClientCmnds*, 2-31
- Laptop computers
- establishing connection, *SETHOST*, 2-4
- Laptop keyboard
- setting from command line, *SETHOST*, 2-4
- Laptop keymap, *SETHOST*, 3-27
- Laptop keys
- KBDLAP.HLP file, *SETHOST*, 1-8
- Large data blocks, *NetMgt*, 4-3
- LAST
- See* Local Area System Transport
- LAST command
- starting Local Area System Transport, *ClientCmnds*, 2-33
- LAT
- See* Local Area Transport
- LAT command
- starting Local Area Transport, *ClientCmnds*, 2-35
- LAT Control Program utility (LATCP),
- Overview*, 1-20, 5-10
 - add command, *SETHOST*, 2-23
 - allocating SCB buffers, *Memory*, 3-27
 - allocating session control block buffers, *ClientCmnds*, 1-24
 - allocating session control blocks, *ClientCmnds*, 1-22; *Memory*, 3-26
 - commands, *ClientCmnds*, 1-8
 - DEFINE command, *MSWindows*, 4-16
 - defining group codes, *ClientCmnds*, 1-17
 - defining services, *MSWindows*, 4-9
 - deleting local printer service, *ClientCmnds*, 1-31
 - deleting preferred services, *ClientCmnds*, 1-29
 - getting help, *ClientCmnds*, 1-33
 - help, *SETHOST*, 2-23
 - leaving, *SETHOST*, 2-23
- LAT Control Program utility (LATCP) (Cont.)
- leaving the utility, *ClientCmnds*, 1-32
 - listening for service announcements, *ClientCmnds*, 1-20
 - offering local printer as a LAT service, *ClientCmnds*, 1-14
 - requesting service information, *ClientCmnds*, 1-25
 - selecting a service, *SETHOST*, 2-23
 - selecting preferred services, *ClientCmnds*, 1-11
 - sharing local printers, *InstallVMS*, 9-1; *InstallULTRIX*, 7-1
 - showing current sessions, *ClientCmnds*, 1-46
 - showing error statistics, *ClientCmnds*, 1-43
 - showing LAT characteristics, *ClientCmnds*, 1-40
 - showing LAT status, *ClientCmnds*, 1-36
 - showing local printer ports, *ClientCmnds*, 1-44
 - showing preferred services, *ClientCmnds*, 1-35
 - showing stored services, *ClientCmnds*, 1-45
 - showing virtual circuits, *ClientCmnds*, 1-42
 - specifying maximum bytes to a printer, *ClientCmnds*, 1-18
 - specifying maximum stored services, *ClientCmnds*, 1-27; *Memory*, 3-27
 - specifying maximum virtual circuits, *ClientCmnds*, 1-19
 - specifying message retransmissions, *ClientCmnds*, 1-21
 - specifying slot size, *ClientCmnds*, 1-28
 - summary of commands, *ClientCmnds*, 1-8
 - trying all addresses, *ClientCmnds*, 1-16
 - using, *SETHOST*, 2-23
 - using to add services, *MSWindows*, 4-10

LAT Control Program utility (LATCP)
 (Cont.)
 zeroing LAT counters, *ClientCmnds*, 1–47

LATCP.EXE
 DECLAT.DAT file created by, *ClientCmnds*, 2–35

LATCP utility
See LAT Control Program utility

LDBs
See Large data blocks

Learning mode, *SEDT*, 3–2
 term defined, *SEDT*, 3–2

Leaving Set-Up, *SETHOST*, 2–26

LIM
See Lotus/Intel/Microsoft

Limitations
 communications port control, *SETHOST*, 3–6
 DOS variables lost, *SETHOST*, 3–5
 insufficient memory, *SETHOST*, 3–6
 keyboard buffer, *SETHOST*, 3–5
 TSR, *SETHOST*, 3–5

Line
 defining parameters, *NetMgt*, 6–23
 displaying attributes, *SETHOST*, 3–18
 displaying information, *NetMgt*, 4–11, 6–41
 double-height/double-width characters, *SETHOST*, 3–18
 double-width characters, *SETHOST*, 3–18
 drawing, *SETHOST*, C–2
 looping, *NetMgt*, 6–55
 setting line speed, *NetMgt*, 6–23, 6–80
 setting parameters, *NetMgt*, 6–79
 showing information, *NetMgt*, 6–96
 term defined, *NetMgt*, 3–2, 4–11
 zeroing counters, *NetMgt*, 6–109

Line counters
 collision detect check failures, *NetMgt*, 4–2
 listing of, *NetMgt*, 4–2
 receive failures, *NetMgt*, 4–2
 receive overruns, *NetMgt*, 4–2

Line counters (Cont.)
 system buffer unavailable, *NetMgt*, 4–2
 user buffer unavailable, *NetMgt*, 4–2

Line echo, *UserHandbook*, 3–15

Line Mode setting, *SETHOST*, 3–20

Line states
 line substates, *NetMgt*, 4–11
 possible line states, *NetMgt*, 4–11
 term defined, *NetMgt*, 3–6

Links
See also Maximum links parameter
 showing active, *NetMgt*, 6–91

LIST ACCESS command, *NetMgt*, 6–35

LIST CIRCUIT command, *NetMgt*, 6–37

LIST command, *NetMgt*, 2–6
 in NCP, *DECnetUser*, 2–4

LIST EXECUTOR command, *NetMgt*, 3–5, 6–39

Listing DOS on server
See DOSLOAD utility

LIST KNOWN ACCESS command, *NetMgt*, 6–35

LIST KNOWN NODES command, *NetMgt*, 2–4, 3–2, 3–7, 6–42

LIST KNOWN OBJECTS command, *NetMgt*, 6–45

LIST KNOWN REMOTE-ADAPTER-NAME command, *NetMgt*, 6–47

LIST LINE command, *NetMgt*, 6–41

LIST NODE command, *NetMgt*, 4–9, 6–42

LIST OBJECT command, *NetMgt*, 6–45

LIST REMOTE-ADAPTER-NAME command, *NetMgt*, 6–47

LIST SERVICES command (LATCP), *ClientCmnds*, 1–45
 showing preferred services, *ClientCmnds*, 1–35

LK250 keyboard, *MSWindows*, 1–2, 2–2
 function keys, *SETHOST*, 1–10
 installing, *MSWindows*, 2–3
 KBDLK.HLP file, *SETHOST*, 1–8
 keymap, *SETHOST*, 3–27

LK250 keys
 setting from command line,
 SETHOST, 2-4

LOAD command, *SETHOST*, 4-48

LOADFACTOR driver entry, *Memory*, 3-33

Loading PATHWORKS components, *Memory*, 3-17

Loading saved services, *ClientCmnds*, 1-147

Loading the mouse driver, *PCDECwin*, 3-21

Load Program for MOP, *NetMgt*, B-1

Local area disk (LAD), *UserHandbook*, 1-8; *Overview*, 1-10
 definition, *InstallDiskettes*, B-10; *InstallVMS*, B-10; *InstallULTRIX*, B-10
 loading into EMS, *ClientCmnds*, 2-27
 memory requirements for remote boot, *InstallDiskettes*, B-13; *InstallVMS*, B-13; *InstallULTRIX*, B-13

Local Area Disk/Local Area System Transport (LAD/LAST), *UserHandbook*, 1-3

Local area network (LAN), *DECnetUser*, 1-2
 starting session, *ClientCmnds*, 2-31
 term defined, *UserHandbook*, 1-3; *Overview*, 1-1
 using LAT, *MSWindows*, 5-11

Local Area Network Session (LANSESS), *InstallDiskettes*, 12-1, B-12; *InstallVMS*, 13-1, B-12; *InstallULTRIX*, 11-1, B-12
 loading into EMS, *ClientCmnds*, 2-27

Local Area System Transport (LAST), *Overview*, 1-10
 connecting to services, *InstallDiskettes*, B-10; *InstallVMS*, B-10; *InstallULTRIX*, B-10
 loading, *ClientCmnds*, 2-33
 loading into EMS, *ClientCmnds*, 2-27

Local Area System Transport (LAST)
(Cont.)
 required for LANSESS, *ClientCmnds*, 2-31
 using for file and printer services, *InstallDiskettes*, 12-1; *InstallVMS*, 13-1; *InstallULTRIX*, 11-1
 using with LANSESS, *InstallDiskettes*, 12-1; *InstallVMS*, 13-1; *InstallULTRIX*, 11-1
 with LAD, *Overview*, 1-15

Local Area Transport (LAT), *MSWindows*, 5-11; *UserHandbook*, 1-4; *Overview*, 1-11, 1-18; *SETHOST*, 1-3, 2-18, 2-22
 and terminal emulation, *Overview*, 5-11
 applications, allocating SCBs for, *ClientCmnds*, 1-22
 definition, *InstallDiskettes*, B-11; *InstallVMS*, B-11; *InstallULTRIX*, B-11
 error messages, *SETHOST*, B-1
 in SETHOST, *UserHandbook*, 7-5
 installing, *MSWindows*, 7-6
 loading, *MSWindows*, 4-11; *ClientCmnds*, 2-35; *SETHOST*, 1-4, 2-3
 loading into EMS, *ClientCmnds*, 2-27
 managing, *Overview*, 1-20
 modifying, *Memory*, 3-26
 restarting, *ClientCmnds*, 1-29
 selecting as a communications protocol, *MSWindows*, 5-11
 service table, *SETHOST*, 2-18, 2-22, 2-23
 sharing a local printer and, *UserHandbook*, 3-11
 sharing local printers, *InstallVMS*, 9-1, 9-6; *InstallULTRIX*, 7-1, 7-6
 showing characteristics, *ClientCmnds*, 1-40
 showing error statistics, *ClientCmnds*, 1-43

- Local Area Transport (LAT) (Cont.)
- showing sessions, *ClientCmnds*, 1–46
 - showing status of, *ClientCmnds*, 1–36
 - showing stored services, *ClientCmnds*, 1–45
 - starting after LATCP ADD, *ClientCmnds*, 1–11
 - unloading, *ClientCmnds*, 2–35
 - using, *SETHOST*, 3–10
 - using LATCP to add a networked printer on client, *InstallVMS*, 9–3; *InstallULTRIX*, 7–3
- Local boot, *InstallDiskettes*, 2–2;
- InstallVMS*, 3–2; *InstallULTRIX*, 3–2; *Overview*, 1–17, A–1, A–2
 - asynchronous profile form, *InstallDiskettes*, A–5; *InstallVMS*, A–5
 - collecting client information, *InstallDiskettes*, B–1; *InstallVMS*, B–1; *InstallULTRIX*, B–1
 - configuring clients for, *InstallDiskettes*, 3–4, 4–4, 5–1; *InstallVMS*, 6–1; *InstallULTRIX*, 6–1
 - configuring clients for DECnet-DOS only, *InstallDiskettes*, 5–1; *InstallVMS*, 6–1; *InstallULTRIX*, 6–1
 - configuring clients for TCP/IP, *InstallVMS*, 6–1
 - configuring for asynchronous DECnet connections, *InstallVMS*, 6–1
 - creating boot media, *InstallDiskettes*, 5–4; *InstallVMS*, 6–5; *InstallULTRIX*, 6–5
 - creating client profile, *InstallDiskettes*, 5–1; *InstallVMS*, 6–1; *InstallULTRIX*, 6–1
 - DECnet-DOS only profile form, *InstallDiskettes*, A–7; *InstallVMS*, A–7; *InstallULTRIX*, A–5
 - DECnet profile form, *InstallDiskettes*, A–2; *InstallVMS*, A–2; *InstallULTRIX*, A–1
- Local boot (Cont.)
- destination drive for boot media, *InstallDiskettes*, 3–4, 4–4, 5–3; *InstallVMS*, 4–4, 6–4; *InstallULTRIX*, 4–3, 6–4
 - TCP/IP profile form, *InstallDiskettes*, A–10; *InstallVMS*, A–10; *InstallULTRIX*, A–8
- Local Echo setting, *SETHOST*, 3–21
- Local files
- copying to a remote node, *DECnetUser*, 4–11, 4–12, 4–14, 4–16
 - naming, *DECnetUser*, 4–11
 - providing access, *DECnetUser*, 3–1, 4–1
- Local nodes, *DECnetUser*, 1–2
- term defined, *NetMgt*, 1–3
- Local printers
- LATCP command and, *UserHandbook*, 3–11
 - parallel, *UserHandbook*, 3–10
 - printing on, *UserHandbook*, 3–10, 3–12
 - serial, *UserHandbook*, 3–12
 - sharing, *UserHandbook*, 3–11
 - term defined, *UserHandbook*, 3–1
 - using line echo on, *UserHandbook*, 3–15
- Local setting, *SETHOST*, 3–20
- Lock key
- setting the interpretation of, *PCDECwin*, 3–16
- Log file messages, *PCDECwin*, A–2
- Log files
- generating, *PCDECwin*, 3–12
 - script, *SETHOST*, 3–44
 - session, *SETHOST*, 3–44
 - using suspend session feature with, *PCDECwin*, 8–2
- Logging
- file operations, *DECnetUser*, 4–18
 - LOGFILE.TXT, *DECnetUser*, 3–6
 - of events, *NetMgt*, 4–13
 - Spawner messages, *DECnetUser*, 2–5

- Logging (Cont.)

 term defined, *NetMgt*, 4–13
- Logging characters

 See VT320 emulator Set-Up utility
- Logging in to a server, *Mail*, 8–4, 9–31
- Logical device

 See Device names
- Logical links

 associated with sockets, *NetMgt*, 6–82

 displaying information, *NetMgt*, 3–3, 4–8

 setting maximum number, *NetMgt*, 6–20
- Logical queue (printing), *ClientCmnds*, 1–103
- LOGIN command

 Mail, *UserHandbook*, 9–5
- Log on

 term defined, *UserHandbook*, 1–10
- LOGON command, *UserHandbook*, 1–10

 connecting to personal directory, *ClientCmnds*, 1–48
- Loopback

 counters, *NetMgt*, 5–7

 mirror, *NetMgt*, 1–9
- LOOP CIRCUIT command, *NetMgt*, 5–7, 6–49
- LOOP command, *NetMgt*, 5–4
- LOOP EXECUTOR command, *NetMgt*, 6–53
- LOOP LINE CONTROLLER command, *NetMgt*, 6–55
- LOOP NODE command, *NetMgt*, 5–6, 6–56
- Loop test, *ClientCmnds*, 1–121
- Losing characters in a VT320 emulator session, *MSWindows*, 5–7
- Lotus/Intel/Microsoft, *Memory*, 1–4

 See also Expanded Memory Specification 4.0
- Low memory

 See Conventional memory
- Low-memory configuration examples

 80386 client

 DECnet, *Memory*, 5–3
- Low-memory configuration examples

 80386 client (Cont.)

 TCP/IP, *Memory*, 5–44
- 80286 client

 DECnet, *Memory*, 6–3

 TCP/IP, *Memory*, 6–31
- 8086/88 client

 DECnet, *Memory*, 7–3

 TCP/IP, *Memory*, 7–23
-
- ## M
- Macintosh clients

 and AppleTalk for VMS, *Overview*, 7–8

 and DECnet tunnels, *Overview*, 7–8

 and network connectivity, *Overview*, 7–8

 connecting to network services, *Overview*, 1–19

 Data Access Language (DAL) and, *Overview*, 7–4

 DECnet utilities for, *Overview*, 7–10

 file services for, *Overview*, 2–4, 7–1

 Mail for, *Overview*, 7–8

 printer services for, *Overview*, 7–4

 system management, *Overview*, 2–10

 using MacTerminal, *Overview*, 7–7

 using MacX, *Overview*, 7–5

 Macintosh Communications Toolbox tools in, *Overview*, 7–9
- Macro

 system calls, *DECnetUser*, 1–5
- Macros

 SEDT, *Mail*, B–3
- MacTerminal emulation

 description, *Overview*, 7–7
- MacX server, *Overview*, 1–19

 and DECwindows Motif, *Overview*, 7–5

 description, *Overview*, 7–5
- Mail, *UserHandbook*, 1–4

 See also Mail menus

 Browser, *UserHandbook*, 9–5

 canceling, *UserHandbook*, 9–12

 checking, *UserHandbook*, 9–11

Mail (Cont.)

command line, *UserHandbook*, 9–7
deleting messages, *UserHandbook*, 9–18
description, *Overview*, 1–17
displaying folders, *UserHandbook*, 9–17
distribution list, *UserHandbook*, 9–14
editor, *UserHandbook*, 9–8
exiting, *UserHandbook*, 9–19
extracting, *UserHandbook*, 9–17
folders, *UserHandbook*, 9–15
for DOS clients, *Overview*, 5–10
for Macintosh clients, *Overview*, 7–8
for OS/2 clients, *Overview*, 6–2
forwarding, *UserHandbook*, 9–14
getting help for, *UserHandbook*, 9–19
hot keys, *UserHandbook*, 9–7
including a file, *UserHandbook*, 9–13
logging in, *UserHandbook*, 9–5
marking for deletion, *UserHandbook*, 9–18
message status, *UserHandbook*, 9–6
moving messages, *UserHandbook*, 9–17
node name, *UserHandbook*, 9–4
password, *UserHandbook*, 9–5
purging messages, *UserHandbook*, 9–18
reading, *UserHandbook*, 9–9
reading new, *UserHandbook*, 9–10
replying, *UserHandbook*, 9–11
saving as a file, *UserHandbook*, 9–17
sending, *UserHandbook*, 9–13
setting up, *UserHandbook*, 9–3
starting, *UserHandbook*, 9–4
status line, *UserHandbook*, 9–9
suspending, *UserHandbook*, 9–19
term defined, *UserHandbook*, 9–1
user name, *UserHandbook*, 9–5
using a mouse, *UserHandbook*, 9–7

Mail Composition Window commands

Cancel, *Mail*, 3–10
Deliver, *Mail*, 3–8
Help, *Mail*, 3–10

Mail Composition Window commands (Cont.)

Include, *Mail*, 3–9
Save, *Mail*, 3–8
ViewDn, *Mail*, 3–9
ViewUp, *Mail*, 3–9

Mail menu options

All messages, *Mail*, 6–3
Annotate current message, *Mail*, 3–5
Check for new mail, *Mail*, 4–2
Continue header search, *Mail*, 4–4
Copy, *Mail*, 5–4
Copy all messages to . . . , *Mail*, 7–4
Copy Marked Messages to . . . , *Mail*, 7–4
Delete, *Mail*, 5–2
Deleted messages, *Mail*, 6–4
Display folder list, *Mail*, 4–3
Extract, *Mail*, 5–5
Extract binary attachment, *Mail*, 5–6
Extract marked messages, *Mail*, 7–5
File, *Mail*, 5–3
Forward current message, *Mail*, 3–4
Login to server, *Mail*, 8–4
Mark, *Mail*, 5–3
Marked messages, *Mail*, 6–4
Messages matching . . . , *Mail*, 6–2
Modify user profile, *Mail*, 8–3
Move all messages to . . . , *Mail*, 7–3
Move marked messages to . . . , *Mail*, 7–2
New messages, *Mail*, 2–2
Print, *Mail*, 5–7
Print marked messages, *Mail*, 7–5
Purge deleted messages, *Mail*, 8–2
Reply to current message, *Mail*, 3–4
Resend last message, *Mail*, 3–6
Reverse order, *Mail*, 6–4
Search headers, *Mail*, 4–4
Search next, *Mail*, 4–5
Selected message, *Mail*, 2–2
Send new message, *Mail*, 3–2
Send with binary attachment, *Mail*, 3–6
Suspend Mail & go to OS, *Mail*, 8–2

- Mail menu options (Cont.)**
- Switch folders, *Mail*, 4-3
 - Unmark all messages, *Mail*, 7-6
- Mail menus**
- Filter, *Mail*, 6-1
 - Folder, *Mail*, 4-1
 - Group, *Mail*, 7-1
 - Message, *Mail*, 5-1
 - Other, *Mail*, 8-1
 - Read, *Mail*, 2-1
 - Send, *Mail*, 3-1
- MAILSETUP utility**, *UserHandbook*, 9-3, 9-4
- advanced installation mode, *UserHandbook*, 9-3
 - getting help for, *UserHandbook*, 9-3
- Maintenance Operations Protocol**
- See* MOP Protocol
- Manager Menu**
- for ULTRIX system manager, *Overview*, 3-4
 - for VMS system manager, *Overview*, 2-8
- Manually Set Tabs setting**, *SETHOST*, 3-37
- MAPKEY CHAR command**, *SEDT*, B-2
- MAPKEY SCAN command**, *SEDT*, B-1, B-3
- MAPKEY utility**, *SEDT*, B-1
- compile functions, *SEDT*, B-2
 - compile keys, *SEDT*, B-2
 - creating a keyboard map file, *SEDT*, B-3
 - dump functions, *SEDT*, B-2
 - dump keys, *SEDT*, B-2
 - leaving, *SEDT*, B-3
 - mapkey test, *SEDT*, B-2
 - scancodes, *SEDT*, B-4
- Mapping keyboards**
- See also* Keyboard mappings
- Margin Bell setting**, *SETHOST*, 3-25
- MARK command**, *Mail*, 9-33
- Marking a message**, *Mail*, 5-3, 6-4, 9-33
- Marks**
- cut and paste operations, *SEDT*, 1-4
- Marks (Cont.)**
- message area, *SEDT*, 1-4
 - moving to, *SEDT*, 1-4
 - reference points, *SEDT*, 1-4
 - saving, *SEDT*, A-3
 - setting, *SEDT*, 1-4
 - switching between marks, *SEDT*, 1-4
- Maximum links**, *PCDECwin*, 8-3
- term defined, *NetMgt*, 3-6
- Maximum links parameter**, *PCDECwin*, 3-8
- and expanded memory, *PCDECwin*, 3-8
- MAXSCROLL= command**, *SEDT*, A-8
- MEMMAN /E command**
- showing expanded memory, *ClientCmnds*, 1-51
- MEMMAN /H command**
- help on memory, *ClientCmnds*, 1-53
- MEMMAN /M command**
- system process memory, *ClientCmnds*, 1-54
- MEMMAN /S command**
- summary of all memory, *ClientCmnds*, 1-56
- MEMMAN /U command**
- unloading memory, *ClientCmnds*, 1-59
- MEMMAN /X command**
- showing extended memory, *ClientCmnds*, 1-61
- MEMMAN commands**, *ClientCmnds*, 1-49, 2-35
- Memman utility**, *Memory*, 3-7
- Memory**
- See also* Expanded memory
 - See also* Extended memory
- 80286**
- procedure for configuring, *Memory*, 3-6
- 80386**
- procedure for configuring, *Memory*, 3-5
- 8086/88**
- procedure for configuring, *Memory*, 3-6

Memory (Cont.)

adding, *Memory*, 3–11
analyzing problems with, *PCDECwin*, 8–3
backing store parameter, *PCDECwin*, 3–15
basics, *Memory*, 1–1
checking, *PCDECwin*, 3–23
configuring client, *InstallDiskettes*, B–8, B–9, B–10; *InstallVMS*, B–8, B–9, B–10; *InstallULTRIX*, B–8, B–9, B–10
conventional, *Memory*, 1–4, 1–6
conventional, showing information about, *ClientCmnds*, 1–49
DECnet requirements, *Memory*, 2–3
determining current configuration, *Memory*, 3–7
disabling blinking cursors, *PCDECwin*, 7–19
DOS, *Memory*, 1–1
DOS, placing overflow files in, *SEDT*, A–11
DOS Version 5.0, *InstallDiskettes*, 10–2; *InstallVMS*, 11–2; *InstallULTRIX*, 9–2
drivers, *Memory*, 2–7
expanded memory managers, *Memory*, 2–8
HIMEM.SYS, *Memory*, 2–8
requirements, *Memory*, 2–7
editing CONFIG.SYS, *Memory*, 3–18
effects on performance of using expanded, *Memory*, 2–18
expanded, *Memory*, 1–4, 1–15
configuring the memory board, *Memory*, 3–13
performance tips, *Memory*, 2–19
possible conflicts, *Memory*, 2–19
testing performance, *Memory*, 3–12
expanded, loading SEDT into, *SEDT*, A–8, A–11
expanded, placing overflow files in, *SEDT*, A–11

Memory (Cont.)

expanded, showing information about, *ClientCmnds*, 1–51
extended, *Memory*, 1–4, 1–10
extended, showing information about, *ClientCmnds*, 1–61
hardware, *Memory*, 1–1
hints for saving, *PCDECwin*, 7–19
loading network components, *ClientCmnds*, 2–27
managing, *Overview*, 5–15
Microsoft Windows, *InstallDiskettes*, 10–2; *InstallVMS*, 11–2; *InstallULTRIX*, 9–2; *Memory*, 3–35
modifying widget memory requirements, *PCDECwin*, 7–20
obtaining statistics about, *PCDECwin*, 3–15
PATHWORKS recommendations, *Memory*, 3–1
PATHWORKS requirements
network components, *Memory*, 2–2
PC, *Memory*, 1–1
PC DECwindows Motif, *PCDECwin*, 1–6; *Memory*, 2–9
configuration guidelines, *Memory*, 2–13
determining available memory, *Memory*, 2–11
determining requirements, *Memory*, 2–10
RAM, *Memory*, 1–3
requirements of PC DECwindows Motif, *PCDECwin*, 1–6
ROM, *Memory*, 1–3
save unders parameter, *PCDECwin*, 3–15
saving context, *ClientCmnds*, 2–44
SEDT editor, *Memory*, 2–14
showing information about, *ClientCmnds*, 1–49
startup, *Memory*, 1–1
stub, *Memory*, 2–2
system, *Memory*, 1–4, 1–5

Memory (Cont.)

- system scan, *ClientCmnds*, 1-56
- TCP/IP, *Memory*, 3-33
- TCP/IP requirements, *Memory*, 2-5
- TSRs use of, *Memory*, 3-18
- unloading network components from, *ClientCmnds*, 1-49, 1-59
- upper, *Memory*, 1-4, 1-8
- used by system processes, *ClientCmnds*, 1-54

Memory/performance table,

- InstallDiskettes*, B-10, B-14;
- InstallVMS*, B-10, B-14;
- InstallULTRIX*, B-10, B-14

Memory access time index

- defined, *Memory*, 3-12

Memory considerations

- DNP, *InstallDiskettes*, B-13;
InstallVMS, B-13;
InstallULTRIX, B-13
- LAD, *InstallDiskettes*, B-13;
InstallVMS, B-13;
InstallULTRIX, B-13
- LAST, *InstallDiskettes*, B-13;
InstallVMS, B-13;
InstallULTRIX, B-13

Memory Information Utility (MEMMAN),

- ClientCmnds*, 1-49

Memory managers, *Memory*, 2-8, 3-2

- 80386
 - using, *Memory*, 2-21, 3-14
- 80386 configuration example, *Memory*, 5-7, 5-28, 5-48
- defined, *Memory*, 1-18
- EMM.SYS, *Memory*, 2-8
- options for 80386 computers, *Memory*, 3-14
- requirements by processor type, *Memory*, 3-14
- resolving problems with, *PCDECwin*, 7-23
- using, *Memory*, 3-14

Memory maps

- definition, *Memory*, 1-2
- segments, *Memory*, 1-2

Menus, *UserHandbook*, 1-13, 4-6

- selecting, in the LAN Manager Screen, *UserHandbook*, 4-6
- selecting from, *UserHandbook*, 4-8

Message boxes, *PCDECwin*, A-2

Message flags, *Mail*, 1-6

Message log file parameter, *PCDECwin*, 3-12, 8-2

Message menu, *Mail*, 5-1

- Copy, *Mail*, 5-4
- Delete, *Mail*, 5-2
- Extract, *Mail*, 5-5
- Extract binary attachment, *Mail*, 5-6
- File, *Mail*, 5-3
- Mark, *Mail*, 5-3
- Print, *Mail*, 5-7
- using options while reading a message, *Mail*, 2-5

Messages, *SEDT*, 4-2

See also Error messages

See also Troubleshooting

- Broadcast, reading (DECnet), *ClientCmnds*, 1-127, 1-135
- Broadcast, sending, *ClientCmnds*, 1-6
- command line errors, *DECnetUser*, B-2

CTERM error, *SETHOST*, B-3

DOSLOAD utility, *InstallDiskettes*, G-2; *InstallVMS*, I-2; *InstallULTRIX*, H-2

Font Compiler utility, *PCDECwin*, A-30

Font Compiler utility syntax, *PCDECwin*, A-31

input/output, *DECnetUser*, B-7

Keysym Compiler utility, *PCDECwin*, A-27

LAT error, *SETHOST*, B-2

log file for, *PCDECwin*, 3-12, 8-1

Microsoft Windows, *MSWindows*, 7-1

miscellaneous, *DECnetUser*, B-14

multicast, *ClientCmnds*, 1-9, 1-11

NCP error, *NetMgt*, A-1

Messages (Cont.)

Netsetup utility, *InstallDiskettes*, G–11; *InstallVMS*, I–11; *InstallULTRIX*, H–11
network errors, *DECnetUser*, B–3
network related, *DECnetUser*, B–9
Remote boot, *InstallVMS*, I–29
response-information, *ClientCmnds*, 1–25
secondary error messages, *DECnetUser*, B–11
solicit-information, *ClientCmnds*, 1–20, 1–25
specifying number of retransmissions, *ClientCmnds*, 1–21
TELNET error, *SETHOST*, B–10
VT320 terminal emulator, *MSWindows*, 7–1
warnings, *DECnetUser*, B–6, B–25
X server, *PCDECwin*, A–1
X server error message code numbers, *PCDECwin*, A–20
X server fatal messages, *PCDECwin*, A–3
X server log file messages, *PCDECwin*, A–2
X server message boxes, *PCDECwin*, A–2

Message Viewer commands

Delete, *Mail*, 2–4
Dir, *Mail*, 2–6
Find, *Mail*, 2–5
Help, *Mail*, 2–6
Message, *Mail*, 2–5
Next, *Mail*, 2–6
PgDn, *Mail*, 2–6
PgUp, *Mail*, 2–6
Prev, *Mail*, 2–6
Reply, *Mail*, 2–3
Send, *Mail*, 2–4

Microsoft LAN Manager

and NET commands, *ClientCmnds*, 1–2

Microsoft Windows, *Memory*, 3–35; *SETHOST*, 1–5; *DECnetUser*, 1–5

Microsoft Windows (Cont.)

accessing file and disk services from, *UserHandbook*, 2–12
accessing printers from, *UserHandbook*, 3–15
and terminal emulation, *Overview*, 5–15
80386 configuration example, *Memory*, 5–16, 5–32, 5–61
80286 configuration example, *Memory*, 6–19
connecting to Digital printers from, *MSWindows*, 3–1
defining SCBs for, *ClientCmnds*, 1–22
directory description, *InstallVMS*, E–3; *InstallULTRIX*, D–3
FAL, *DECnetUser*, 3–2
features in PATHWORKS for DOS environment, *MSWindows*, 1–1
for DOS clients, *Overview*, 5–14
installing from a shared network directory, *MSWindows*, 2–2
installing to a personal computer without a hard disk, *MSWindows*, 2–3
Run command, *MSWindows*, 5–31
Setup utility, *MSWindows*, 2–2
accepting hardware defaults, *MSWindows*, 2–2
starting, *UserHandbook*, 7–10
terminal emulator, *UserHandbook*, 7–10
using FAL with, *DECnetUser*, 3–2
using NFT utility with, *DECnetUser*, 4–3
using the X server from, *PCDECwin*, 7–11
using with PATHWORKS, *InstallDiskettes*, 10–2; *InstallVMS*, 11–2; *InstallULTRIX*, 9–2
Version 3.0 support, *Overview*, 1–19
Windows support software requirements, *MSWindows*, 2–2
Microsoft Windows support software in PATHWORKS for DOS environment

Microsoft Windows support software in PATHWORKS for DOS environment
(Cont.)

See Microsoft Windows

MIRROR command

See Network Control Program commands, MIRROR

Mode

term defined, *ClientCmnds*, 1-147

MODE

as a TSR, *SETHOST*, 3-5

Mode line, *SEDT*, 3-2

Modem Answer setting, *SETHOST*, 3-40

Modem control

using, *SETHOST*, 3-10

Modems, *UserHandbook*, 1-3; *SETHOST*, 1-3

and asynchronous communications, *MSWindows*, 5-12

dialing a number, *SETHOST*, 3-40

using in the VT320 emulator, *MSWindows*, 5-28

Modem with Dedicated DECnet Line

DIALNET.SCR script, *InstallDiskettes*, 7-8; *InstallVMS*, 15-8

Modem with Dynamically Switched Terminal Line

DIALDYN.SCR script, *InstallDiskettes*, 7-10; *InstallVMS*, 15-10

Modifying

the status of a message, *Mail*, 9-23, 9-69

user profile, *Mail*, 8-3

Modules

software components, *DECnetUser*, 1-2

MONITOR command, *NetMgt*, 6-60

MONITOR LOGGING command, *NetMgt*, 4-13

MOP Protocol, *NetMgt*, B-1

Mouse

See also Pointer

Browser and, *UserHandbook*, 9-7

choosing menu options with, *UserHandbook*, 1-13

Mouse (Cont.)

DEPCA, *MSWindows*, 1-2

disabling accelerators for, *PCDECwin*, 7-5

drivers, *MSWindows*, 1-2

how to use, *UserHandbook*, 1-12

keyboard equivalents, *PCDECwin*, 7-4

loading the mouse driver, *PCDECwin*, 3-21

making Digital mouse emulate

Microsoft mouse, *ClientCmnds*, 3-24

term defined, *UserHandbook*, 1-11

troubleshooting, *MSWindows*, 2-5

MOUSE= command, *SEDT*, A-8

Mouse button 3 emulation parameter, *PCDECwin*, 3-12

Mouse driver

See Mouse

MOVE command, *Mail*, 9-37

Moving

all messages, *Mail*, 7-3

a message, *Mail*, 5-3, 9-37

marked messages, *Mail*, 7-2

MSCDEX, *InstallDiskettes*, B-12; *InstallVMS*, B-12; *InstallULTRIX*, B-12

MS-DOS

See also DOS

file attributes, *DECnetUser*, 3-4

operating system, *DECnetUser*, 1-2

MS Windows

See Microsoft Windows

Multicast messages, *ClientCmnds*, 1-11

listening for, *ClientCmnds*, 1-20

specifying addresses in DLL802, *ClientCmnds*, 2-5

Multilingual support, *UserHandbook*, A-1

changing languages, *UserHandbook*, A-2

specifying languages for applications, *UserHandbook*, A-3

using primary language, *UserHandbook*, A-3

Multinational mode, *SETHOST*, 3–21
Multiple commands, *DECnetUser*, 4–3

N

Named Pipes, *Overview*, 4–2, 5–7, 6–2
Naming
 virtual devices, *DECnetUser*, 5–4
Native mode, *Memory*, 2–8
NCP
 See Network Control Program (NCP)
 utility
NCP DEFINE NODE command,
 MSWindows, 4–10
NCP utility
 See Network Control Program (NCP)
 utility
NDDRV, *InstallDiskettes*, B–13;
 InstallVMS, B–13; *InstallULTRIX*,
 B–13
 loading, *ClientCmnds*, 2–37
NDDRV.SYS device driver, *DECnetUser*,
 5–5
 See also Network Device Utility
 loading, *Memory*, 2–6
NDDRV.SYS file, *ClientCmnds*, 2–37
NDDRV command
 loading virtual disk drivers,
 ClientCmnds, 2–37
NDIS, *MSWindows*, 1–2; *Memory*, 2–9
 adapters, *InstallDiskettes*, 2–6;
 InstallVMS, 3–6; *InstallULTRIX*,
 3–5
 drivers, *InstallDiskettes*, 2–6;
 InstallVMS, 3–6; *InstallULTRIX*,
 3–5
 modifying PROTOCOL.INI file,
 InstallDiskettes, C–2; *InstallVMS*,
 C–2; *InstallULTRIX*, C–2
 requirements for using driver,
 InstallDiskettes, C–1; *InstallVMS*,
 C–1; *InstallULTRIX*, C–1
 term defined, *Overview*, 1–4

NDIS (Cont.)

 using drivers, *InstallDiskettes*, C–1;
 InstallVMS, C–1; *InstallULTRIX*,
 C–1

NDU

 error messages
 command line, *DECnetUser*, C–2
 execution, *DECnetUser*, C–5
 virtual printer, *DECnetUser*, C–10

NET ADMIN utility, *Overview*, 4–4

NET ATTRIB command
 creating an access control list,
 ClientCmnds, 1–65
 setting protection, *ClientCmnds*, 1–63
 showing protection, *ClientCmnds*,
 1–65

NetBEUI, *Overview*, 4–1, 6–1, A–1, A–2
 description, *Overview*, 1–13

NETBIOS, *MSWindows*, 1–2
 emulation, *DECnetUser*, 1–5

NETBIOS access routine,
 InstallDiskettes, 9–1; *InstallVMS*,
 10–1; *InstallULTRIX*, 8–1
commands, *InstallDiskettes*,
 9–13; *InstallVMS*, 10–12;
 InstallULTRIX, 8–12
configuration file, *InstallDiskettes*, 9–8;
 InstallVMS, 10–7; *InstallULTRIX*,
 8–7

configuration worksheet,
 InstallDiskettes, 9–4; *InstallVMS*,
 10–3; *InstallULTRIX*, 8–3

error messages, *InstallDiskettes*,
 9–14; *InstallVMS*, 10–13;
 InstallULTRIX, 8–13

installation, *InstallDiskettes*, 9–2;
 InstallVMS, 10–2; *InstallULTRIX*,
 8–2

logical links, *InstallDiskettes*,
 9–12; *InstallVMS*, 10–11;
 InstallULTRIX, 8–11

MAXIMUM LINKS, *InstallDiskettes*,
 9–12; *InstallVMS*, 10–11;
 InstallULTRIX, 8–11

NETBIOS access routine (Cont.)
 preinstallation, *InstallDiskettes*, 9-2;
 InstallVMS, 10-2; *InstallULTRIX*,
 8-2

NET CLEAR command
 removing a node, *ClientCmnds*, 1-69

NET commands
 contrasted with NETD commands,
 InstallDiskettes, 2-5; *InstallVMS*,
 3-5; *InstallULTRIX*, 3-4;
 Overview, 5-8

LAN Manager, *ClientCmnds*, 1-2

LAN Manager and, *UserHandbook*,
 4-3

network management, *ClientCmnds*,
 1-1

redirectors, *ClientCmnds*, 1-1

NET CONTINUE command
 resuming file and print connections,
 ClientCmnds, 1-70

NET CREATE command
 creating and formatting a virtual disk,
 ClientCmnds, 1-71

NETD commands, *InstallDiskettes*, 2-5;
 InstallVMS, 3-5; *InstallULTRIX*,
 3-4; *UserHandbook*, 4-3; *Overview*,
 5-8

NET DEFINE command
 assigning a node name, *ClientCmnds*,
 1-75

NET DELETE command
 deleting a virtual disk, *ClientCmnds*,
 1-76

NET DISK SERVICES command
 showing virtual disk services,
 ClientCmnds, 1-79

NET DISMOUNT command
 required before NET DELETE,
 ClientCmnds, 1-76, 1-82

NET ERROR command
 showing error counters, *ClientCmnds*,
 1-85

Netfiles driver entry, *InstallDiskettes*,
 B-5; *InstallVMS*, B-5;
 InstallULTRIX, B-5

NET FILE SERVICES command
 NET FILE SERVICES command (Cont.)
 showing available file services,
 ClientCmnds, 1-87

NET HELP command
 getting help on network commands,
 ClientCmnds, 1-89

NET LIST command
 showing known nodes, *ClientCmnds*,
 1-90

NET LOAD command
 restoring current connections,
 ClientCmnds, 1-91

NET MODIFY command
 changing virtual disk service
 characteristics, *ClientCmnds*,
 1-92

NET MOUNT command
 putting virtual disk on the network,
 ClientCmnds, 1-96

NET PASSWORD command
 changing a password, *ClientCmnds*,
 1-100

NET PAUSE command
 resuming services suspended by,
 ClientCmnds, 1-70

 suspending file and print connections,
 ClientCmnds, 1-102

NET PRINT /AFTER command
 printing after a specified time or date,
 ClientCmnds, 1-105, 1-110

NET PRINT /BINARY command
 specifying a non-ASCII file,
 ClientCmnds, 1-105, 1-110

NET PRINT /BURST command
 printing a burst page, *ClientCmnds*,
 1-105, 1-110

NET PRINT /CHARACTERISTICS
 command
 changing print characteristics,
 ClientCmnds, 1-105, 1-110

NET PRINT /COPIES command
 specifying number of copies,
 ClientCmnds, 1-111

NET PRINT /FLAG command
 specifying a flag page, *ClientCmnds*,
 1-105

NET PRINT /FORM command
 setting output form, *ClientCmnds*,
 1–106, 1–111
NET PRINT /PASSALL command
 fixing output problems, *ClientCmnds*,
 1–108, 1–114
NET PRINT /RESTART command
 restarting after an interruption,
 ClientCmnds, 1–108, 1–114
NET PRINT /SET command
 setting qualifiers, *ClientCmnds*, 1–108,
 1–114
NET PRINT /SETUP command
 printing unique documents,
 ClientCmnds, 1–109, 1–115
NET PRINT /SHOW command
 showing connections, *ClientCmnds*,
 1–109, 1–115
NET PRINT /SPACE command
 doubling line space, *ClientCmnds*,
 1–110, 1–116
NET PRINT /TRAILER command
 specifying a trailer page, *ClientCmnds*,
 1–110, 1–116
NET PRINT command
 help for, *UserHandbook*, 3–10
 qualifiers, *UserHandbook*, 3–6
 using network printers, *ClientCmnds*,
 1–103
NET SAVE command
 saving network connections,
 ClientCmnds, 1–91, 1–117
NETSERVER.LOG file, *PCDECwin*, 8–2
NET service
 in SETHOST, *UserHandbook*, 7–5
 term defined, *SETHOST*, 2–18
 using, *SETHOST*, 3–10
Netsetup utility
 and the VT320 emulator, *MSWindows*,
 4–3
 configuring the client, *InstallDiskettes*,
 3–2, 4–3
 creating FRB disk, *InstallVMS*, 7–9
 creating network key disk,
 InstallVMS, 7–8

Netsetup utility (Cont.)
 customizing, *InstallDiskettes*, E–1;
 InstallVMS, G–1; *InstallULTRIX*,
 G–1
 default answers displayed by,
 InstallDiskettes, 5–2; *InstallVMS*,
 6–3; *InstallULTRIX*, 6–2
 DOS clients and, *Overview*, 5–16
 error messages, *InstallDiskettes*, G–1,
 G–11; *InstallVMS*, I–1, I–11;
 InstallULTRIX, H–1, H–11
 files created by, *InstallDiskettes*, D–1;
 InstallVMS, F–1; *InstallULTRIX*,
 E–1
 function keys, *InstallDiskettes*, 2–10;
 InstallVMS, 3–10; *InstallULTRIX*,
 3–9
 help, *InstallDiskettes*, 2–11;
 InstallVMS, 3–11; *InstallULTRIX*,
 3–10
 initial client/server connection,
 InstallDiskettes, 4–3; *InstallVMS*,
 4–2; *InstallULTRIX*, 4–2
 loading components with,
 ClientCmnds, 2–1
 messages, *InstallDiskettes*, G–11;
 InstallVMS, I–11; *InstallULTRIX*,
 H–11
 modifying WIK files, *ClientCmnds*,
 B–1
 overview, *InstallDiskettes*, 2–8;
 InstallVMS, 3–8; *InstallULTRIX*,
 3–7
 running for local boot, *InstallDiskettes*,
 5–1; *InstallVMS*, 6–1;
 InstallULTRIX, 6–1
 running for remote boot, *InstallVMS*,
 7–6
 running on a PC hard disk,
 InstallDiskettes, 3–8
 screens, *InstallDiskettes*, 2–10;
 InstallVMS, 3–10; *InstallULTRIX*,
 3–9
 selected network transport,
 MSWindows, 4–7

- Netsetup utility (Cont.)
- selecting operator mode,
InstallDiskettes, 2-12, 3-3;
InstallVMS, 3-12; *InstallULTRIX*, 3-11
 - starting, *InstallDiskettes*, 2-8, 3-2, 4-3; *InstallVMS*, 3-8; *InstallULTRIX*, 3-7
- NETSTAT, *UserHandbook*, 1-6
- NETSTAT protocol
- for TCP/IP, *Overview*, 1-20, 5-11
- NETSYS command
- creating a bootable diskette,
ClientCmnds, 1-119
- NET TEST command
- running the server loop test,
ClientCmnds, 1-121
- NETTIME command, *InstallDiskettes*, 12-1; *InstallVMS*, 13-1; *InstallULTRIX*, 11-1
- setting the date and time,
ClientCmnds, 1-122
- NETVER command
- showing PATHWORKS for DOS version, *ClientCmnds*, 1-123
- NetWare Coexistence
- See* PATHWORKS for DOS (NetWare Coexistence)
- Network
- mounting virtual disk on,
ClientCmnds, 1-96
 - showing error counters, *ClientCmnds*, 1-85
 - starting, *InstallDiskettes*, 10-1; *InstallVMS*, 11-1; *InstallULTRIX*, 9-1
 - stopping, *InstallDiskettes*, 10-2; *InstallVMS*, 11-2; *InstallULTRIX*, 9-2
 - testing, *NetMgt*, 5-1
- Network adapters, *InstallDiskettes*, 2-6; *InstallVMS*, 3-6; *InstallULTRIX*, 3-5
- See also* Network controllers
- Network commands
- Network commands (Cont.)
- assigning a node name, *ClientCmnds*, 1-75
 - changing a password, *ClientCmnds*, 1-100
 - changing disk characteristics, *ClientCmnds*, 1-92
 - clearing LAD error counters, *ClientCmnds*, 1-124
 - connecting to personal directory, *ClientCmnds*, 1-48
 - connecting to servers and services, *ClientCmnds*, 1-139
 - creating a bootable diskette from a network drive, *ClientCmnds*, 1-119
 - creating a virtual disk, *ClientCmnds*, 1-71
 - deleting a virtual disk, *ClientCmnds*, 1-76
 - getting help on, *ClientCmnds*, 1-89
 - mounting a virtual disk, *ClientCmnds*, 1-96
 - offering your client as a file server, *ClientCmnds*, 1-125
 - printing files, *ClientCmnds*, 1-103
 - reading DECnet broadcast messages, *ClientCmnds*, 1-127, 1-135
 - removing a node, *ClientCmnds*, 1-69
 - removing a virtual disk, *ClientCmnds*, 1-82
 - restoring connections, *ClientCmnds*, 1-91
 - resuming printer services, *ClientCmnds*, 1-70
 - saving network connections, *ClientCmnds*, 1-117
 - sending Broadcast messages, *ClientCmnds*, 1-6
 - setting the date and time, *ClientCmnds*, 1-122
 - showing error counters, *ClientCmnds*, 1-85
 - showing file services, *ClientCmnds*, 1-87

- Network commands (Cont.)
- showing known nodes, *ClientCmnds*, 1–90
 - showing memory information, *ClientCmnds*, 1–49
 - showing PATHWORKS for DOS version, *ClientCmnds*, 1–123
 - showing virtual disk services, *ClientCmnds*, 1–79
 - suspending file and print connections, *ClientCmnds*, 1–102
 - the server loop test, *ClientCmnds*, 1–121
- Network Communication Port, *MSWindows*, 5–10
- choosing a network transport, *MSWindows*, 5–13
- Network communications port, *SETHOST*, 2–17
- Network components
- See also* Network Components, loading DECnet
 - editing files, *Memory*, 3–22
 - unloading, *Memory*, 4–1
 - editing files, *Memory*, 3–21
 - TCP/IP
 - editing files, *Memory*, 3–32
 - unloading, *Memory*, 4–5
 - unloading, *ClientCmnds*, 2–2
 - DECnet, *Memory*, 4–1
 - TCP/IP, *Memory*, 4–5
- Network components, loading
- asynch DNP, no NETBIOS, *ClientCmnds*, 2–26
 - asynch DNP with NETBIOS, conventional memory, *ClientCmnds*, 2–21
 - asynch DNP with NETBIOS, expanded memory, *ClientCmnds*, 2–18
 - at the DOS prompt, *ClientCmnds*, 2–2
 - DLL802, *ClientCmnds*, 2–5
 - DLLDEPCA, *ClientCmnds*, 2–6
 - DLLNDIS, *ClientCmnds*, 2–10
 - DLLNDIST, *ClientCmnds*, 2–14
- Network components, loading (Cont.)
- Ethernet variants, conventional memory, *ClientCmnds*, 2–24
 - from STARTNET.BAT, *ClientCmnds*, 2–2
 - into expanded memory (EMSLOAD), *ClientCmnds*, 2–27
 - LAD (virtual disk software), *ClientCmnds*, 2–29
 - LANSESS, *ClientCmnds*, 2–31
 - LAST, *ClientCmnds*, 2–33
 - LAT, *ClientCmnds*, 2–35
 - modifying configuration, *ClientCmnds*, 2–3
 - NDDRV, *ClientCmnds*, 2–37
 - NPDRV, *ClientCmnds*, 2–38
 - PSC (print screen), *ClientCmnds*, 2–39
 - REDIR, *ClientCmnds*, 2–42
 - SAVE, *ClientCmnds*, 2–44
 - SCH, *ClientCmnds*, 2–45
 - SCHK, *ClientCmnds*, 2–46; *Memory*, 2–4, 3–31
 - SRM, *ClientCmnds*, 2–48
 - summary of commands, *ClientCmnds*, 2–3
 - without Netsetup, *ClientCmnds*, 2–2
- Network connection, *SETHOST*, 2–1
- Network controllers, *Memory*, 2–8
- configuring, *Memory*, 3–15
 - native mode, *Memory*, 2–8
 - NDIS, *Memory*, 2–9
 - third-party, *Memory*, 2–9
- Network Control Program (NCP) utility, *UserHandbook*, 1–5; *Overview*, 5–10; *DECnetUser*, 1–4
- DEFINE ACCESS command, *MSWindows*, 6–2
- defining DECnet node names, *MSWindows*, 4–9
 - exiting from, *NetMgt*, 1–9, 6–33
 - file transfer and, *UserHandbook*, 5–6
 - functions defined, *DECnetUser*, 1–4
 - functions of, *NetMgt*, 1–4
 - getting help for, *UserHandbook*, 5–10; *NetMgt*, 1–8, 6–34

Network Control Program (NCP) utility
(Cont.)

- listing known network nodes,
UserHandbook, 5–8
- running, *NetMgt*, 1–5
- security, *DECnetUser*, 4–9
- starting, *NetMgt*, 1–5

Network Control Program commands

- abbreviating, *NetMgt*, 1–6
- CLEAR EXECUTOR, *NetMgt*, 6–6
- CLEAR LOCAL-ADAPTER-NAME,
NetMgt, 6–8
- CLEAR REMOTE-ADAPTER-NAME,
NetMgt, 6–10
- command format, *NetMgt*, 1–6
- COPY NODE, *NetMgt*, 6–12
- DEFINE, *NetMgt*, 3–6
- DEFINE ACCESS, *NetMgt*, 6–14
- DEFINE ACCESS command,
DECnetUser, 3–3
- DEFINE CIRCUIT, *NetMgt*, 6–16
- DEFINE EXECUTOR, *NetMgt*, 2–1,
3–7
- DEFINE LINE, *NetMgt*, 6–23
- DEFINE NODE, *NetMgt*, 2–4, 3–7,
4–9, 6–25
- DEFINE OBJECT, *NetMgt*, 6–27
- DEFINE OBJECT command,
DECnetUser, 3–3
- DEFINE REMOTE-ADAPTER-NAME,
NetMgt, 6–30
- EXIT, *NetMgt*, 6–33
- HELP, *NetMgt*, 1–8, 6–34
- LIST ACCESS, *NetMgt*, 6–35
- LIST CIRCUIT, *NetMgt*, 6–37
- LIST EXECUTOR, *NetMgt*, 3–5, 6–39
- LIST KNOWN ACCESS, *NetMgt*, 6–35
- LIST KNOWN NODES, *NetMgt*, 2–4,
3–2, 3–3, 3–7, 6–42
- LIST KNOWN OBJECTS, *NetMgt*,
6–45
- LIST KNOWN REMOTE-
ADAPTER-NAMES, *NetMgt*,
6–47
- LIST LINE, *NetMgt*, 6–41

Network Control Program commands
(Cont.)

- LIST NODE, *NetMgt*, 4–9, 6–42
- LIST OBJECT, *NetMgt*, 6–45
- list of command verbs, *NetMgt*, 1–6
- LIST REMOTE-ADAPTER-NAME,
NetMgt, 6–47
- LOOP, *NetMgt*, 5–4, 5–5
- LOOP CIRCUIT, *NetMgt*, 5–7, 6–49
- LOOP EXECUTOR, *NetMgt*, 6–53
- LOOP LINE CONTROLLER, *NetMgt*,
6–55
- LOOP NODE, *NetMgt*, 5–6, 6–56
- MIRROR, *NetMgt*, 5–4, 6–59
- MONITOR LOGGING, *NetMgt*, 4–13,
6–60
- PURGE ACCESS, *NetMgt*, 6–61
- PURGE EXECUTOR, *NetMgt*, 6–63
- PURGE KNOWN ACCESS, *NetMgt*,
6–61
- PURGE KNOWN ACCESS command,
DECnetUser, 3–3
- PURGE KNOWN NODES, *NetMgt*,
6–65
- PURGE KNOWN OBJECTS, *NetMgt*,
6–66
- PURGE KNOWN REMOTE-
ADAPTER-NAMES, *NetMgt*,
6–67
- PURGE NODE, *NetMgt*, 6–65
- PURGE OBJECT, *NetMgt*, 6–66
- PURGE REMOTE-ADAPTER-NAME,
NetMgt, 6–67
- READ LOG, *NetMgt*, 4–13, 6–69
- SET CIRCUIT, *NetMgt*, 4–2, 6–71
- SET ECHO, *NetMgt*, 1–5, 6–73
- SET EXECUTOR, *NetMgt*, 3–7, 6–75
- SET KNOWN LINKS, *NetMgt*, 4–3,
6–82
- SET LINE, *NetMgt*, 6–79
- SET LINK, *NetMgt*, 6–82
- SET LOCAL-ADAPTER-NAME,
NetMgt, 6–84
- SET PAUSE, *NetMgt*, 6–86

- Network Control Program commands
 (Cont.)
- SET REMOTE-ADAPTER-NAME,
NetMgt, 6-88
 - SHOW ACTIVE, *NetMgt*, 6-91
 - SHOW ACTIVE LINKS, *NetMgt*, 6-91
 - SHOW ACTIVE NODES, *NetMgt*,
 4-10, 6-91
 - SHOW ADJACENT, *NetMgt*, 6-92
 - SHOW CIRCUIT, *NetMgt*, 4-12, 6-93
 - SHOW CIRCUIT COUNTERS,
NetMgt, 4-6, 5-7
 - SHOW EXECUTOR, *NetMgt*, 3-4,
 4-8, 6-95
 - SHOW EXECUTOR COUNTERS,
NetMgt, 4-4, 5-7
 - SHOW KNOWN NODES, *NetMgt*,
 3-2, 3-3, 4-6, 4-8, 6-100
 - SHOW LINE, *NetMgt*, 4-11, 6-96
 - SHOW LINE COUNTERS, *NetMgt*,
 4-5, 5-7
 - SHOW LOCAL-ADAPTER-NAME,
NetMgt, 6-98
 - SHOW NODE, *NetMgt*, 6-100
 - SHOW REMOTE-ADAPTER-NAME,
NetMgt, 6-102
 - summary, *NetMgt*, 6-1
 - TELL, *NetMgt*, 6-104
 - testing, *NetMgt*, 5-1
 - verbs, *NetMgt*, 1-6
 - ZERO CIRCUIT, *NetMgt*, 5-7, 6-107
 - ZERO EXECUTOR, *NetMgt*, 5-7,
 6-108
 - ZERO LINE, *NetMgt*, 5-7, 6-109
- Network Control Program databases
- CLEAR command, *NetMgt*, 2-6
 - commands for permanent, *NetMgt*,
 2-6
 - commands for volatile, *NetMgt*, 2-6
 - contents, *NetMgt*, 2-5
 - DECACC.DAT database, *NetMgt*, 2-6,
 6-14, 6-35
 - DECALIAS.DAT database, *NetMgt*,
 2-2, 2-4, 2-6, 3-8
- Network Control Program databases
 (Cont.)
- DECNODE.DAT database, *NetMgt*,
 2-6, 3-7, 6-12, 6-30, 6-65, 6-89
 - DECOBJ.DAT database, *NetMgt*, 2-6,
 6-27, 6-45, 6-46, 6-66
 - DECPARM.DAT database, *NetMgt*,
 2-6, 6-21, 6-24, 6-75, 6-77
 - DECREM.DAT database, *NetMgt*, 2-6,
 6-30, 6-47, 6-67
 - DEFINE command, *NetMgt*, 2-6
 - description of, *NetMgt*, 1-10
 - LIST command, *NetMgt*, 2-6
 - permanent, *NetMgt*, 1-10, 2-5
 - PURGE command, *NetMgt*, 2-6
 - SET command, *NetMgt*, 2-6
 - SHOW command, *NetMgt*, 2-6
 - understanding the, *NetMgt*, 2-5
 - volatile, *NetMgt*, 1-10, 2-6
- Network Control Program error messages
- See* Messages
- Network Device Utility (NDU)
- CLOSE command, *DECnetUser*, 5-7,
 5-12
 - command format, *DECnetUser*, 5-6
 - command line error messages,
DECnetUser, C-10
 - command verbs, *DECnetUser*, 5-7
 - CREATE command, *DECnetUser*, 5-7,
 5-14
 - defined, *DECnetUser*, 5-1
 - DELETE command, *DECnetUser*, 5-7,
 5-17
 - disk status display, *DECnetUser*, 5-22
 - ending connection with remote disk,
DECnetUser, 5-12
 - error messages, *DECnetUser*, C-1,
 C-2
 - execution error messages,
DECnetUser, C-5, C-12
 - EXIT command, *DECnetUser*, 5-6
 - getting help for, *DECnetUser*, 5-18
 - HELP command, *DECnetUser*, 5-7,
 5-10, 5-18

Network Device Utility (NDU) (Cont.)
loading NDDRV.SYS driver, *Memory*, 2–6
network error messages, *DECnetUser*, C–11
network errors, *DECnetUser*, C–3
OPEN command, *DECnetUser*, 5–7, 5–20
printer status display, *DECnetUser*, 5–22
prompts, *DECnetUser*, 5–6
running, *DECnetUser*, 5–5
sharing devices, *DECnetUser*, 1–4
SHOW command, *DECnetUser*, 5–8, 5–22
using to access LAD disks,
ClientCmnds, 2–37
using to access remote printers,
ClientCmnds, 2–38
virtual printer error messages,
DECnetUser, C–10

Network Driver Interface Specification (NDIS), *InstallDiskettes*, C–1; *InstallVMS*, C–1; *InstallULTRIX*, C–1

Network File Transfer (NFTL) utility, *UserHandbook*, 1–5; *SETHOST*, 3–8, C–1, C–10; *DECnetUser*, 1–5
abbreviating
commands, *DECnetUser*, 4–4
switches, *DECnetUser*, 4–4
access control information,
DECnetUser, 4–8
APPEND command, *DECnetUser*, 4–15, 4–19, 4–20
appending files, *MSWindows*, 6–15
Cancel option, *MSWindows*, 6–20
Character Set option, *MSWindows*, 6–18
choosing menu options, *MSWindows*, 6–7
command
format, *DECnetUser*, 4–4
command parts explained,
DECnetUser, 4–3

Network File Transfer (NFT) utility
(Cont.)
command prompts, *DECnetUser*, 4–5
commands, *DECnetUser*, 4–3
command summary, *DECnetUser*, 4–19
COPY command, *DECnetUser*, 4–15, 4–19, 4–24
copying files, *MSWindows*, 6–5
copy options, *MSWindows*, 6–5
COPY switches, *DECnetUser*, 4–25
Data Access Protocol (DAP)
error messages, *DECnetUser*, D–1
Data Type option, *MSWindows*, 6–17
defined, *DECnetUser*, 4–1
DELETE switch, *DECnetUser*, 4–32
directories display, *DECnetUser*, 4–8
DIRECTORY command, *DECnetUser*, 4–16, 4–19, 4–33
displaying access information,
DECnetUser, 4–11
ending operation in, *DECnetUser*, 4–7
entering commands, *DECnetUser*, 4–3
exchanging files, *DECnetUser*, 4–4
EXIT command, *DECnetUser*, 4–19, 4–35
exiting from, *DECnetUser*, 4–3
file operations, *DECnetUser*, 4–1
file transfer and, *UserHandbook*, 5–6
from command line, *DECnetUser*, 4–2
from Microsoft Windows, *DECnetUser*, 4–2
function of, *MSWindows*, 1–2
functions, *DECnetUser*, 4–1
getting help, *DECnetUser*, 4–6
getting help for, *UserHandbook*, 5–10
HELP command, *DECnetUser*, 4–4, 4–6, 4–19, 4–36
Help option, *MSWindows*, 6–20
/IMAGE switch, *DECnetUser*, 4–14
invoking, *DECnetUser*, 4–2
Maccode field error messages,
DECnetUser, D–1
manipulating files, *DECnetUser*, 4–14
menu bar, *MSWindows*, 6–5

Network File Transfer (NFT) utility
(Cont.)
menu options, *MSWindows*, 6-7
Micicode field error messages,
DECnetUser, D-2
PRINT command, *DECnetUser*, 4-19,
 4-38
printing remote files, *MSWindows*,
 6-16
/PRINT switch, *DECnetUser*, 4-17
selecting files, *MSWindows*, 6-5
SET command, *DECnetUser*, 4-8,
 4-19, 4-40
SHOW command, *DECnetUser*, 4-19,
 4-41
special options, *MSWindows*, 6-16
starting, *MSWindows*, 6-4;
 DECnetUser, 4-3
 from command line, *DECnetUser*,
 4-2
SUBMIT command, *DECnetUser*,
 4-19, 4-43
switches, *DECnetUser*, 4-5, 4-33,
 4-36, 4-43
/BRIEF, *DECnetUser*, 4-16
/IMAGE, *DECnetUser*, 4-13
/NOCONVERT, *DECnetUser*, 4-13
/PRINT, *DECnetUser*, 4-38
troubleshooting, *MSWindows*, 6-9
TYPE command, *DECnetUser*, 4-19,
 4-44
using, *MSWindows*, 6-3
 a command file with, *DECnetUser*,
 4-2
 switches, *DECnetUser*, 4-5
 with COPY, *DECnetUser*, 4-12
 with Microsoft Windows,
 DECnetUser, 4-3
 with SET, *DECnetUser*, 4-8
 with SHOW, *DECnetUser*, 4-11
valid data types, *MSWindows*, 6-17
View option, *MSWindows*, 6-15
Window option, *MSWindows*, 6-20
Network information
 changing, *NetMgt*, 3-2, 3-5
Network information (Cont.)
 displaying, *NetMgt*, 3-1
 updating, *NetMgt*, 3-2
Networking software
 and server functions, *Overview*, A-1,
 A-2
 AppleTalk, *Overview*, 1-12
 AppleTalk for VMS, *Overview*, 7-8
 DECnet, *Overview*, 1-10
 LAST, *Overview*, 1-10
 LAT, *Overview*, 1-11
 NetBEUI, *Overview*, 1-13, 4-1, 6-1
 TCP/IP, *Overview*, 1-11
Network key disk
 creating for remote boot, *InstallVMS*,
 7-8
 term defined, *InstallVMS*, 3-4
Network links, *PCDECwin*, 8-3
 setting, *PCDECwin*, 3-8
Network management, *Overview*, 5-10
 for OS/2, *Overview*, 6-3
Network Management Listener (NML)
 utility, *DECnetUser*, 1-4; *NetMgt*,
 1-9, 4-13
Network management servers, *NetMgt*,
 1-9
 loopback mirror, *NetMgt*, 1-9
Network parameters
 changing, *NetMgt*, 3-5
 term defined, *NetMgt*, 3-5
Network paths
 device names and, *UserHandbook*,
 1-10
 Microsoft Windows and,
 UserHandbook, 2-13
 term defined, *UserHandbook*, 1-9
Networks
 environment, *DECnetUser*, 1-1
 error messages, *DECnetUser*, B-3
 error messages on, *DECnetUser*, C-11
 errors, *DECnetUser*, C-3
 exiting from, *DECnetUser*, 4-35
 local area, *DECnetUser*, 1-2
 local nodes, *DECnetUser*, 1-2
 maintaining, *DECnetUser*, 1-4

- Networks (Cont.)**
- managing functions, *DECnetUser*, 1–2
 - monitoring, *DECnetUser*, 1–4
 - nodes defined, *DECnetUser*, 1–2
 - remote access, *DECnetUser*, 1–4
 - remote nodes, *DECnetUser*, 1–2
 - restrictions, *DECnetUser*, 3–4
 - routing nodes, *DECnetUser*, 1–2
 - sample of, *DECnetUser*, 1–2
 - sharing devices (NDU), *DECnetUser*, 1–4
 - using executor nodes, *DECnetUser*, 1–2
 - using FAL and TFA, *DECnetUser*, 1–4
 - using the NML utility, *DECnetUser*, 1–4
- Network service**
- changing, *MSWindows*, 5–14
- Network service type**, *SETHOST*, 2–18
- Network terminal drivers**
- loading, *SETHOST*, 1–4
- Network Terminal Service**, *MSWindows*, 5–11, 5–13
- Network terminal services**
- selecting a service, *SETHOST*, 3–12
- Network transports**, *UserHandbook*, 1–3
- choosing in Netsetup, *MSWindows*, 5–11
- Network utilities**, *MSWindows*, 6–1
- See also* DECnet-DOS utilities
- Network Virtual Terminal Utility**
- See* SETHOST
- NET ZERO LAD command**
- clearing virtual disk counters, *ClientCmnds*, 1–124
- New Line setting**, *SETHOST*, 3–21
- NFT**
- See* Network File Transfer utility
- NFT.EXE file**
- location of, *MSWindows*, 6–4
- NFT.TRA file**, *MSWindows*, 6–16
- NFTNOWIN.EXE space saver**
- when to use, *DECnetUser*, 4–3
- NML**
- See* Network Management Listener
- NML (Cont.)**
- definition, *InstallDiskettes*, B–12; *InstallVMS*, B–12; *InstallULTRIX*, B–12
 - /NOCONVERT switch
 - in NFT, *DECnetUser*, 4–13
 - Node addresses, *InstallDiskettes*, B–2; *InstallVMS*, B–2; *InstallULTRIX*, B–2
 - in use, *NetMgt*, 2–2, 2–3, 3–7
 - term defined, *NetMgt*, 2–2
 - NO DEBUG command, *SETHOST*, 4–49
 - Node information
 - defining address, *NetMgt*, 2–2, 3–7
 - defining name, *NetMgt*, 2–2, 3–7
 - for the NFT utility, *MSWindows*, 6–4
 - maintaining, *NetMgt*, 3–1
 - managing, *NetMgt*, 2–1
 - monitoring, *NetMgt*, 4–13
 - purging access control information, *NetMgt*, 6–65
 - purging node name, *NetMgt*, 6–65
 - purging parameters, *NetMgt*, 6–65
 - setting address, *NetMgt*, 2–1
 - setting name, *NetMgt*, 2–1
 - updating, *NetMgt*, 3–1
 - Node names, *InstallDiskettes*, B–1; *InstallVMS*, B–1; *InstallULTRIX*, B–1; *NetMgt*, 3–7
 - defining, *MSWindows*, 4–8, 4–9; *UserHandbook*, 5–8; *PCDECwin*, 3–18, 3–19, 3–21
 - in use, *NetMgt*, 2–2, 2–3, 3–7
 - Mail and, *UserHandbook*, 9–4
 - MAILSETUP, *UserHandbook*, 9–4
 - term defined, *UserHandbook*, 1–10; *NetMgt*, 2–2
- Nodes**
- access control information, *DECnetUser*, 4–7
 - adjacent, *DECnetUser*, 1–2; *NetMgt*, 1–3, 6–92
 - assigning a name, *ClientCmnds*, 1–75
 - automatic remote access, *DECnetUser*, 1–4

- Nodes (Cont.)
- communicating with, *ClientCmnds*, 2–35
 - copying access information, *NetMgt*, 6–12
 - copying files to, *DECnetUser*, 4–16
 - copying file to remote, *DECnetUser*, 4–11
 - creating applications for, *DECnetUser*, 1–4
 - defined, *DECnetUser*, 1–2
 - defining, *NetMgt*, 6–25
 - displaying information, *NetMgt*, 6–42
 - end, *DECnetUser*, 1–2; *NetMgt*, 1–3
 - executor, *DECnetUser*, 1–2; *NetMgt*, 1–3
 - host, *SETHOST*, 1–1
 - listing, *ClientCmnds*, 1–90
 - local, *DECnetUser*, 1–2; *NetMgt*, 1–3
 - looping, *NetMgt*, 6–56
 - managing, *NetMgt*, 1–4
 - remote, *DECnetUser*, 1–2; *NetMgt*, 1–3, 2–2, 3–7
 - remote printers on, *DECnetUser*, 5–4
 - removing from network database., *ClientCmnds*, 1–69
 - restarting, *NetMgt*, 1–10
 - routing, *DECnetUser*, 1–2; *NetMgt*, 1–3
 - showing active, *NetMgt*, 6–91
 - showing information, *NetMgt*, 6–100
 - specifying names for, *ClientCmnds*, 2–34
 - term defined, *UserHandbook*, 1–2; *NetMgt*, 1–3
 - types of, *DECnetUser*, 1–2
- NO ECHO command, *SETHOST*, 4–50
- Nonstream, *DECnetUser*, 4–12
- file system, *DECnetUser*, 4–13
 - record attributes, *DECnetUser*, 4–13
- Nonvolatile memory
- term defined, *ClientCmnds*, 1–51
- Normal Cursor Keys setting, *SETHOST*, 3–25
- Norwegian/Danish character set, *SETHOST*, 3–22
- NO SKIP ON command, *SETHOST*, 4–51
- Notes
- adding to a message, *Mail*, 3–5, 9–5
 - NO XON/XOFF command, *SETHOST*, 4–52
- NPDRV, *InstallDiskettes*, B–13; *InstallVMS*, B–13; *InstallULTRIX*, B–13
- accessing distant printers, *ClientCmnds*, 2–38
 - loading, *ClientCmnds*, 2–38
- NPDRV.SYS printer driver, *DECnetUser*, 5–5
- loading, *Memory*, 2–6
- NRC character set, *SETHOST*, 1–12, 2–15, 3–44
- NRC mode, *SETHOST*, 3–21
- NTS command, *SETHOST*, 4–53
- Numeric Keypad setting, *SETHOST*, 3–25
- NUMLOCK= command, *SEDT*, A–8
- NVTWIN environment variable
- running *SETHOST*, *MSWindows*, 2–6
-
- O**
- Objects
- DECnet range, *DECnetUser*, 2–2
 - defining, *PCDECwin*, 4–1
 - FAL, *DECnetUser*, 3–3
 - predefined, *DECnetUser*, 2–3
 - size of database, *DECnetUser*, 2–2
 - Spawner, *DECnetUser*, 2–1
- Obscured windows
- repaint option, *PCDECwin*, 3–15
 - saving pixel contents option, *PCDECwin*, 3–15
- Octal, *DECnetUser*, B–1
- Olivetti M24 keymap, *SETHOST*, 3–27
- Olivetti M24 keys
- KBDM24.HLP* file, *SETHOST*, 1–8
 - setting from command line, *SETHOST*, 2–4

Olivetti M28 keymap, *SETHOST*, 3–27
Olivetti M28 keys
 KBDM28.HLP file, *SETHOST*, 1–8
 setting from command line,
 SETHOST, 2–4
ON ERROR command, *SETHOST*, 4–55
On-line setting, *SETHOST*, 3–20
OPEN command, *SETHOST*, 4–57
 in NDU, *DECnetUser*, 5–7, 5–20
Operating systems
 DOS, *DECnetUser*, 1–2
 VMS, *DECnetUser*, 1–5
 VMS path specifications, *DECnetUser*,
 3–4
Operator mode
 advanced, *InstallDiskettes*, 2–13;
 InstallVMS, 3–13; *InstallULTRIX*,
 3–12
 basic, *InstallDiskettes*, 2–12;
 InstallVMS, 3–12; *InstallULTRIX*,
 3–11
 intermediate, *InstallDiskettes*, 2–12;
 InstallVMS, 3–12; *InstallULTRIX*,
 3–11
 selecting, *InstallDiskettes*, 3–3
 selecting for local boot,
 InstallDiskettes, 5–2;
 InstallVMS, 6–2; *InstallULTRIX*,
 6–2
 selecting for remote boot, *InstallVMS*,
 7–6
OS/2 clients
 communication services for, *Overview*,
 4–3, 6–2
 DECnet utilities for, *Overview*, 6–3
 disk services for, *Overview*, 2–5, 6–4
 Extended Edition support, *Overview*,
 6–5
 file services for, *Overview*, 6–4
 functions with DECnet, *Overview*, 6–4
 LAN Manager services for, *Overview*,
 6–2
 OS/2 file services for, *Overview*, 4–2
 OS/2 printer services for, *Overview*,
 4–3
OS/2 clients (Cont.)
 peer services for, *Overview*, 4–3
 printer services for, *Overview*, 6–4
 ULTRIX file services for, *Overview*,
 3–1
 ULTRIX printer services for, *Overview*,
 3–3
 VMS file services for, *Overview*, 2–3
 VMS printer services for, *Overview*,
 2–7
OS/2 server
 See also PATHWORKS for OS/2
 accessing with SETLOGON,
 ClientCmnds, 1–131
communications for OS/2 clients,
 Overview, 4–3
connection to client, *InstallDiskettes*,
 4–7
creating system file service,
 InstallDiskettes, 4–3
file services for DOS clients, *Overview*,
 4–2
file services for OS/2 clients, *Overview*,
 4–2
installation guidelines,
 InstallDiskettes, 4–8
installing client software on,
 InstallDiskettes, 4–1, 4–8
peer services for OS/2 clients,
 Overview, 4–3
prerequisite software, *InstallDiskettes*,
 4–2
printer services for DOS and OS/2
 clients, *Overview*, 4–3
user-level, accessing, *ClientCmnds*,
 1–131
Other menu, *Mail*, 8–1
 Login to server, *Mail*, 8–4
 Modify user profile, *Mail*, 8–3
 Purge deleted messages, *Mail*, 8–2
 Suspend Mail & go to OS, *Mail*, 8–2

P

- Paged mode
 defined, *Memory*, 3–13
- Page frame
 defined, *Memory*, 1–10
 in expanded memory switching,
 Memory, 1–15
 term defined, *ClientCmnds*, 1–52
- Paging efficiency index
 defined, *Memory*, 3–13
- PALETTE= command, *SEDT*, A–5
- Panning, *PCDECwin*, 7–2
 locking and unlocking, *PCDECwin*,
 7–2
 setting the video parameter for,
 PCDECwin, 3–5
 video panning speed parameter,
 PCDECwin, 3–15
- Parallel printing, *UserHandbook*, 3–10
 term defined, *UserHandbook*, 3–2
- Parameters
 application startup information,
 PCDECwin, 3–10, 7–7, 7–9
 backing store, *PCDECwin*, 3–15
 backward compatibility, *PCDECwin*,
 3–17
 bell duration, *PCDECwin*, 3–17
 bell pitch, *PCDECwin*, 3–17
 changing, *PCDECwin*, 3–4
 controlling hosts, *PCDECwin*, 3–10
 DECPARM.DAT database, *NetMgt*,
 2–1
 EXECUTOR BUFFERS command,
 NetMgt, 4–3
 EXECUTOR MAXIMUM LINKS
 command, *NetMgt*, 4–3
 font file location, *PCDECwin*, 3–6
 keyboard mouse speed, *PCDECwin*,
 3–16
 keysym file, *PCDECwin*, 3–7
 maximum links, *PCDECwin*, 3–8
 message log file, *PCDECwin*, 3–12
- Parameters (Cont.)
- mouse button 3 emulation,
 PCDECwin, 3–12
 overriding at the command line,
 PCDECwin, 5–2
 password, *PCDECwin*, 3–9
 pointer acceleration, *PCDECwin*, 3–16
 pointer threshold, *PCDECwin*, 3–16
 pointing device, *PCDECwin*, 3–16
 save unders, *PCDECwin*, 3–15
 screen color, *PCDECwin*, 3–12
 screen saver timeout, *PCDECwin*,
 3–17
 Session Manager, *PCDECwin*, 3–14
 shift lock state interpretation,
 PCDECwin, 3–16
 suspend session memory reserve,
 PCDECwin, 3–13
 swap file location, *PCDECwin*, 3–5
 syntax for overriding at command line,
 PCDECwin, 5–3
 valid nodes, *PCDECwin*, 3–10
 video, *PCDECwin*, 3–4
 video panning speed, *PCDECwin*,
 3–15
 VMS TCP/IP prompt, *PCDECwin*,
 3–13
 VMS TCP/IP timeout, *PCDECwin*,
 3–17
- PARITY command, *SETHOST*, 4–59
- Parity setting, *SETHOST*, 3–11
- Passwords
 changing, *ClientCmnds*, 1–100
 connecting to a shared directory with,
 UserHandbook, 4–11
 eliminating, *DECnetUser*, 4–7
 LAN Manager limitations on,
 UserHandbook, 4–3
 Mail and, *UserHandbook*, 9–5
 setting, *PCDECwin*, 3–9
 size of, *DECnetUser*, 4–7
 term defined, *UserHandbook*, 1–10;
 NetMgt, 2–3
- Paste buffer
 inserting text into, *UserHandbook*, 8–8

- Paste buffer (Cont.)
 term defined, *UserHandbook*, 8–8;
 SEDT, 2–5
- Pasting text, *SEDT*, 2–7
 with *SEDT*, *UserHandbook*, 8–8
- Path
 term defined, *UserHandbook*, 9–18
- Paths
 entering username and password,
 MSWindows, 3–7
- PATHWORKS**
See also individual PATHWORKS products
- 80286
 procedure for configuring,
 Memory, 3–6
- 80386
 procedure for configuring,
 Memory, 3–5
- 8086/88
 procedure for configuring,
 Memory, 3–6
- drivers, *Memory*, 2–6
- loading components, *Memory*, 2–2
- network components, *Memory*, 2–2
 DECnet applications, *Memory*,
 2–3
 TCP/IP components, *Memory*, 2–5
 network controllers, *Memory*, 2–8
 recommendations, *Memory*, 3–1
 80386 processor, *Memory*, 3–2
 8086/8088 processor, *Memory*, 3–2
 80286 processor, *Memory*, 3–2
 stub, *Memory*, 2–2
 terminate-and-stay-resident (TSR)
 applications, *Memory*, 2–2
 user applications, *Memory*, 2–9
 Microsoft Windows, *Memory*, 3–35
 PC DECwindows Motif, *Memory*,
 2–9
 SEDT, *Memory*, 2–14
 using expanded memory, *Memory*,
 2–18
 using extended memory, *Memory*,
 2–15
- PATHWORKS for DOS**
- PATHWORKS for DOS (Cont.)**
- accessing commands from Enhanced
 Redirector with Full LAN Manager
 V2.0 or higher, *Overview*, 5–8
- applications and services, *Overview*,
 5–4
- Broadcast utility, *Overview*, 5–16
- disk services, *Overview*, 5–6
- file services, *Overview*, 5–5
- installing, *Overview*, 5–3
- mail, *Overview*, 5–10
- managing the LAT transport,
 Overview, 5–10
- Memory management, *Overview*, 5–15
- Microsoft Windows, *Overview*, 5–14
- PC DECwindows Motif, *Overview*,
 5–13
- printer services, *Overview*, 5–9
- SEDT* editor, *Overview*, 5–12
- showing version, *ClientCmnds*, 1–123
- terminal emulation, *Overview*, 5–11
- using with DOS Version 5.0,
 InstallDiskettes, 10–2;
 InstallVMS, 11–2; *InstallULTRIX*,
 9–2
- using with Microsoft Windows,
 InstallDiskettes, 10–2;
 InstallVMS, 11–2; *InstallULTRIX*,
 9–2
- PATHWORKS for DOS (NetWare Coexistence)**, *InstallDiskettes*, 2–4;
 InstallVMS, 3–3; *InstallULTRIX*,
 3–3; *Overview*, 5–2
- PATHWORKS for DOS (TCP/IP)**,
Overview, 1–21
- PATHWORKS for Macintosh**
- file services, *Overview*, 2–4
- printer services, *Overview*, 2–8
- services, *Overview*, 2–2
- system management, *Overview*, 2–10
- PATHWORKS for Macintosh client**,
Overview, 1–21
- and DECnet, *Overview*, 7–10
- AppleTalk/DECnet Transport Gateway,
Overview, 7–9

PATHWORKS for Macintosh client (Cont.)
 Communications Toolbox, *Overview*, 7–9
 database services, *Overview*, 7–4
 file services, *Overview*, 7–1
 MacTerminal, *Overview*, 7–7
 MacX server, *Overview*, 7–5
 network connectivity, *Overview*, 7–8
 printer services, *Overview*, 7–4
 terminal emulation, *Overview*, 7–7
PATHWORKS for OS/2, *Overview*, 1–21
 and LAN Manager, *Overview*, 4–1
 applications and services, *Overview*, 6–1
 Broadcast utility, *Overview*, 6–4
 communication services, *Overview*, 4–3, 6–2
 description, *Overview*, 4–1
 disk services, *Overview*, 6–4
 file services, *Overview*, 4–2, 6–4
 functions with DECnet, *Overview*, 6–4
 LAN Manager services, *Overview*, 6–2
 Mail, *Overview*, 6–2
 peer services, *Overview*, 4–3
 printer services, *Overview*, 4–3, 6–4
 security, *Overview*, 4–5
 SEDT editor, *Overview*, 6–2
 system management, *Overview*, 4–4
 terminal emulation, *Overview*, 6–2
PATHWORKS for ULTRIX, *Overview*, 1–21
 and networking software, *Overview*, 3–7
 file services, *Overview*, 3–1
 printer services, *Overview*, 3–3
 security, *Overview*, 3–5
 system management, *Overview*, 3–4
PATHWORKS for VMS, *Overview*, 1–21
 and communication links, *Overview*, 2–13
 and networking software, *Overview*, 2–12
 disk services, *Overview*, 2–2, 2–5
 file services, *Overview*, 2–2
 performance management, *Overview*, 2–9

PATHWORKS for VMS (Cont.)
 printer services, *Overview*, 2–2, 2–7
 security, *Overview*, 2–10, 2–12
 system management, *Overview*, 2–8
PATHWORKS packaged servers,
 Overview, 1–22
Pause, *PCDECwin*, 3–14
PAUSE command, *SETHOOKT*, 4–61
PAUSE UNTIL command, *SETHOOKT*, 4–63
PCAPP
 directory description, *InstallVMS*, E–3; *InstallULTRIX*, D–3
PCDAILY.BAT, *InstallVMS*, 8–4
 creating, *InstallVMS*, 8–3
 sample file, *InstallVMS*, 8–5
PC DECwindows Motif, *UserHandbook*, 1–5, 6–1
 components of, *PCDECwin*, 1–4
 configuring, *UserHandbook*, 6–5
 description of, *PCDECwin*, 1–2;
 Overview, 1–19
 directory description, *InstallVMS*, E–3; *InstallULTRIX*, D–3
 directory structure, *InstallVMS*, E–1;
 InstallULTRIX, D–1
 editing text, *UserHandbook*, 6–18
 features, *PCDECwin*, 1–2
 for DOS clients, *Overview*, 5–13
 getting help, *UserHandbook*, 6–21
 hard disk installation, *InstallDiskettes*, 3–10, 4–10
 managing windows in, *UserHandbook*, 6–11
 memory, *Memory*, 2–9
 configuration guidelines, *Memory*, 2–13
 determining available memory, *Memory*, 2–11
 determining requirements, *Memory*, 2–10
 memory requirements, *PCDECwin*, 1–6
 prerequisite network software, *PCDECwin*, 1–5

PC DECwindows Motif (Cont.)
prerequisite personal computer hardware, *PCDECwin*, 1-6
prerequisites, *PCDECwin*, 1-4
prerequisite VMS process account quotas, *PCDECwin*, 1-6
setting password, *PCDECwin*, 3-9
starting applications, *UserHandbook*, 6-8
using dialog boxes in, *UserHandbook*, 6-8, 6-16
using DOS from, *UserHandbook*, 6-25
using the icon box in, *UserHandbook*, 6-10, 6-15
X server environment, *UserHandbook*, 6-2

PC DECwindows Motif Configuration utility
See Configuration utility

PC DECwindows Motif password parameter, *PCDECwin*, 3-9

PCMAIL utility, *SETHOST*, C-1, C-10

PCSA Manager Menu
description, *Overview*, 2-8

PCSA Manager utility, *Overview*, 2-2

PCSA mark, *ClientCmnds*, 2-44

PCSAV41
directory contents, *InstallVMS*, E-1; *InstallULTRIX*, D-1
directory structure, *InstallVMS*, E-1; *InstallULTRIX*, D-1

PC Session Manager, *UserHandbook*, 6-7
Application field, *PCDECwin*, 6-4
capabilities of, *PCDECwin*, 3-14
clearing fields in the dialog box, *PCDECwin*, 7-6
exiting the X server, *PCDECwin*, 3-14
obtaining memory statistics, *PCDECwin*, 3-15
pausing the X server, *PCDECwin*, 3-14
specifying whether to run it, *PCDECwin*, 3-14

PC Session Manager (Cont.)
starting applications from, *UserHandbook*, 6-8; *PCDECwin*, 6-2
starting X applications from, *PCDECwin*, 3-14
suspending a session from, *PCDECwin*, 3-15
ways to use the Application field, *PCDECwin*, 6-4

PCWEEKLY.BAT
creating, *InstallVMS*, 8-5
sample file, *InstallVMS*, 8-5

PC_BACKUP.COM, *InstallVMS*, 8-3

Peer services
for OS/2 clients, *Overview*, 4-3

Percent sign
using as a wildcard, *DECnetUser*, A-3

Performance
backing store parameter, *PCDECwin*, 3-15
decreasing X application startup time, *PCDECwin*, 7-10
disabling blinking cursors, *PCDECwin*, 7-19
disabling reserved memory, *PCDECwin*, 7-21
expanded memory, *Memory*, 2-19
hints for saving memory, *PCDECwin*, 7-19
improving, *DECnetUser*, 3-4
managing, *Overview*, 2-9
modifying widget memory requirements, *PCDECwin*, 7-20
save unders parameter, *PCDECwin*, 3-15
selecting a video device, *PCDECwin*, 3-4
setting VMS process account quotas, *PCDECwin*, 1-6
TCP/IP, *Memory*, 3-33

PERMIT command
offering a single session, *ClientCmnds*, 1-125

Personal files

Personal files (Cont.)

- for a personal computer without a hard disk, *MSWindows*, 2–3
- PF function keys, *SETHOST*, 1–10
- PIFs, *MSWindows*, 1–2
 - location, *MSWindows*, 2–6
- PING, *UserHandbook*, 1–6
 - defining node names and, *UserHandbook*, 5–11
- PING protocol
 - for TCP/IP, *Overview*, 1–20, 5–11
- Pixel dimensions
 - explanation of, *PCDECwin*, 3–5
- Planning
 - how to start X applications, *PCDECwin*, 2–2
 - how to use, *PCDECwin*, 2–1
 - which X server to use, *PCDECwin*, 2–1
- Pointer
 - See Mouse*
 - keyboard mouse, *PCDECwin*, 7–4
 - loading the mouse driver, *PCDECwin*, 3–21
 - mouse button 3 emulation, *PCDECwin*, 3–12
 - setting acceleration of, *PCDECwin*, 3–16
 - setting delay for starting pointer, *PCDECwin*, 3–16
 - setting speed for keyboard mouse, *PCDECwin*, 3–16
 - setting speed for video panning, *PCDECwin*, 3–15
- Pointer acceleration parameter, *PCDECwin*, 3–16
- Pointer threshold parameter, *PCDECwin*, 3–16
- Pointing device
 - setting whether to use, *PCDECwin*, 3–16
- Pointing device parameter, *PCDECwin*, 3–16
- Portals
 - specifying for DLL802, *ClientCmnds*, 2–5

PORT command, *InstallDiskettes*, 7–5; *InstallVMS*, 15–5; *SETHOST*, 4–65

Portuguese character set, *SETHOST*, 3–22

Preferred services, *SETHOST*, 2–16

- deleting, *ClientCmnds*, 1–29
- selecting, *ClientCmnds*, 1–8
- showing, *ClientCmnds*, 1–11
- term defined, *ClientCmnds*, 1–11

Preinstallation tasks, *InstallULTRIX*, 1–6 to 1–7

- backing up, *InstallULTRIX*, 1–6
- determining disk space, *InstallULTRIX*, 1–6

Prerequisites, *PCDECwin*, 1–4

- hardware, *InstallDiskettes*, 1–4; *InstallVMS*, 1–4; *InstallULTRIX*, 1–4
- memory requirements, *PCDECwin*, 1–6
- network software, *PCDECwin*, 1–5
- of methods of starting X applications, *PCDECwin*, 2–4
- of PC DECwindows Motif, *PCDECwin*, 1–4
- personal computer hardware, *PCDECwin*, 1–6
- software, *InstallDiskettes*, 1–4, 4–2; *InstallVMS*, 1–4; *InstallULTRIX*, 1–4
- VMS process account quotas, *PCDECwin*, 1–6

Print Area setting, *SETHOST*, 3–35

PRINT command, *Mail*, 9–40

- in the NFT utility, *DECnetUser*, 4–19, 4–38

Printer Connection setting, *SETHOST*, 3–35

Printer device name

- term defined, *UserHandbook*, 1–10

Printer drivers

- installing from a system service, *MSWindows*, 3–3
- locating, *MSWindows*, 3–1

- PRINTER OFF command, *SETHOST*, 4–68
- PRINTER ON command, *SETHOST*, 4–69
- Printer queues
- displaying, *UserHandbook*, 4–14
 - overriding settings for, *UserHandbook*, 3–14
 - server
 - printing directly to, *UserHandbook*, 3–8
- Printers, *UserHandbook*, 3–1
- See also* Local printers
 - See also* Remote printers
 - accessing remote, *DECnetUser*, 5–1
 - creating remote queues, *DECnetUser*, 5–14
- Digital
- connecting to, *MSWindows*, 3–5
 - Fonts, *MSWindows*, 3–8
 - installing, *MSWindows*, 3–1
 - making permanent network connections, *MSWindows*, 3–7
 - setting up printer options, *MSWindows*, 3–8
 - information about connections, *ClientCmnds*, 1–42
 - installing drivers, *DECnetUser*, 5–5
 - local, *UserHandbook*, 3–1
 - local, deleting service, *ClientCmnds*, 1–31
 - local, offering as a LAT service, *ClientCmnds*, 1–14
 - local, showing ports, *ClientCmnds*, 1–44
 - parallel, *UserHandbook*, 3–2, 3–10
 - parallel port, *UserHandbook*, 3–2
 - public access, *UserHandbook*, 3–4
 - remote, *UserHandbook*, 3–1; *DECnetUser*, 5–3
 - requiring XON/XOFF protocol, *ClientCmnds*, 3–28
 - serial, *UserHandbook*, 3–2
 - serial port, *UserHandbook*, 3–2
- Printers (Cont.)
- setting up for DOS, *ClientCmnds*, 3–18
 - set up, *SETHOST*, 1–13
 - specifying maximum bytes to, *ClientCmnds*, 1–18
 - using NDU, *DECnetUser*, 1–4
- Printer services, *UserHandbook*, 1–7; *Overview*, A–1, A–2
- connecting to, *UserHandbook*, 4–15
 - connecting to from Microsoft Windows, *UserHandbook*, 3–15
 - description, *Overview*, 1–15, 2–7
 - disconnecting from, *UserHandbook*, 4–16
 - displaying, *UserHandbook*, 3–3
 - for DOS clients, *Overview*, 5–9
 - for Macintosh clients, *Overview*, 7–4
 - for OS/2 clients, *Overview*, 6–4
 - identifying, *UserHandbook*, 3–4
 - LAN Manager terminology, *UserHandbook*, 4–2
 - shared, *UserHandbook*, 3–11
 - USE command and, *UserHandbook*, 3–3
 - using with the LAN Manager Screen, *UserHandbook*, 4–14
 - with PATHWORKS for Macintosh, *Overview*, 2–8
 - with PATHWORKS for OS/2, *Overview*, 4–3
 - with PATHWORKS for ULTRIX, *Overview*, 3–3
 - with PATHWORKS for VMS, *Overview*, 2–7
- Printer setup, *ClientCmnds*, 3–18
- Printer Set-Up screen
- default settings, *SETHOST*, A–2
 - description of, *SETHOST*, 3–33
 - overview of, *SETHOST*, 3–2
 - Print Area setting, *SETHOST*, 3–35
 - Printer Connection setting, *SETHOST*, 3–35
 - Printer Type setting, *SETHOST*, 3–35
 - Print File Name setting, *SETHOST*, 3–35

Printer Set-Up screen (Cont.)

Print Mode setting, *SETHOST*, 3-35
Print Terminator setting, *SETHOST*,
3-36
sample of, *SETHOST*, 3-33
Printer Type setting, *SETHOST*, 3-35
Print File Name setting, *SETHOST*,
3-35
Printing, *UserHandbook*, 3-1
See also Remote printing
after a defined time, *UserHandbook*,
3-7
a message, *Mail*, 5-7, 9-40
changing characteristics,
ClientCmnds, 1-105, 1-110
closing files for, *UserHandbook*, 3-14
commands for, *UserHandbook*, 3-4
connecting to, *ClientCmnds*, 1-143
creating remote queues, *DECnetUser*,
5-14
deleting printer service on client,
InstallVMS, 9-5; *InstallULTRIX*,
7-6
deleting print jobs, *UserHandbook*,
3-9
doubling line space, *ClientCmnds*,
1-110, 1-116
files, *DECnetUser*, 4-17, 4-38
fixing output problems, *ClientCmnds*,
1-108, 1-114
from applications, *UserHandbook*,
3-14
from LAN Manager, *UserHandbook*,
4-16
from within SETHOST, *SETHOST*,
1-13
graphic video images, *ClientCmnds*,
3-5
marked messages, *Mail*, 7-5
NETD PRINT command and,
UserHandbook, 3-7
network commands for, *ClientCmnds*,
1-103
Printer option in the VT320 emulator,
MSWindows, 5-25

Printing (Cont.)

printing a burst page, *ClientCmnds*,
1-105, 1-110
printing after a specified time or date,
ClientCmnds, 1-105, 1-110
printing unique documents,
ClientCmnds, 1-109, 1-115
queuing files for, *ClientCmnds*, 2-39
restarting the printer, *ClientCmnds*,
1-108, 1-114
resuming, *ClientCmnds*, 1-70
scancode and character values, *SEDT*,
B-2
screen displays, *UserHandbook*, 3-13
screens, *ClientCmnds*, 2-39
setting output form, *ClientCmnds*,
1-106, 1-111
setting qualifiers, *ClientCmnds*, 1-108,
1-114
setting up network printers,
InstallVMS, 9-1, 9-6;
InstallULTRIX, 7-1, 7-6
sharing local printers, *InstallVMS*,
9-1; *InstallULTRIX*, 7-1
showing connections, *ClientCmnds*,
1-109, 1-115
showing status of jobs, *ClientCmnds*,
1-104
showing status of print queues,
ClientCmnds, 1-104
specifying a flag page, *ClientCmnds*,
1-105
specifying a trailer page, *ClientCmnds*,
1-110, 1-116
specifying number of copies,
ClientCmnds, 1-106, 1-111
summary of commands, *ClientCmnds*,
1-105
suspending connection to,
ClientCmnds, 1-102
timing file closure for, *ClientCmnds*,
2-39
using local printers, *InstallVMS*, 9-7;
InstallULTRIX, 7-9
using the /PRINT switch, *DECnetUser*,
4-17

Printing (Cont.)
 with an alternate form,
 UserHandbook, 3–7
Print Mode setting, *SETHOST*, 3–35
PRINT SCREEN command, *SETHOST*,
 4–67
PrintScreen utility, *UserHandbook*, 3–13;
 SETHOST, 1–13
 forced closure function,
 InstallDiskettes, 11–3;
 InstallVMS, 12–3; *InstallULTRIX*,
 10–3
 installing, *InstallDiskettes*, 11–1;
 InstallVMS, 12–1; *InstallULTRIX*,
 10–1
 printing a screen display and,
 UserHandbook, 3–13
PSC.COM, *InstallDiskettes*, 11–1;
 InstallVMS, 12–1; *InstallULTRIX*,
 10–1
 timed closure function,
 InstallDiskettes, 11–2;
 InstallVMS, 12–2; *InstallULTRIX*,
 10–2
/PRINT switch
 in NFT, *DECnetUser*, 4–17
Print Terminator setting, *SETHOST*,
 3–36
Privileges
 in the FAL utility, *DECnetUser*, 3–4
 term defined, *UserHandbook*, 1–10
Problems
 See Troubleshooting
Process account quotas
 See VMS process account quotas
Profile
 See Client profile
Profiles
 setting, *Mail*, 9–61
Programming
 creating applications, *DECnetUser*,
 1–4
 DECnet-DOS library of routines,
 DECnetUser, 1–5
 MACRO language, *DECnetUser*, 1–5
Programming (Cont.)
 servers, *DECnetUser*, 2–4
 task-to-task communications,
 DECnetUser, 1–5
Prompts
 NDU, *DECnetUser*, 5–6
 NFT utility, *DECnetUser*, 4–5
 starting the Job Spawner utility from
 system, *DECnetUser*, 2–5
Protected mode
 See Protected Virtual Address Mode
Protected Virtual Address Mode, *Memory*,
 1–10
 switching with real address mode,
 Memory, 1–10
Protection, files and directories
 setting, *ClientCmnds*, 1–63
 showing, *ClientCmnds*, 1–65, 1–88
PROTOCOL.INI file, *InstallDiskettes*,
 B–5; *InstallVMS*, B–5;
 InstallULTRIX, B–5
DLLNDIS
 modifying, *Memory*, 3–29
DLLNDIST
 modifying, *Memory*, 3–29
example, *Memory*, 3–29
modifying, *InstallDiskettes*, C–2,
 E–1; *InstallVMS*, C–2, G–1;
 InstallULTRIX, C–2, G–1
NI_IRQ entry, *InstallDiskettes*, C–3;
 InstallVMS, C–3; *InstallULTRIX*,
 C–3
sample, *InstallDiskettes*, C–4;
 InstallVMS, C–4; *InstallULTRIX*,
 C–4
SetstationAddress function,
 InstallDiskettes, C–3; *InstallVMS*,
 C–3; *InstallULTRIX*, C–3
with NDIS drivers, *InstallDiskettes*,
 2–6; *InstallVMS*, 3–6;
 InstallULTRIX, 3–5
PSC.COM file
 See also PrintScreen

PSC.COM file (Cont.)

installing PrintScreen,
 InstallDiskettes, 11-1;
 InstallVMS, 12-1; *InstallULTRIX*,
 10-1
loading in DECnet, *ClientCmnds*, 2-39
loading in TCP/IP, *ClientCmnds*, 2-39
locating the file, *InstallDiskettes*, 11-1;
 InstallVMS, 12-1; *InstallULTRIX*,
 10-1
setting timed closure, *InstallDiskettes*,
 11-2; *InstallVMS*, 12-2;
 InstallULTRIX, 10-2
PSC command, *ClientCmnds*, 2-39
Puck
 See Mouse
PURGE ACCESS command, *NetMgt*,
 6-61
PURGE command, *Mail*, 9-42; *NetMgt*,
 2-6
PURGE EXECUTOR command, *NetMgt*,
 6-63
PURGE KNOWN ACCESS command,
 NetMgt, 6-61
PURGE KNOWN NODES command,
 NetMgt, 6-65
PURGE KNOWN OBJECTS command,
 NetMgt, 6-66
PURGE KNOWN REMOTE-ADAPTER-
 NAMES command, *NetMgt*,
 6-67
PURGE NODE command, *NetMgt*, 6-65
PURGE OBJECT command, *NetMgt*,
 6-66
 in NCP, *DECnetUser*, 2-4
PURGE REMOTE-ADAPTER-NAME
 command, *NetMgt*, 6-67
PURGE TYPE command, *SETHOST*,
 4-70
Purging deleted messages, *Mail*, 8-2

Q

QEMM-386, *Memory*, 2-21
Question mark
 using as a wildcard, *DECnetUser*, A-2
Quotas
 See VMS process account quotas

R

RAM
 See Random-access memory
Random-access memory, *InstallDiskettes*,
 B-9; *InstallVMS*, B-9;
 InstallULTRIX, B-9; *Memory*, 1-3
RCV utility, *InstallDiskettes*, B-9,
 B-12; *InstallVMS*, B-9, B-12;
 InstallULTRIX, B-9, B-12
loading into EMS, *ClientCmnds*, 2-27
reading messages (DECnet),
 ClientCmnds, 1-127
term defined, *UserHandbook*, 1-5
READ command, *Mail*, 9-44;
 SETHOST, 4-71
Reading
 a new message, *Mail*, 2-2, 9-44
 input from a file, *NetMgt*, 6-73
 messages in reverse order, *Mail*, 6-4
 the current message, *Mail*, 2-2
READ LOG command, *NetMgt*, 4-13,
 6-69
Read menu, *Mail*, 2-1
 New messages, *Mail*, 2-2
 Selected message, *Mail*, 2-2
Read-only memory, *Memory*, 1-3
Real address mode, *Memory*, 1-2
 switching with Protected Virtual
 Address Mode, *Memory*, 1-10
Real mode, *Memory*, 1-2
Recalling Set-Up files, *SETHOST*, 2-26
Recall Set-Up Parameters setting,
 SETHOST, 3-5
Receiving a file, *SETHOST*, 3-7
Receiving characters

Receiving characters (Cont.)
 See VT320 emulator Set-Up utility

Recording
 logging file operations, *DECnetUser*, 4-18

Record Management Service (RMS),
 ClientCmnds, 1-63

Records
 variable-length, *DECnetUser*, 4-13

Recovery commands, *SEDT*, A-10

Redefining keys, *PCDECwin*, 9-1;
 SEDT, 3-1

REDIR, *InstallDiskettes*, B-11;
 InstallVMS, B-11; *InstallULTRIX*, B-11

REDIR command
 loading redirector into conventional memory, *ClientCmnds*, 2-42
 loading redirector into XMS, *ClientCmnds*, 2-42

Redirected input files
 See also Command files
 used with NCP, *NetMgt*, 1-5, 6-73

Redirector, *InstallDiskettes*, B-9;
 InstallVMS, B-9; *InstallULTRIX*, B-9
 and NET commands, *ClientCmnds*, 1-1

Basic, *InstallDiskettes*, 2-4;
 InstallVMS, 3-4; *InstallULTRIX*, 3-3; *Overview*, 5-7; *Memory*, 3-22
 modifying to save memory, *Memory*, 3-22

Enhanced, *InstallDiskettes*, 2-5;
 InstallVMS, 3-5; *InstallULTRIX*, 3-4; *Overview*, 5-8; *Memory*, 3-24
 modifying to save memory, *Memory*, 3-24

Enhanced, with Full LAN Manager V2.0 or higher, *Overview*, 5-8

Full LAN Manager V2.0 support,
 InstallDiskettes, 2-5; *InstallVMS*, 3-5; *InstallULTRIX*, 3-4

Redirector (Cont.)
 routing DOS requests, *ClientCmnds*, 2-42
 term defined, *InstallDiskettes*, 2-4; *InstallVMS*, 3-4; *InstallULTRIX*, 3-3; *Overview*, 5-7
 using with Asynchronous DECnet, *InstallVMS*, 3-3
 using with DECnet-DOS, *InstallVMS*, 3-3

Release notes, *InstallDiskettes*, 1-4;
 InstallVMS, 1-4; *InstallULTRIX*, 1-4

REMEMBER= command, *SEDT*, A-9

Remote boot, *InstallVMS*, 3-4;
 Overview, 1-17, A-1, A-2
 booting from other devices, *InstallVMS*, 14-1
 collecting client information, *InstallDiskettes*, B-1; *InstallVMS*, B-1; *InstallULTRIX*, B-1
 80386 configuration example, *Memory*, 5-12, 5-16
 80286 configuration example, *Memory*, 6-11
 8086/88 configuration example, *Memory*, 7-15
 configuring PC for, *InstallVMS*, 7-1
 creating client profile for, *InstallVMS*, 7-6
 creating FRB disk, *InstallVMS*, 7-9
 creating network key disk, *InstallVMS*, 7-8
 customizing FRB disk, *InstallVMS*, 7-9
 determining Ethernet card hardware address for, *InstallVMS*, 7-4
 error messages, *InstallDiskettes*, G-1; *InstallVMS*, I-1; *InstallULTRIX*, H-1
 initial client/server connection, *InstallVMS*, 4-2; *InstallULTRIX*, 4-2
 manual remote boot, *InstallVMS*, 14-1
 materials needed to configure for, *InstallVMS*, 7-2, 7-4

Remote boot (Cont.)

messages, *InstallVMS*, I-29
preparing an FRB disk, *InstallVMS*, 7-2, H-1
preparing FRB disk, *InstallVMS*, 7-4
responding to Netsetup prompts,
InstallVMS, 7-7
restrictions, *InstallVMS*, 7-1
running RPLMEM, *MSWindows*, 2-5
sample Remote boot profile form,
InstallVMS, A-13
selecting the operator mode,
InstallVMS, 7-6
term defined, *InstallVMS*, 3-4
upgrade information, *InstallVMS*, 7-1

Remote connections, *UserHandbook*, 1-3
Remote files

accessing, *DECnetUser*, 4-1, A-1
copying to a local node, *DECnetUser*, 4-13, 4-15
printing, *DECnetUser*, 4-17
specifying, *DECnetUser*, A-1
Remote nodes, *DECnetUser*, 1-2
displaying information, *NetMgt*, 4-9
displaying names, *NetMgt*, 2-4, 3-3, 4-8
naming, *NetMgt*, 2-2, 3-7
term defined, *NetMgt*, 1-3

Remote printers, *DECnetUser*, 5-4

See also Remote printing
closing down connection, *DECnetUser*, 5-12
creating a print queue, *DECnetUser*, 5-14
disconnecting from, *UserHandbook*, 3-6
logical devices and, *UserHandbook*, 3-4
term defined, *UserHandbook*, 3-1
timed closure function and,
UserHandbook, 3-15

Remote printing

after a defined time, *UserHandbook*, 3-7

Remote printing (Cont.)

deleting print jobs, *UserHandbook*, 3-9
help for, *UserHandbook*, 3-10
listing print jobs, *UserHandbook*, 3-8
multiple copies, *UserHandbook*, 3-7
NET PRINT command qualifiers and,
UserHandbook, 3-6
removing print settings,
UserHandbook, 3-8
steps in, *UserHandbook*, 3-2
to a server printer queue,
UserHandbook, 3-8
Removing deleted messages, *Mail*, 9-42
Repetitive tasks
keys for, *SEDT*, 3-1, 3-2
Replace mode
configuring, *SEDT*, 3-7
Replying
to the current message, *Mail*, 3-4, 9-8

Requirements

See also Prerequisites
PATHWORKS network components,
Memory, 2-2

RESEND command, *Mail*, 9-46

Resending the last message, *Mail*, 3-6, 9-46

Reset Terminal setting, *SETHOST*, 3-4
Resetting the terminal

in the VT320 emulator, *MSWindows*, 5-5

Restoring

saved services, *ClientCmnds*, 1-148

RETRY command, *SETHOST*, 4-73

RETURN= command, *SEDT*, A-10

Reverse Color setting, *SETHOST*, 3-16

RING BELL command, *SETHOST*, 4-74

ROM

See Read-only memory

ROM BIOS

using extended keyboard functions,
ClientCmnds, 3-26

ROM memory

See Upper memory

Routing nodes, *DECnetUser*, 1-2

- Routing nodes (Cont.)
 term defined, *NetMgt*, 1-3
- RPLMEM
 and remote boot, *MSWindows*, 2-5
- Ruler
 retrieving, *UserHandbook*, 8-10
 setting up, *UserHandbook*, 8-8
 using a saved ruler, *UserHandbook*, 8-10
- RULER= command, *SEDT*, A-6
- Rulers
 default file, *SEDT*, A-1
 saving, *SEDT*, A-3
- Run command
 Microsoft Windows, *MSWindows*, 5-31
 running non-Windows applications under Windows, *MSWindows*, 2-6
 VT320 emulator configuration files, *MSWindows*, 5-31
- RX BAUD command, *SETHOST*, 4-75
-
- S**
- Sample deinstallation procedure, *InstallULTRIX*, F-2
- Save
 services, *ClientCmnds*, 1-149
- SAVE command
 saving memory context, *ClientCmnds*, 2-44
- Save Set-Up setting, *SETHOST*, 3-5
- Save unders parameter, *PCDECwin*, 3-15
- Saving access control information, *DECnetUser*, 4-9
- Saving current settings
 in the VT320 emulator, *MSWindows*, 5-6
- Saving current settings in configuration files, *MSWindows*, 5-30
- Saving memory
 See Memory
- Saving services, *ClientCmnds*, 1-149
- Scan codes, *SEDT*, B-4
- SCB (Cont.)
 See Session control blocks
- SCB buffers
 allocating, *Memory*, 3-27
- SCH command
 modifying, *Memory*, 3-31
 timing services and background multitasking, *ClientCmnds*, 2-45
- Scheduler, loading
 kernel only, *Memory*, 2-4, 3-31
 Kernel only, *ClientCmnds*, 2-46
 with asynchronous IRQ3 or IRQ4, *ClientCmnds*, 2-46
 with IBM PS/2 55SX keyboard, *ClientCmnds*, 2-46
 with NDIS data link, *ClientCmnds*, 2-45
 with non-NDIS data link, *ClientCmnds*, 2-45
- Scheduler switches
 hardware, *InstallVMS*, H-1
 software, *InstallVMS*, H-1
- SCHK command
 loading the Scheduler kernel, *ClientCmnds*, 2-46; *Memory*, 2-4, 3-31
- SCREEN= command, *SEDT*, A-7
- Screen buffers
 See Buffers
- Screen color parameter, *PCDECwin*, 3-12
- Screen colors
 creating additional colors for window elements, *PCDECwin*, 7-15
 screen color parameter, *PCDECwin*, 3-12
 setting background color, *PCDECwin*, 3-12, 7-16
 setting border color, *PCDECwin*, 7-16
 setting foreground color, *PCDECwin*, 7-16
 setting highlighted text and graphics color, *PCDECwin*, 7-16
 specifying colors for window elements, *PCDECwin*, 7-16

Screen display
 configuring width, *SEDT*, 3–8

Screens
 controlling scroll of, *ClientCmnds*, 1–1
 printing, *ClientCmnds*, 2–39

Screen saver timeout parameter,
 PCDECwin, 3–17

SCREENSHIFT= command, *SEDT*, A–7

Screen shifting, automatic, *SEDT*, 3–6

Screen size
 establishing in the VT320 emulator,
 MSWindows, 5–16

SCRIPT command, *SETHOST*, 4–76

Script processing
 with the VT320 emulator,
 MSWindows, 4–2

Scripts, *SETHOST*, 4–2
 asynchronous DECnet and,
 InstallDiskettes, 7–3; *InstallVMS*,
 15–3

 COM login script, *SETHOST*, 4–10

 command line, *SETHOST*, 4–4

 command line syntax, *SETHOST*, 4–2

 commands, *SETHOST*, 4–15

 communications commands,
 SETHOST, 4–3

 control commands, *SETHOST*, 4–3

 data commands, *SETHOST*, 4–3

 DIALDYN.SCR, *InstallDiskettes*, 7–10;
 InstallVMS, 15–10

 DIALNET.SCR, *InstallDiskettes*, 7–8;
 InstallVMS, 15–8

 display/print commands, *SETHOST*,
 4–3

 error handling, *SETHOST*, 4–8

 error processing, *SETHOST*, 4–7

 file commands, *SETHOST*, 4–4

 general concepts, *SETHOST*, 4–1

 HARDDYN.SCR, *InstallDiskettes*, 7–6;
 InstallVMS, 15–6

 language, *SETHOST*, 4–2

 LAT login script, *SETHOST*, 4–12

 list of, *InstallDiskettes*, 7–3;
 InstallVMS, 15–3

 mail reader script, *SETHOST*, 4–13

Scripts (Cont.)

 other commands, *SETHOST*, 4–4

 session log files, *SETHOST*, 4–2

 SETHOST and, *InstallDiskettes*, 7–3;
 InstallVMS, 15–3

 special characters, *SETHOST*, 4–5

 strings, *SETHOST*, 4–4

 term defined, *InstallDiskettes*, 7–3;
 InstallVMS, 15–3

 timeout handling, *SETHOST*, 4–8

 variables, *SETHOST*, 4–6

 VT320 emulation, *SETHOST*, 4–1

Scripts with VT320
 messages, *MSWindows*, 7–1

Scrolling
 emulator window, *MSWindows*, 4–12

SCSIHA.SYS device driver
 EMS problems with DECstations,
 Memory, 2–20

SDBs
 See Small data blocks

Search and replace, *SEDT*, 2–7

SEARCH command, *Mail*, 9–49

Searching
 all headers, *Mail*, 9–49

 continue header, *Mail*, 4–4

 continue text, *Mail*, 4–5

 for information while reading a
 message, *Mail*, 2–5

 headers, *Mail*, 4–4

 in a forward direction, *Mail*, 2–5

 in a reverse direction, *Mail*, 2–5

 in reverse order, *Mail*, 9–49

 text, *Mail*, 4–5

 the current message, *Mail*, 9–49

Security
 See also Access control information
 access checking, *DECnetUser*, 3–4
 access control
 password length, *DECnetUser*,
 4–7

 adding extra, *DECnetUser*, 4–7

 changing default control information,
 DECnetUser, 4–10

Security (Cont.)

controlling access to the X server,
 PCDECwin, 3–10
default information, *DECnetUser*, 4–9
defining node access information,
 DECnetUser, 4–7
displaying access information,
 DECnetUser, 4–11
maximum number of nodes,
 DECnetUser, 4–8
password display, *DECnetUser*, 4–41
setting access control, *DECnetUser*,
 4–40
setting password, *PCDECwin*, 3–9
using with NCP, *DECnetUser*, 4–9
with PATHWORKS for DOS,
 Overview, 5–16
with PATHWORKS for OS/2,
 Overview, 4–5
with PATHWORKS for ULTRIX,
 Overview, 3–5
with PATHWORKS for VMS,
 Overview, 2–10, 2–12
with VAXshare, *Overview*, 7–4
SEDT editor, *UserHandbook*, 1–5;
 Overview, 1–19; *Memory*, 2–14
See also Direction settings
See also SEDT screen
cursor movement key sequences,
 SEDT, 1–2
editing options, *UserHandbook*, 8–4
exiting, *UserHandbook*, 8–10
exiting a file, *UserHandbook*, 8–11
file names in, *UserHandbook*, 8–2
for DOS clients, *Overview*, 5–12
for OS/2 clients, *Overview*, 6–2
getting help, *UserHandbook*, 8–10
getting started, *UserHandbook*, 8–1
moving the cursor, *UserHandbook*, 8–7
quitting, *UserHandbook*, 8–11
saving files, *UserHandbook*, 8–8
screen for, *UserHandbook*, 8–2
selecting text, *UserHandbook*, 8–7
starting an editing session,
 UserHandbook, 8–1

SEDT editor (Cont.)

typing text, *UserHandbook*, 8–7
using, *UserHandbook*, 8–6
using a mouse in, *UserHandbook*, 8–3
using arrow keys, *UserHandbook*, 8–7
using direction settings, *SEDT*, 1–1
using rulers, *UserHandbook*, 8–8
using the cursor, *SEDT*, 1–1
using the paste buffer, *UserHandbook*,
 8–8
working with text, *SEDT*, 2–1
SEDT macros, *Mail*, B–3
SEDT screen
 file line, *UserHandbook*, 8–3
 message area, *UserHandbook*, 8–3
 mode line, table for, *UserHandbook*,
 8–4
 text area, *UserHandbook*, 8–3
SEDT setup
 configuration file, *SEDT*, A–1
 default ruler file, *SEDT*, A–1
 environment variables, *SEDT*, A–2
 help file, *SEDT*, A–1
 key definition file, *SEDT*, A–1
 SEDT and SEDTP, *SEDT*, A–2
 using the SET command, *SEDT*, A–2
Segment buffer size
 term defined, *NetMgt*, 3–6
SELECT command, *Mail*, 9–51
Selecting
 character sets, *SETHOST*, 1–11
 keymaps, *SETHOST*, 1–7
 network terminal service, *SETHOST*,
 3–12
Selecting another folder, *Mail*, 9–51
SEND command, *Mail*, 9–53;
 SETHOST, 4–79
SEND FROM command, *SETHOST*,
 4–80
Sending
 characters to a file, *SETHOST*, 3–8
 files, *SETHOST*, 3–8
 messages, *Mail*, 9–53
 messages to a distribution list, *Mail*,
 3–3, 9–53

- Sending (Cont.)
- messages to yourself, *Mail*, 9–57
 - new messages, *Mail*, 3–2
- Send menu, *Mail*, 3–1
- Annotate current message, *Mail*, 3–5
 - Forward current message, *Mail*, 3–4
 - Reply to current message, *Mail*, 3–4
 - Resend last message, *Mail*, 3–6
 - Send new message, *Mail*, 3–2
 - Send with binary attachment, *Mail*, 3–6
 - using options while reading a message, *Mail*, 2–4
- SEND PASSWORD command, *SETHOST*, 4–81
- SEND USERNAME command, *SETHOST*, 4–82
- Serial communications, *MSWindows*, 5–11
- Serial lines
- and the VT320 emulator, *MSWindows*, 5–11
- Serial printers
- devices for, *UserHandbook*, 3–12
- Serial printing
- term defined, *UserHandbook*, 3–2
- Server
- See also* X server
 - creating network key disk on, *InstallVMS*, 7–8
 - deleting DOS on, *InstallDiskettes*, 6–1; *InstallVMS*, 5–1; *InstallULTRIX*, 5–1
 - functions of each (table), *Overview*, A–1, A–2
 - installing client software on, *InstallVMS*, 2–1; *InstallULTRIX*, 2–1
 - installing client software on OS/2 servers, *InstallDiskettes*, 4–1, 4–8
 - installing DOS on, *InstallDiskettes*, 6–1; *InstallVMS*, 5–1; *InstallULTRIX*, 5–1
 - loop test, *ClientCmnds*, 1–121
 - name, *UserHandbook*, 1–9
- Server (Cont.)
- node address, *InstallDiskettes*, B–2; *InstallVMS*, B–2; *InstallULTRIX*, B–2
 - node name, *InstallDiskettes*, B–1; *InstallVMS*, B–1; *InstallULTRIX*, B–1
 - setting up asynchronous DECnet communications, *InstallDiskettes*, 7–1; *InstallVMS*, 15–1
 - showing disk services on, *ClientCmnds*, 1–152
 - showing Ethernet address, *ClientCmnds*, 1–151
 - showing file services on, *ClientCmnds*, 1–151
 - showing information about, *ClientCmnds*, 1–142, 1–149
 - term defined, *UserHandbook*, 1–2
 - user written, *DECnetUser*, 2–1
 - using personal computer as, *DECnetUser*, 2–1
 - verifying installation, *InstallVMS*, 2–5; *InstallULTRIX*, 2–5
- Server/client relationship, *Overview*, 1–2
- Server functions
- using Job Spawner
 - with DTR, *DECnetUser*, 2–1
 - with FAL, *DECnetUser*, 2–1
- Server Natural Format (.SNF) file
- term defined, *PCDECwin*, 10–2
- Service access points
- specifying for DLL802, *ClientCmnds*, 2–5
- Service announcements, *ClientCmnds*, 1–9, 1–11, 1–20
- Service names, *UserHandbook*, 1–9
- LAN Manager limitations on, *UserHandbook*, 4–3
- Services
- changing assigned drive for, *UserHandbook*, 2–3
 - connecting to another server for, *UserHandbook*, 2–5
 - determining types, *UserHandbook*, 2–5

Services (Cont.)

- disconnecting from, *UserHandbook*, 2–11; *ClientCmnds*, 1–144
- disk, *UserHandbook*, 1–8
- displaying available, *UserHandbook*, 2–2
- enter system, *SETHOST*, 2–21
- error, recovering from, *UserHandbook*, 2–8
- file, *UserHandbook*, 1–6
- getting help for, *UserHandbook*, 2–11
- LAN Manager, *UserHandbook*, 1–6
- LAN Manager terminology for, *UserHandbook*, 4–2
- listing file and printer, *ClientCmnds*, 1–141
- local, *UserHandbook*, 1–2
- multiple, *DECnetUser*, 2–1
- not appearing, *SETHOST*, 2–22
- printer, *UserHandbook*, 1–7
- reconnecting to, *UserHandbook*, 2–8
- remote, *UserHandbook*, 1–2
- selection, *SETHOST*, 2–20
- showing information about, *ClientCmnds*, 1–141, 1–142, 1–147, 1–149, 1–151
- stored in service table, *ClientCmnds*, 1–45
- trying all addresses for, *ClientCmnds*, 1–16
- using from Microsoft Windows, *UserHandbook*, 2–12
- using those connected to your personal computer, *UserHandbook*, 2–1

Service table (LAT), *ClientCmnds*, 1–11, 1–25

- showing services in, *ClientCmnds*, 1–45
- specifying maximum services in, *ClientCmnds*, 1–27; *Memory*, 3–27

Service types, *SETHOST*, 1–1

- determining, *UserHandbook*, 2–5
- SETHOST* utility, *UserHandbook*, 7–5

Session control blocks (SCB)

Session control blocks (SCB) (Cont.)

- allocating, *ClientCmnds*, 1–22;
- Memory*, 3–26
- allocating buffers for, *ClientCmnds*, 1–24

Session control blocks (SCBs)

- increasing, *MSWindows*, 4–16

Session logging

- See* VT320 emulator Set-Up utility
- receiving characters from a host, *SETHOST*, 3–7

Session Manager

- See* PC Session Manager

Session Manager parameter, *PCDECwin*, 3–14

Sessions

- ending FAL, *DECnetUser*, 3–2
- ending NDU, *DECnetUser*, 5–6
- ending NFT utility, *DECnetUser*, 4–7
- multiple, *SETHOST*, 1–2
- selecting, *UserHandbook*, 7–6
- starting, *SETHOST*, 2–1

Sessions (LAT)

- showing, *ClientCmnds*, 1–46

Set 8 Column Tabs setting, *SETHOST*, 3–37

SET CIRCUIT command, *NetMgt*, 6–71

SET command, *SEDT*, A–2; *SETHOST*, 4–83; *NetMgt*, 2–6

- in NFT, *DECnetUser*, 4–8, 4–19, 4–40

SET COPY_SELF command, *Mail*, 9–57

SET CTERMBUF environment variable, *SETHOST*, 3–42

Set Default Set-Up setting, *SETHOST*, 3–5

SET DOSX command, *PCDECwin*, 3–22, 7–23, 7–25

SET ECHO command, *NetMgt*, 1–5, 6–73

SET EXECUTOR command, *NetMgt*, 3–7, 6–75

SET FOLDER command, *Mail*, 9–59

SETHOST.DAT file, *SETHOST*, 2–1, 2–24

SETHOST.PIF, *MSWindows*, 1–2

SETHOST scripts

SETHOOK scripts (Cont.)
 using, *InstallDiskettes*, 7-3;
 InstallVMS, 15-3
SETHOOK utility, *MSWindows*,
 4-1, 5-12; *UserHandbook*, 1-5,
 7-2; *ClientCmnds*, 1-42, 2-35;
 SETHOOK, 1-1
code page support, *SETHOOK*, 1-12
creating additional sessions,
 UserHandbook, 7-7
default information, *SETHOOK*, 2-1
default settings, *SETHOOK*, 2-24, A-1
description, *Overview*, 1-18, 5-11
environment variables, *SETHOOK*,
 3-41
error messages, *SETHOOK*, B-1
exiting, *UserHandbook*, 7-9;
 SETHOOK, 3-5
file conversion utilities and,
 UserHandbook, 5-4
function keys, *SETHOOK*, 1-10
 table of, *SETHOOK*, 1-11
getting help for, *UserHandbook*, 7-9
getting started, *SETHOOK*, 1-1
help, *SETHOOK*, 1-14
keyboard keys, *SETHOOK*, 3-3
keypad keys, *SETHOOK*, 1-8
log files, *SETHOOK*, 3-44
overview of, *SETHOOK*, 1-1
Running in Microsoft Windows,
 SETHOOK, 1-5
running in Windows, *MSWindows*, 2-6
saving setup parameters,
 UserHandbook, 7-7
selecting a session, *UserHandbook*,
 7-6
service types, *UserHandbook*, 7-5
setting up, *UserHandbook*, 7-3
starting, *UserHandbook*, 7-2
suspending, *UserHandbook*, 7-8
using DOS from, *UserHandbook*, 7-8
SET KNOWN LINKS command, *NetMgt*,
 4-3, 6-82
setld command, *InstallULTRIX*, 2-3
SET LINE command, *NetMgt*, 6-79
SET LINK command, *NetMgt*, 6-82
SET LOCAL-ADAPTER-NAME command,
 NetMgt, 6-84
SETLOGON command
 accessing OS/2 user-level security
 servers, *ClientCmnds*, 1-131
SETNAME command
 setting client's name, *ClientCmnds*,
 1-133
SET NVT132 environment variable,
 SETHOOK, 1-14
SET NVT80/132 environment variable,
 SETHOOK, 3-44
SET NVTCOLOR environment variable,
 SETHOOK, 3-43
SET NVDTR environment variable,
 SETHOOK, 3-42
SET NVTEXIT environment variable,
 SETHOOK, 3-42
SET NVTID environment variable,
 SETHOOK, 3-42
SET NVTLK250 environment variable,
 SETHOOK, 3-44
SET NVTMONO environment variable,
 SETHOOK, 3-43
SET NVTMSG environment variable,
 SETHOOK, 3-42
SET NVTNRC environment variable,
 SETHOOK, 3-44
SET NVTSCRIPTLOG environment
 variable, *SETHOOK*, 3-44
SET NVTWIN environment variable,
 SETHOOK, 1-6, 3-44
SET PAUSE command, *NetMgt*, 6-86
SET PROFILE command, *Mail*, 9-61
SET REMOTE-ADAPTER-NAME
 command, *NetMgt*, 6-88
Set Tab Interval setting, *SETHOOK*,
 3-37
Settings
 See Changing settings
Setting tabs
 at intervals, *SETHOOK*, 3-37
 every 8 columns, *SETHOOK*, 3-37
 manually, *SETHOOK*, 3-37

- Setup (DOS)
 - communications, *ClientCmnds*, 3-13
 - Digital extended keys, *ClientCmnds*, 3-16
 - printers, *ClientCmnds*, 3-18
 - video screen, *ClientCmnds*, 3-22
- Set-Up files, *SETHOST*, 2-24
 - command line syntax, *SETHOST*, 2-25
 - recalling, *SETHOST*, 2-26
 - using, *SETHOST*, 2-25
- Set-Up mode
 - selections
 - Answerback setting, *SETHOST*, 3-25
 - Answerback String setting, *SETHOST*, 3-26
 - Auto Answerback setting, *SETHOST*, 3-25
 - Auto Repeat setting, *SETHOST*, 3-26
 - Auto Wrap setting, *SETHOST*, 3-15
 - Background Color setting, *SETHOST*, 3-16
 - Background setting, *SETHOST*, 3-15
 - Bold Color setting, *SETHOST*, 3-17
 - Break setting, *SETHOST*, 3-25
 - Character Mode setting, *SETHOST*, 3-21
 - Character Set settings, *SETHOST*, 3-22
 - Clear All Tabs setting, *SETHOST*, 3-37
 - Clear Communications setting, *SETHOST*, 3-4
 - Clear Display setting, *SETHOST*, 3-4
 - Columns, *SETHOST*, 3-15
 - Comm Port 1: setting, *SETHOST*, 3-10
 - Cursor Keys settings, *SETHOST*, 3-25
 - Set-Up mode
 - selections (Cont.)
 - Cursor Style setting, *SETHOST*, 3-15
 - Cursor Type setting, *SETHOST*, 3-15
 - Data Bits setting, *SETHOST*, 3-11
 - Disconnect Delay setting, *SETHOST*, 3-10
 - Exit *SETHOST* setting, *SETHOST*, 3-5
 - Foreground Color setting, *SETHOST*, 3-17
 - Keyboard Map, *SETHOST*, 3-27
 - Keyclick setting, *SETHOST*, 3-26
 - Keypad Mode settings, *SETHOST*, 3-25
 - Line Mode setting, *SETHOST*, 3-20
 - Local Echo setting, *SETHOST*, 3-21
 - Manually Set Tabs setting, *SETHOST*, 3-37
 - Margin Bell setting, *SETHOST*, 3-25
 - New Line setting, *SETHOST*, 3-21
 - Parity setting, *SETHOST*, 3-11
 - Print Area setting, *SETHOST*, 3-35
 - Printer Connection setting, *SETHOST*, 3-35
 - Printer Type setting, *SETHOST*, 3-35
 - Print File Name setting, *SETHOST*, 3-35
 - Print Mode setting, *SETHOST*, 3-35
 - Print Terminator setting, *SETHOST*, 3-36
 - Recall Set-Up Parameters setting, *SETHOST*, 3-5
 - Reset Terminal setting, *SETHOST*, 3-4

- Set-Up mode
 selections (Cont.)
 Reverse Color setting, *SETHOST*, 3–16
 Save Set-Up Parameters setting, *SETHOST*, 3–5
 Set 8 Column Tabs setting, *SETHOST*, 3–37
 Set Default Set-Up Parameters setting, *SETHOST*, 3–5
 Set Tab Interval setting, *SETHOST*, 3–37
 Show Status setting, *SETHOST*, 3–5
 Speed setting, *SETHOST*, 3–11
 Stop Bit setting, *SETHOST*, 3–11
 Terminal Emulation settings, *SETHOST*, 3–22
 To DOS setting, *SETHOST*, 3–5
 Transmit = Receive setting, *SETHOST*, 3–11
 Underline Color setting, *SETHOST*, 3–18
 User-Defined Keys setting, *SETHOST*, 3–23
 User Features setting, *SETHOST*, 3–23
 Video Mode setting, *SETHOST*, 3–16
 Video Mode settings, *SETHOST*, 3–22
 Warning Bell setting, *SETHOST*, 3–25
 XOFF Point, *SETHOST*, 3–10
- Set-Up screens
 Actions, *SETHOST*, 3–4
 changing selections, *SETHOST*, 2–26
 Communications, *SETHOST*, 3–9
 definition of, *SETHOST*, 3–1
 description of, *SETHOST*, 3–2
 Display, *SETHOST*, 3–14
 entering, *SETHOST*, 2–6
 exiting, *SETHOST*, 2–26
 General, *SETHOST*, 3–20
 Keyboard, *SETHOST*, 3–24
- Set-Up screens (Cont.)
 leaving, *SETHOST*, 2–26
 Printer, *SETHOST*, 3–33
 status line, *MSWindows*, 5–3
 Tabs, *SETHOST*, 3–36
 Telephone, *SETHOST*, 3–39
 using, *MSWindows*, 5–1; *SETHOST*, 2–1, 3–1
- Set-Up utility
 accessing, *MSWindows*, 4–5
 changing settings, *MSWindows*, 5–3
 changing VT320 emulator configuration files settings, *MSWindows*, 5–33
 Communication option, *MSWindows*, 5–10
 configuration files, *MSWindows*, 5–30
 default settings, *MSWindows*, 4–4
 enabling HOSTSYNC under VMS, *MSWindows*, 5–9
 exiting, *MSWindows*, 5–4
 logging characters, *MSWindows*, 5–8
 receiving characters, *MSWindows*, 5–8
 saving VT320 emulator settings in configuration files, *MSWindows*, 5–30
 screens
 communications, *MSWindows*, 5–10
 Printer, *MSWindows*, 5–24
 Tabs, *MSWindows*, 5–26
 Telephone, *MSWindows*, 5–28
 specifying the WIN.INI file, *MSWindows*, 5–32
 specifying VT320 emulator configuration files, *MSWindows*, 5–31
 starting, *MSWindows*, 5–2
 using session logging, *MSWindows*, 5–8
- Set-Up utility options
 Answerback Concealed, *MSWindows*, 5–15
 Answerback Message, *MSWindows*, 5–15
 Answer Mode, *MSWindows*, 5–29

Set-Up utility options (Cont.)

Auto Answerback, *MSWindows*, 5–15
Autotyping, *MSWindows*, 5–8
Auto Wrap, *MSWindows*, 5–16
Background, *MSWindows*, 5–17
Blink, *MSWindows*, 5–17
Break, *MSWindows*, 5–23
Clear All Tabs, *MSWindows*, 5–26
Clear Communications, *MSWindows*, 5–6
Clear Display, *MSWindows*, 5–5
Color, *MSWindows*, 5–17
Columns, *MSWindows*, 5–16
Compose, *MSWindows*, 5–23
Cursor Keys, *MSWindows*, 5–22
Cursor Style, *MSWindows*, 5–16
Data Bits and Parity, *MSWindows*, 5–14
Delete character key, *MSWindows*, 5–23
Disconnect Delay, *MSWindows*, 5–14
Font Size, *MSWindows*, 5–17
Keyboard Dialect, *MSWindows*, 5–23
Keyboard Type, *MSWindows*, 5–24
Key Lock, *MSWindows*, 5–23
Keypad Mode, *MSWindows*, 5–22
Line mode, *MSWindows*, 5–8
Local Echo, *MSWindows*, 5–18
Manually Set Tabs, *MSWindows*, 5–26
Margin Bell, *MSWindows*, 5–23
Multinational Character Set, *MSWindows*, 5–19
Multinational Mode, *MSWindows*, 5–19
Network Terminal Service, *MSWindows*, 5–14
New Line, *MSWindows*, 5–19
Port/Network, *MSWindows*, 5–12
Print Extent, *MSWindows*, 5–25
Print Mode, *MSWindows*, 5–25
Print Size, *MSWindows*, 5–25
Recall Factory Default Settings, *MSWindows*, 5–6
Recall Saved Settings, *MSWindows*, 5–6

Set-Up utility options (Cont.)

Receive File, *MSWindows*, 5–7
Reset Terminal, *MSWindows*, 5–5
Save Current Settings, *MSWindows*, 5–6
Script file, *MSWindows*, 5–8
Set 8 Column Tabs, *MSWindows*, 5–26
Set Tab Interval, *MSWindows*, 5–26
Speed, *MSWindows*, 5–14
Status Display, *MSWindows*, 5–17
Stop Bits, *MSWindows*, 5–14
Telephone Numbers, *MSWindows*, 5–29
Terminal Emulation, *MSWindows*, 5–19
Terminal ID, *MSWindows*, 5–20
Text Cursor, *MSWindows*, 5–16
Transmit File, *MSWindows*, 5–7
UDK Lock State, *MSWindows*, 5–20
UDK Shifted State, *MSWindows*, 5–20
User Defined Keys, *MSWindows*, 5–21
User Features, *MSWindows*, 5–20
Warning Bell, *MSWindows*, 5–23
Window Title, *MSWindows*, 5–17
XOFF Point, *MSWindows*, 5–14
Shared directories, *UserHandbook*, 4–2
See also File services
connecting to, *UserHandbook*, 4–10
disconnecting from, *UserHandbook*, 4–13
password and, *UserHandbook*, 4–11
selecting, *UserHandbook*, 4–8
switching to, *UserHandbook*, 4–12
Shared network directory for Windows
creating, *MSWindows*, 2–7
Shared printers
See Printer services
Shared resources
See Services
Sharenames, *UserHandbook*, 4–2
Shift lock state interpretation parameter, *PCDECwin*, 3–16
SHOW ACTIVE command, *NetMgt*, 6–91
SHOW ACTIVE LINKS command, *NetMgt*, 6–91

SHOW ACTIVE NODES command,
 NetMgt, 4–10, 6–91

SHOW ADJACENT NODE command,
 NetMgt, 6–92

SHOW CHARACTERISTICS command
 (LATCP), *ClientCmnds*, 1–40

SHOW CIRCUIT command, *NetMgt*,
 4–12, 6–93

SHOW CIRCUIT COUNTERS command,
 NetMgt, 4–6, 5–7

SHOW CIRCUITS command
 showing virtual circuits, *ClientCmnds*,
 1–42

SHOW command, *NetMgt*, 2–6
 in NDU, *DECnetUser*, 5–8, 5–22
 in NFT, *DECnetUser*, 4–19, 4–41

SHOW command (LATCP)
 showing LAT status, *ClientCmnds*,
 1–36

SHOW COUNTERS command (LATCP)
 showing error statistics, *ClientCmnds*,
 1–43

SHOW EXECUTOR command, *NetMgt*,
 3–4, 6–95

SHOW EXECUTOR COUNTERS
 command, *NetMgt*, 4–4, 5–7

SHOW KNOWN NODES command,
 NetMgt, 3–2, 4–6, 4–8, 6–100

SHOW LINE command, *NetMgt*, 4–11,
 6–96

SHOW LINE COUNTERS command,
 NetMgt, 4–5, 5–7

SHOW LOCAL-ADAPTER-NAME
 command, *NetMgt*, 6–98

SHOW NEW command, *Mail*, 9–64

SHOW NODE command, *NetMgt*, 6–100

SHOW PORTS command (LATCP)
 showing local printer ports,
 ClientCmnds, 1–44

SHOW REMOTE-ADAPTER-NAME
 command, *NetMgt*, 6–102

SHOW SERVICES command (LATCP),
 ClientCmnds, 1–35

services in service table, *ClientCmnds*,
 1–45

SHOW SESSIONS command (LATCP)
 showing current LAT sessions,
 ClientCmnds, 1–46

Show Status setting, *SETHOST*, 3–5

SHOW VERSION command, *Mail*, 9–65

SKIP command, *SETHOST*, 4–85

SKIP ON command, *SETHOST*, 4–87

Slot size
 specifying, *ClientCmnds*, 1–28

Slow startup of X server
 analyzing problems with, *PCDECwin*,
 8–3

Slow Video setting, *SETHOST*, 3–22

Small data blocks, *NetMgt*, 4–3

SNAGNI.CFG, *InstallDiskettes*, 9–2,
 9–8; *InstallVMS*, 10–2, 10–7;
 InstallULTRIX, 8–2, 8–7

SNAGNI.EXE, *InstallDiskettes*, 9–2;
 InstallVMS, 10–2; *InstallULTRIX*,
 8–2

.SNF file
 See Server Natural Format file

Sockets
 closing, *DECnetUser*, 2–7
 Job Spawner, *DECnetUser*, 2–4

Software
 checking on server, *InstallULTRIX*,
 1–5

DECnet, *DECnetUser*, 1–1
 managing network, *DECnetUser*, 1–4
 modules, *DECnetUser*, 1–2
 prerequisite, *InstallDiskettes*, 1–4;
 InstallVMS, 1–4; *InstallULTRIX*,
 1–4; *PCDECwin*, 1–5

Software Carousel
 See Task-Switching Environments

Source routing (Token Ring)
 term defined, *ClientCmnds*, 2–48

Spanish character set, *SETHOST*, 3–22

SPAWN command, *Mail*, 9–66

Spawner
 See Job Spawner utility

SPAwner, *InstallVMS*, 8–1

SPAwner command
 invoking, *DECnetUser*, 2–5

SPAWNER LOG
 messages, *DECnetUser*, 2–5

SPD
 See Software product description

Special characters
 creating, *PCDECwin*, 7–2
 in file names, *UserHandbook*, 5–2

Specifying VT320 emulator configuration files, *MSWindows*, 5–31, 5–32
 using Recalled Savings Setting option, *MSWindows*, 5–31
 using the Run command, *MSWindows*, 5–31
 using the WIN.INI file, *MSWindows*, 5–32

Speed
 of keyboard mouse, *PCDECwin*, 3–16
 of pointer for video panning, *PCDECwin*, 3–15
 setting pointer acceleration, *PCDECwin*, 3–16

Speed setting, *SETHOST*, 3–11

SRC files, *SETHOST*, C–10

SRM command
 enabling Token Ring source routing, *ClientCmnds*, 2–48

Starting
 See also Invoking
 See also Starting X applications
 command line method, *SETHOST*, 2–2
 sessions, *SETHOST*, 2–1
 the Configuration utility, *PCDECwin*, 3–2
 the FAL utility, *DECnetUser*, 3–1
 the Font Compiler utility, *PCDECwin*, 10–4
 the Job Spawner utility, *DECnetUser*, 2–5
 the Keysym Compiler utility, *PCDECwin*, 9–6
 the X server, *PCDECwin*, 5–1
 X applications, *PCDECwin*, 2–2
 X applications on VMS nodes with DCL commands, *PCDECwin*, 6–9

Starting an X server, *PCDECwin*, 5–1

Starting an X server (Cont.)
 overriding parameters, *PCDECwin*, 5–2
 specifying the configuration file, *PCDECwin*, 5–2

Starting X applications
 automatically, *PCDECwin*, 2–3, 6–7
 decreasing startup time, *PCDECwin*, 7–10
 from a command file, *PCDECwin*, 7–7, 7–9
 from a terminal session, *PCDECwin*, 2–4, 6–8
 from the PC Session Manager, *PCDECwin*, 2–3, 6–2
 instructions for, *PCDECwin*, 6–1
 methods available, *PCDECwin*, 2–2
 on ULTRIX or UNIX nodes with DCL commands, *PCDECwin*, 6–12
 requirements for each method of, *PCDECwin*, 2–4
 setting parameter for automatic startup, *PCDECwin*, 3–10
 with a command file, *PCDECwin*, 7–7
 with commands from PC Session Manager, *PCDECwin*, 6–6
 with DCL commands, *PCDECwin*, 6–4, 6–9
 with ULTRIX or UNIX commands from a terminal session, *PCDECwin*, 6–12

STARTNET.BAT file, *InstallDiskettes*, D–3; *InstallVMS*, F–3; *InstallULTRIX*, E–3; *ClientCmnds*, 1–129

DLLDEPCA
 modifying, *Memory*, 3–28

DNP
 modifying, *Memory*, 3–30
 editing, *Memory*, 3–22
 editing to load PrintScreen, *InstallDiskettes*, 11–2; *InstallVMS*, 12–2; *InstallULTRIX*, 10–2

Enhanced Redirector
 editing, *Memory*, 3–24

STARTNET.BAT file (Cont.)

- loading network components from, *ClientCmnds*, 2-1
- modifying, *InstallDiskettes*, E-1; *InstallVMS*, G-1; *InstallULTRIX*, G-1
- modifying the basic redirector, *Memory*, 3-22
- modifying to connect to OS/2 server, *InstallDiskettes*, 4-7
- modifying to use LAST, *InstallDiskettes*, 12-1; *InstallVMS*, 13-1; *InstallULTRIX*, 11-1
- starting from the DOS prompt, *InstallDiskettes*, 10-1; *InstallVMS*, 11-1; *InstallULTRIX*, 9-1; *Memory*, 4-2
- starting the network, *InstallDiskettes*, 10-1; *InstallVMS*, 11-1; *InstallULTRIX*, 9-1

STARTNET command, *ClientCmnds*, 1-50

Startup problems

- troubleshooting, *SEDT*, 4-1

Startup program

- See Application Startup program*

Status

- blank, *ClientCmnds*, 1-146
- DSMNT, *ClientCmnds*, 1-153
- error, *ClientCmnds*, 1-146
- joined, *ClientCmnds*, 1-146
- MNT, *ClientCmnds*, 1-153
- of devices and components, *ClientCmnds*, 1-140, 1-144
- of network components, *ClientCmnds*, 1-142, 1-153
- of print jobs, *ClientCmnds*, 1-104
- paused, *ClientCmnds*, 1-146
- PEND, *ClientCmnds*, 1-153
- PERM, *ClientCmnds*, 1-153
- redirected, *ClientCmnds*, 1-146
- substituted, *ClientCmnds*, 1-146

Status information

- displaying, *SETHOST*, 3-6

Status line

- in the VT320 emulator, *MSWindows*, 5-17

Status section

- communications, *MSWindows*, 5-3
- file transmission, *MSWindows*, 5-7
- printer, *MSWindows*, 5-3
- receiving or sending files, *MSWindows*, 5-3
- telephone modes, *MSWindows*, 5-3

STOP BITS command, *SETHOST*, 4-89

Stop Bit setting, *SETHOST*, 3-11

STOPNET.BAT file, *InstallDiskettes*, D-3; *InstallVMS*, F-3; *InstallULTRIX*, E-3

modifying, *InstallDiskettes*, E-1; *InstallVMS*, G-1; *InstallULTRIX*, G-1

starting from the DOS prompt, *Memory*, 4-2

stopping the network, *InstallDiskettes*, 10-2; *InstallVMS*, 11-2; *InstallULTRIX*, 9-2

STOPNET command, *ClientCmnds*, 1-50, 2-2

Stopping sessions

- in FAL, *DECnetUser*, 3-2
- in NDU, *DECnetUser*, 5-6
- in NFT, *DECnetUser*, 4-7

Streams

- file system, *DECnetUser*, 4-13
- record attributes, *DECnetUser*, 4-13

Strings, *SETHOST*, 4-4

- term defined, *SEDT*, 2-7

SUBMIT command

- in NFT, *DECnetUser*, 4-43
- NFT command, *DECnetUser*, 4-19

/SUBMIT switch

- NFT utility, *DECnetUser*, 4-18

Subnet mask, *InstallDiskettes*, B-4; *InstallVMS*, B-4; *InstallULTRIX*, B-4

Subprocesses, *SEDT*, 3-9

Subroutines

- library of, *DECnetUser*, 1-5

Supported terminals
 VT320 emulator, *MSWindows*, 5-19
Suspending a session, *PCDECwin*, 3-15
 alternative to for DOS, *PCDECwin*,
 7-6
 analyzing problems with, *PCDECwin*,
 8-3
 reserving conventional memory for,
 PCDECwin, 3-13
 reserving extended memory for,
 PCDECwin, 7-22
 while generating a log file,
 PCDECwin, 8-2
Suspending mail, *Mail*, 8-2
 go to the operating system, *Mail*, 8-2
Suspend session memory reserve
 parameter, *PCDECwin*, 3-13
SW6 switch (DEC EtherWORKS)
 and using FRB disk, *InstallVMS*, 7-3
 location, *InstallVMS*, 7-3
Swap file, *PCDECwin*, 3-14, 8-3
 setting for DWDOS286, *PCDECwin*,
 3-5
 setting the location for DWDOS386,
 PCDECwin, 3-22
 term defined, *PCDECwin*, 3-5
Swap file location parameter,
 PCDECwin, 3-5
Swapping characters, *SEDT*, 2-9
Swedish character set, *SETHOST*, 3-22
Switches
 abbreviating Network File Transfer,
 DECnetUser, 4-4
 /ASCII, *DECnetUser*, 3-6, 4-6
 /Binary, *DECnetUser*, 3-6
 /BRIEF, *DECnetUser*, 4-16
 DELETE, *DECnetUser*, 4-32
 IMAGE, *DECnetUser*, 4-13
 in the FAL utility, *DECnetUser*, 3-6
 Network File Transfer (NFT),
 DECnetUser, 4-3, 4-5
 NFT HELP, *DECnetUser*, 4-36
 /NOCONVERT, *DECnetUser*, 4-13
 PRINT, *DECnetUser*, 4-17
 SUBMIT, *DECnetUser*, 4-18

Switches (Cont.)
 using PRINT, *DECnetUser*, 4-38
 using SUBMIT, *DECnetUser*, 4-43
Switching between sessions, *SETHOST*,
 2-6
Switching folders, *Mail*, 4-3
Syntax
 copying files, *DECnetUser*, 4-15
 deleting files, *DECnetUser*, 4-16
 for setting parameters at command
 line, *PCDECwin*, 5-3
 in NDU, *DECnetUser*, 5-6
 in the FAL utility, *DECnetUser*, 3-5
 in the NFT utility, *DECnetUser*, 4-3,
 4-20
 running command files, *DECnetUser*,
 4-18
 specifying remote files, *DECnetUser*,
 A-1
 using the NFT utility, *DECnetUser*,
 4-4
 using the TYPE command,
 DECnetUser, 4-17
 using wildcards, *DECnetUser*, 4-17
VMS and DOS compatibility,
 DECnetUser, 3-4
when to use /SUBMIT, *DECnetUser*,
 4-18
SYSTEM.INI file
 modified by WIN3SETU, *MSWindows*,
 2-3
 modifying, *MSWindows*, 6-9
SYSTEM= command, *SEDT*, A-8
SYSTEM command, *SETHOST*, 4-90
System file service
 contents, *InstallVMS*, E-1;
 InstallULTRIX, D-1
 installing DOS on, *InstallDiskettes*,
 6-1; *InstallVMS*, 5-1;
 InstallULTRIX, 5-1
System file service contents, *InstallVMS*,
 E-1; *InstallULTRIX*, D-1
System management, *Overview*, A-1, A-2
 for PATHWORKS for Macintosh,
 Overview, 2-10

System management (Cont.)
for PATHWORKS for OS/2, *Overview*, 4–4
for PATHWORKS for ULTRIX, *Overview*, 3–4
for PATHWORKS for VMS, *Overview*, 2–8
tools for, *Overview*, 1–16
System memory, *Memory*, 1–4
defined, *Memory*, 1–5
Systems
multiple service with remote, *DECnetUser*, 2–1
types of, *DECnetUser*, 4–12
VMS, *DECnetUser*, 1–5, 4–5
System service
verification of availability, *InstallVMS*, 2–5

T

Tabs, *SEDT*, 3–6
configuring, *SEDT*, 3–6
saving, *SEDT*, A–3
setting in the VT320 emulator, *MSWindows*, 5–26
setting manually, *MSWindows*, 5–27
TABS= command, *SEDT*, A–10
Tabs Set-Up screen
Clear All Tabs setting, *SETHOST*, 3–37
description of, *SETHOST*, 3–36
Manually Set Tabs setting, *SETHOST*, 3–37
overview of, *SETHOST*, 3–2
sample of, *SETHOST*, 3–36
Set 8 Column Tabs setting, *SETHOST*, 3–37
Set Tab Interval setting, *SETHOST*, 3–37
Tasks
foreground, *DECnetUser*, 2–1
single, *DECnetUser*, 3–1
using DECnet, *DECnetUser*, 1–2
Task-switching
with TCP/IP, *SETHOST*, 1–5

Task-switching (Cont.)
with TELNET, *SETHOST*, 1–5
Task-switching environments
DESQview, *SETHOST*, 1–6
DOS 5.0, *SETHOST*, 1–6
Software Carousel, *SETHOST*, 1–6
Task-to-Task communications
programming, *DECnetUser*, 1–5
TCP/IP, *InstallDiskettes*, 2–3, 3–3; *InstallVMS*, 3–3, 6–1; *InstallULTRIX*, 3–2, 6–1; *UserHandbook*, 1–4; *Overview*, A–1, A–2
and DESQview, *SETHOST*, 1–5
and DOS 5.0, *SETHOST*, 1–5
and Microsoft Windows, *SETHOST*, 1–5
and OS/2 server, *Overview*, 1–11
and Software Carousl, *SETHOST*, 1–5
and task-switching, *SETHOST*, 1–5
and terminal emulation, *Overview*, 5–12
and ULTRIX server, *Overview*, 1–11, 3–7
and VMS server, *Overview*, 1–11, 2–12
choosing a communications protocol, *MSWindows*, 5–11
configuration examples
80286, *Memory*, 6–31
80386, *Memory*, 5–44
8086/88, *Memory*, 7–23
configuring clients to use, *InstallVMS*, 6–1; *InstallULTRIX*, 6–1
defining node names, *MSWindows*, 4–11
defining node names and, *UserHandbook*, 5–11
description, *Overview*, 1–11
drivers, *Memory*, 2–7
NDIS, *Memory*, 2–7
NEMM.DOS, *Memory*, 2–7
PROTMAN.DOS, *Memory*, 2–7
TCPDRV.DOS, *Memory*, 2–7
installing, *InstallDiskettes*, 1–1, 3–8; *MSWindows*, 5–13

TCP/IP (Cont.)
loading PSC on, *ClientCmnds*, 2-40
memory
 minimizing, *Memory*, 3-34
memory requirements, *Memory*, 2-5
NDIS operation, *Memory*, 2-9
network components
 editing, *Memory*, 3-32
 unloading, *Memory*, 4-5
 unloading using a batch file,
 Memory, 4-8
on Ethernet, *Overview*, 1-11
on Token Ring, *Overview*, 1-11
performance
 tuning, *Memory*, 3-34
TELNET protocol, *Overview*, 1-19
transferring files over, *UserHandbook*, 5-11
tuning examples, *Memory*, 3-34
tuning procedure, *Memory*, 3-33
unloadable network components,
 Memory, 4-7
version required, *InstallULTRIX*, 1-4
TCP/IP node names
 defining, *PCDECwin*, 3-21
TCP/IP utilities, *UserHandbook*, 1-6
 Address Resolution Protocol (ARP),
 UserHandbook, 1-6
 File Transfer Protocol (FTP),
 UserHandbook, 1-6
 NETSTAT, *UserHandbook*, 1-6
 PING, *UserHandbook*, 1-6
TCP CONNECTIONS
 driver entry, *Memory*, 3-33
TCPUNLD.EXE utility, *Memory*, 4-7
Tcpunld status display, *Memory*, 4-8
TCPWINDOWSIZE
 driver entry, *Memory*, 3-33
Telephone Set-Up screen
 description of, *SETHOST*, 3-39
 Modem Answer setting, *SETHOST*, 3-40
 overview of, *SETHOST*, 3-2
 sample of, *SETHOST*, 3-39
 settings, *SETHOST*, 3-40
Telephone Set-Up screen (Cont.)
 Set-Up settings, *SETHOST*, 3-40
 TELL command, *NetMgt*, 6-104
 TELNET protocol, *SETHOST*, 1-3, 2-18, 2-22
 and terminal emulation, *Overview*, 5-11
batch file, *Memory*, 4-8
defined, *MSWindows*, 5-11
error messages, *SETHOST*, B-10
in SETHOST, *UserHandbook*, 7-5
installing, *MSWindows*, 7-8
loading, *SETHOST*, 1-4
loading into memory, *Memory*, 2-5
memory requirements, *Memory*, 2-5
on DOS client, *Memory*, 3-32
on TCP/IP, *Overview*, 1-11, 1-19
selecting, *MSWindows*, 4-7, 5-11
TCP connections for, *Memory*, 3-33
using, *SETHOST*, 3-10
TEMPLATE.INI file, *InstallVMS*, F-4
Terminal Access Library, *MSWindows*, 1-2
Terminal emulation, *UserHandbook*, 1-5
 See also SETHOST
 See also VT320 terminal emulator
DECnet, *SETHOST*, 1-1
description, *Overview*, 1-18, 5-11
for DOS clients, *Overview*, 5-11
for Macintosh clients, *Overview*, 7-7
for OS/2 clients, *Overview*, 6-2
from Microsoft Windows, *Overview*, 5-15
SETHOST utility, *UserHandbook*, 1-5
settings, *SETHOST*, 3-22
term defined, *UserHandbook*, 7-1
VT100 setting, *SETHOST*, 3-22
VT200
 8-bit setting, *SETHOST*, 3-22
 7-bit setting, *SETHOST*, 3-22
VT300
 7-bit setting, *SETHOST*, 3-22
 8-bit setting, *SETHOST*, 3-22
VT320 for Microsoft Windows,
 UserHandbook, 1-5

Terminal emulation (Cont.)
 VT52 setting, *SETHOST*, 3–22
 with CTERM protocol, *Overview*, 1–18,
 5–11
 with LAT protocol, *Overview*, 1–18,
 5–11
 with SETHOST, *Overview*, 5–11
 with TCP/IP, *Overview*, 5–12
 with TELNET protocol, *Overview*,
 1–19, 5–11

Terminal emulator
 See VT320 terminal emulator

Terminal server, *SETHOST*, 1–3, 2–23,
 3–9

Terminal session
 starting X applications from,
 PCDECwin, 6–8

Terminate-and-stay-resident (TSR)
 applications, *MSWindows*, 2–5;
 Memory, 2–19, 3–18
 defined, *Memory*, 1–7
 editing, *Memory*, 3–20
 limitations on using, *SETHOST*, 3–5
 TCP/IP
 batch file loading, *Memory*, 4–7
 load order, *Memory*, 4–6

Terminating UDK definition, *SETHOST*,
 3–23

Testing expanded memory performance,
 Memory, 3–12

Text
 copying, in PC DECwindows Motif,
 UserHandbook, 6–19
 deleting, in PC DECwindows Motif,
 UserHandbook, 6–21
 editing, in PC DECwindows Motif,
 UserHandbook, 6–18
 moving, in PC DECwindows Motif,
 UserHandbook, 6–20
 selecting, in PC DECwindows Motif,
 UserHandbook, 6–19

Text, editing, *SEDT*, 2–1
 appending, *SEDT*, 2–6
 canceling, *SEDT*, 2–6
 changing case, *SEDT*, 2–6

Text, editing (Cont.)
 copying, *SEDT*, 2–6
 deleting, *SEDT*, 2–6, 2–8
 inserting, *SEDT*, 2–4
 pasting, *SEDT*, 2–7
 search and replace, *SEDT*, 2–7
 selecting, *SEDT*, 2–5
 swapping characters, *SEDT*, 2–9
 undeleting characters, *SEDT*, 2–8, 2–9

Text, formatting, *SEDT*, 2–9
 aligning, *SEDT*, 2–9
 centering a line, *SEDT*, 2–10
 forming paragraphs, *SEDT*, 2–10
 hyphenation, *SEDT*, 2–10
 indenting, *SEDT*, 2–10

Text editor, *Overview*, 5–12
 See also SEDT editor

Text files
 See ASCII files

TFA
 See Transparent File Access utility

ThinWire cable network, *InstallVMS*,
 H–2

Tiles
 transferring with NFT, *MSWindows*,
 6–8

Time, setting, *ClientCmnds*, 1–122

TIMEOUT command, *SETHOST*, 4–91

Timeout handling, *SETHOST*, 4–8

TIMER command, *SETHOST*, 4–92

TIMER OFF command, *SETHOST*, 4–93

To DOS setting, *SETHOST*, 3–5

Toggle
 term defined, *SEDT*, 2–3

Token Ring, *Overview*, 2–13, A–1, A–2
 adapters, *InstallDiskettes*, 2–6;
 InstallVMS, 3–6; *InstallULTRIX*,
 3–5
 communicating over, *MSWindows*,
 5–10

CTERM, *SETHOST*, 1–3

local boot, *InstallDiskettes*, 2–2;
 InstallVMS, 3–2

NDIS-compliant, *Overview*, 1–7

- Token Ring (Cont.)
support, *InstallDiskettes*, 2-3;
InstallVMS, 3-3
supported clients and servers,
Overview, 1-7
- Topology
term defined, *NetMgt*, 5-1
- Transferring data
with the VT320 emulator,
MSWindows, 5-8
- Transferring files, *SETHOST*, 3-8
- Transmission Control Protocol/Internet Protocol
See TCP/IP
- Transmit = Receive setting, *SETHOST*, 3-11
- Transmitting characters
with the VT320 emulator,
MSWindows, 5-8
- Transparent File Access (TFA) utility,
InstallDiskettes, B-12; *InstallVMS*, B-12; *InstallULTRIX*, B-12
description of, *DECnetUser*, 1-4
exchanging files, *DECnetUser*, 1-4
- Transparent Task to Task,
InstallDiskettes, B-12; *InstallVMS*, B-12; *InstallULTRIX*, B-12
- TRCV utility
reading messages (TCP/IP),
ClientCmnds, 1-135
term defined, *UserHandbook*, 1-5
- TRMNLLAXS.DLL
See Terminal Access Library
- Troubleshooting, *PCDECwin*, 8-1;
SEDT, 4-1
See also Messages
abnormal termination of X server,
PCDECwin, 8-1
application startup problems,
PCDECwin, 8-2
autosaving, *SEDT*, 4-2
memory problems, *PCDECwin*, 8-3
problems suspending a session,
PCDECwin, 8-3
startup problems, *SEDT*, 4-1
- TSR
See Terminate-and-stay-resident (TSR)
applications
- Tuning
parameters, *Memory*, 3-32
- TX BAUD command, *SETHOST*, 4-94
- TYPE command
in NFT, *DECnetUser*, 4-19, 4-44
- TYPE UNTIL command, *SETHOST*, 4-95
-
- U**
- UDK definition
terminating, *SETHOST*, 3-23
- ult2dos utility, *UserHandbook*, 5-5
- ULTRIX commands
dump, *InstallULTRIX*, 1-6
- ULTRIX server
See also PATHWORKS for ULTRIX
file services for DOS and OS/2 clients,
Overview, 3-1
file transfer and, *UserHandbook*, 5-4
printer services, *Overview*, 3-3
security, *Overview*, 3-5
system management, *Overview*, 3-4
- ULTRIX V3.1
required for installing PATHWORKS
for DOS, *InstallULTRIX*, 1-1
- UMB
See Upper memory blocks
- UNDELETE command, *Mail*, 9-67
- Undeleting a message, *Mail*, 9-67
- Undeleting characters, *SEDT*, 2-8, 2-9
- Underline Color setting, *SETHOST*, 3-18
- UNFLAG command, *Mail*, 9-69
- UNIX hosts file, *InstallDiskettes*, B-5;
InstallVMS, B-5; *InstallULTRIX*, B-5
- Unloading network components,
ClientCmnds, 1-50, 2-2
- DECnet, *Memory*, 4-1
restrictions, *Memory*, 4-3
- STARTNET.BAT, *Memory*, 4-2
- STOPNET.BAT, *Memory*, 4-2

Unloading network components
DECnet (Cont.)
 unloading all, *Memory*, 4-2
 unloading and Netsetup, *Memory*,
 4-5
 unloading one, *Memory*, 4-2
 using batch files, *Memory*, 4-3
TCP/IP, *Memory*, 4-5
 using a batch file, *Memory*, 4-8
UNMARK command, *Mail*, 9-71
Unmarking
 all messages, *Mail*, 7-6
 a message, *Mail*, 9-71
Updating the MAIL directory, *Mail*, 9-10
Upgrade information
 after upgrading, *InstallVMS*, 2-6;
 InstallULTRIX, 2-6
 deleting V3.0 disk services,
 InstallVMS, 2-7
 deleting V4.0 file services, *InstallVMS*,
 2-6; *InstallULTRIX*, 2-7
DOSLOAD utility, *InstallVMS*, 5-2
hardware requirements,
 InstallDiskettes, 1-4; *InstallVMS*,
 1-4; *InstallULTRIX*, 1-4
performing, *InstallVMS*, 2-1
preparing for, *InstallVMS*, 1-1
reinstalling DOS, *InstallVMS*, 5-2
remote boot, *InstallVMS*, 7-1
software requirements,
 InstallDiskettes, 1-4;
 InstallVMS, 1-4; *InstallULTRIX*,
 1-4
Upper memory, *Memory*, 1-4
 defined, *Memory*, 1-8
 page frame, *Memory*, 1-10
Upper memory blocks, *Memory*, 1-9, 3-3
 defined, *Memory*, 1-15
USE /BRIEF command
 showing minimal information,
 ClientCmnds, 1-140
USE /CDROM command
 specifying a CDROM service,
 ClientCmnds, 1-140
USE /CHECK command
 USE /CHECK command (Cont.)
 ClientCmnds,
 1-140, 1-144
 USE /CLICK command
 controlling disk click, *ClientCmnds*,
 1-140
 USE /CONNECT command
 prompting for information,
 ClientCmnds, 1-141, 1-144
 USE /DISCONNECT/EXCEPT command
 excluding specified drives,
 ClientCmnds, 1-141, 1-144
 USE /DISCONNECT command
 disconnecting from a service,
 ClientCmnds, 1-141, 1-144
 USE /ENVIRON command
 creating an environment variable,
 ClientCmnds, 1-141, 1-145
 USE /FIXUP command
 modifying DOS status of unconnected
 virtual drives, *ClientCmnds*,
 1-141, 1-145
 USE /FULL command
 showing maximum information,
 ClientCmnds, 1-141, 1-145
 USE /HELP command
 getting help on USE commands,
 ClientCmnds, 1-141
 USE /LIST command
 listing services, *ClientCmnds*, 1-141,
 1-147
 USE /LOAD command
 loading a saved connection,
 ClientCmnds, 1-141
 loading services, *ClientCmnds*, 1-147
 USE /LOG command
 showing the procedure, *ClientCmnds*,
 1-141
 USE /NETWORK command
 disconnecting services, *ClientCmnds*,
 1-147
 specifying file or printer service,
 ClientCmnds, 1-141
 USE /NOPROMPT command
 error returned, *ClientCmnds*, 1-148

- USE /NOPROMPT command (Cont.)
 suppressing prompts, *ClientCmnds*, 1–142
- USE /REMOVE command
 removing references to a drive, *ClientCmnds*, 1–142
- USE /REPLACE command
 replacing a connection, *ClientCmnds*, 1–142, 1–148
- USE /RESTORE command
 restoring a connection, *ClientCmnds*, 1–142
 restoring services, *ClientCmnds*, 1–148
- USE /SAVE command
 saving a connection, *ClientCmnds*, 1–142
 saving services, *ClientCmnds*, 1–149
- USE /SETDIR command
 setting to ULTRIX directory, *ClientCmnds*, 1–149
 setting to VMS directory, *ClientCmnds*, 1–149
- USE /SHOW command
 showing information about servers or services, *ClientCmnds*, 1–142, 1–149
- USE /STATUS command
 showing component status, *ClientCmnds*, 1–142, 1–153
- USE /VIRTUAL command
 identifying a virtual disk service, *ClientCmnds*, 1–142, 1–154
- USE /X command
 using X for Ethernet address, *ClientCmnds*, 1–142, 1–155
- USE command, *Overview*, 1–19
 ambiguous device, *ClientCmnds*, 1–140, 1–154
 connecting to a CDROM service, *ClientCmnds*, 1–143
 connecting to a disk service on another server, *UserHandbook*, 2–6
 connecting to a file service on another server, *UserHandbook*, 2–8
- USE command (Cont.)
 connecting to a printer service., *ClientCmnds*, 1–143
 connecting to next available drive, *ClientCmnds*, 1–143
 connecting to remote printers, *UserHandbook*, 3–4
 connecting to servers and services, *ClientCmnds*, 1–139
 determining service type, *UserHandbook*, 2–5
 disconnecting from remote printers and, *UserHandbook*, 3–6
 displaying printer services, *UserHandbook*, 3–3
 establishing network connections, *MSWindows*, 2–5
 file transfer and, *UserHandbook*, 5–4
 getting help for, *UserHandbook*, 2–11
 listing current connections, *ClientCmnds*, 1–142
 password not echoed, *ClientCmnds*, 1–140
 wildcard device, *ClientCmnds*, 1–140
- User applications, *Memory*, 2–9
 Microsoft Windows, *Memory*, 3–35
 PC DECwindows Motif, *Memory*, 2–9
 SEDT, *Memory*, 2–14
- User-defined keys
 in the VT320 emulator, *MSWindows*, 5–20
- User-defined Keys setting, *SETHOST*, 3–23
- User Features setting, *SETHOST*, 3–23
- User Identification Code (UIC), *ClientCmnds*, 1–63
- User names
 LAN Manager limitations on, *UserHandbook*, 4–3
 Mail and, *UserHandbook*, 9–5
 MAILSETUP, *UserHandbook*, 9–4
 NET PRINT command and, *UserHandbook*, 3–5, 3–9
 term defined, *UserHandbook*, 1–10; *NetMgt*, 2–3

User profile, *ClientCmnds*, 1-129, 1-137
USE utility, *UserHandbook*, 1-5
 See also USE command
Using Set-Up screens, *SETHOST*, 3-1
Using telephone selections, *SETHOST*, 3-40
Using X applications, *PCDECwin*, xvi
Utilities
 FAL, *DECnetUser*, 1-5, 3-1
 FTP, *SETHOST*, 3-8
 Job Spawner, *DECnetUser*, 2-1
 NDU, *DECnetUser*, 5-1
 NFT, *SETHOST*, 3-8, C-10;
 DECnetUser, 1-5, 4-1, 4-4
 PCMAIL, *SETHOST*, C-1

V

V86

See Virtual 8086 mode

Valid nodes parameter, *PCDECwin*, 3-10

Variable-length
 records, *DECnetUser*, 4-13
Variables, *SETHOST*, 4-6
VAXmate
 with XON/XOFF protocol,
 ClientCmnds, 3-28

VAXshare
 and PATHWORKS for Macintosh,
 Overview, 2-2
 description, *Overview*, 1-12
 file sharing with, *Overview*, 7-3
 security in, *Overview*, 7-4
 using file services, *Overview*, 7-1
 using printer services, *Overview*, 7-4
VIDEO= command, *SEDT*, A-7

Video adapters
 80-132 column support, *SETHOST*, 3-44
Video Adapter setting, *SETHOST*, 3-16
Video Attributes, *SETHOST*, 3-19
Video images (DOS)
 printing on a graphics printer,
 ClientCmnds, 3-5
Video mode (DOS), *ClientCmnds*, 3-22

Video Mode settings, *SETHOST*, 3-22
Video panning speed parameter,
 PCDECwin, 3-15
Video parameter, *PCDECwin*, 3-4
Virtual 8086 mode, *Memory*, 1-10
Virtual circuits
 information about, *ClientCmnds*, 1-42
 message transmissions before
 shutdown, *ClientCmnds*, 1-21
 specifying maximum, *ClientCmnds*, 1-19
Virtual Control Program Interface,
 Memory, 3-14
Virtual devices
 connecting to virtual disks,
 DECnetUser, 5-20
 creating disks, *DECnetUser*, 5-14
 deleting disk space, *DECnetUser*, 5-17
 directing text, *DECnetUser*, 5-5
 disks, *DECnetUser*, 5-4
 installing device drivers, *DECnetUser*, 5-5
 printer errors, *DECnetUser*, C-10
 printers, *DECnetUser*, 5-4
 remote disks, *DECnetUser*, 5-3
 remote disk volume names,
 DECnetUser, 5-2
 remote printers, *DECnetUser*, 5-3
 special considerations, *DECnetUser*, 5-11
Virtual disks
 See also Disk services
 booting from, *InstallVMS*, 3-4
 controlling click, *ClientCmnds*, 1-140
 creating and formatting, *ClientCmnds*, 1-71
 deleting, *ClientCmnds*, 1-76
 devices and logicals for, *ClientCmnds*, 1-73, 1-77, 1-83, 1-93, 1-98
 file sizes for, *ClientCmnds*, 1-73
 mounting on network, *ClientCmnds*, 1-96
 removing from network before NET
 DELETE, *ClientCmnds*, 1-82
 starting, *ClientCmnds*, 2-29

Virtual disk services
 changing the characteristics of,
 ClientCmnds, 1-92
 command qualifier for, *ClientCmnds*,
 1-142, 1-154
 connecting to, *ClientCmnds*, 1-143,
 2-33
 on a server, *ClientCmnds*, 1-152
 showing, *ClientCmnds*, 1-79
 showing error statistics, *ClientCmnds*,
 1-85

Virtual drive
 modifying DOS status of,
 ClientCmnds, 1-141, 1-145

Virtual screen, *PCDECwin*, 3-5

VMS backup procedure, *InstallVMS*, 8-1

VMS HOSTSYNC parameter,
 MSWindows, 5-9

VMSINSTAL procedure, *InstallVMS*, 2-1
 responding to questions, *InstallVMS*,
 2-2
 stopping, *InstallVMS*, 2-2

VMS Librarian program, *ClientCmnds*,
 1-109

VMS process account quotas, *PCDECwin*,
 1-6
 recommended values, *PCDECwin*, 1-7

VMS server
 file services for DOS and OS/2 clients,
 Overview, 2-3
 file services for Macintosh clients,
 Overview, 2-4
 printer services for DOS clients,
 Overview, 2-7
 printer services for Macintosh clients,
 Overview, 2-8
 printer services for OS/2 clients,
 Overview, 2-7
 security, *Overview*, 2-11
 system management, *Overview*, 2-8

VMS system, *DECnetUser*, 1-5
 version required, *InstallVMS*, 1-4

VMS TCP/IP prompt parameter,
 PCDECwin, 3-13

VMS TCP/IP timeout parameter,
 PCDECwin, 3-17

Volatile memory
 term defined, *ClientCmnds*, 1-51

VT.BAT file, *Memory*, 4-8

VT100, *SETHOST*, 3-26
 emulation, *SETHOST*, C-9
 line drawing, *SETHOST*, C-2
 mode, *SETHOST*, 1-12
 setting, *SETHOST*, 3-22

VT200
 8-bit setting, *SETHOST*, 3-22
 7-bit setting, *SETHOST*, 3-22
 mode, *SETHOST*, 1-12

VT320 emulation
 script writing, *SETHOST*, 4-1

VT320 emulator Set-Up utility,
 MSWindows, 5-1
 accessing and controlling,
 MSWindows, 5-1
 autotyping, *MSWindows*, 5-8
 autotyping files to VMS, *MSWindows*,
 5-9
 changing settings, *MSWindows*, 5-3
 changing settings in a VT320 emulator
 configuration file, *MSWindows*,
 5-33
 choosing settings, *MSWindows*, 5-4
 Communications option, *MSWindows*,
 5-10
 creating configuration files,
 MSWindows, 5-30
 enabling HOSTSYNC under VMS,
 MSWindows, 5-9
 exiting, *MSWindows*, 5-4
 keyboard options, *MSWindows*, 5-22
 logging characters with, *MSWindows*,
 5-8

Menu Bar Options, *MSWindows*, 5-3

receiving characters with,
 MSWindows, 5-8

saving current settings, *MSWindows*,
 5-30

sending characters with, *MSWindows*,
 5-8

- VT320 emulator Set-Up utility (Cont.)
- session logging, *MSWindows*, 5–8
 - specifying a VT320 emulator
 - configuration file, *MSWindows*, 5–31
 - starting, *MSWindows*, 5–2
 - status section
 - See* Status section
 - telephone options, *MSWindows*, 5–28
 - understanding, *MSWindows*, 5–4
 - using configuration files, *MSWindows*, 5–30
 - using the Actions options, *MSWindows*, 5–5
 - using the WIN.INI file, *MSWindows*, 5–32
 - with Set-Up
 - Printer options, *MSWindows*, 5–24
- VT320 status line
- See* Status line
- VT320 terminal emulator, *MSWindows*, 4–1, A–1; *UserHandbook*, 1–5, 7–10
- See also* VT320 emulator Set-Up utility
 - asynchronous communications setting, *MSWindows*, 4–5
 - changing default settings, *MSWindows*, 4–4
 - changing your network service, *MSWindows*, 5–14
 - Communications option, *MSWindows*, 4–5
 - compared to Windows' Terminal, *MSWindows*, 1–1
 - defining your host system, *MSWindows*, 4–8
 - exiting, *UserHandbook*, 7–15
 - features, *MSWindows*, 4–1
 - freezing screen display, *MSWindows*, A–2
 - function keys, *MSWindows*, A–1
 - IBM and compatible keyboards, *MSWindows*, A–3
 - initial setup, *MSWindows*, 4–4
 - keyboard, *MSWindows*, A–1
 - function key
- VT320 terminal emulator
- keyboard
 - function key (Cont.)
 - labels, *MSWindows*, A–1
 - layout, *MSWindows*, A–1
 - mapping for IBM and compatible keyboards, *MSWindows*, A–3
 - top-row function keys, *MSWindows*, A–1
 - using special keyboard mappings, *MSWindows*, A–3
- key labels, *MSWindows*, A–1
- LK250 keyboard, *MSWindows*, A–1
- LK250 keyboard mappings, *MSWindows*, A–1
- messages, *MSWindows*, 7–1
- multiple sessions, *MSWindows*, 4–16
- navigating through the VT20 emulator window, *MSWindows*, 4–12
- prerequisite procedures, *MSWindows*, 4–2
- printing the screen display, *MSWindows*, A–2
- Screen Showing Host System Login, *MSWindows*, 4–8
- selecting a host name, *MSWindows*, 4–7
- setting up, *UserHandbook*, 7–13
- Set-Up option, *MSWindows*, 4–14
- Set-Up utility, *MSWindows*, 4–4
- starting, *MSWindows*, 4–3; *UserHandbook*, 7–11
- supported character sets, *MSWindows*, 4–1
- supported printers, *MSWindows*, 4–1
- supported terminals, *MSWindows*, 1–1
- System menu options, *MSWindows*, 4–13
- About, *MSWindows*, 4–14
 - Copy, *MSWindows*, 4–14
 - Mark, *MSWindows*, 4–14
 - Paste, *MSWindows*, 4–14
 - Script, *MSWindows*, 4–14
- term defined, *MSWindows*, 4–1

- VT320 terminal emulator (Cont.)
- using in Microsoft Windows, *MSWindows*, 4–12
 - using the icon and, *UserHandbook*, 7–13
 - using the Run Option, *MSWindows*, 4–3
- VT320 System Menu, *MSWindows*, 4–5
- Windows menu, *MSWindows*, 4–13
- with Set-Up
- Keyboard options, *MSWindows*, 5–22
 - Tabs options, *MSWindows*, 5–26
 - Telephone options, *MSWindows*, 5–28
- VT52
- mode, *SETHOST*, 1–12
 - setting, *SETHOST*, 3–22, 3–25
-
- ## W
- W16 jumper (DEPCA)
- and using FRB disk, *InstallVMS*, 7–4
 - location, *InstallVMS*, 7–4
- WAIT FOR command, *SETHOST*, 4–97
- WAN
- See* Wide area network
- Warning Bell setting, *SETHOST*, 3–25
- Warnings
- error messages, *DECnetUser*, B–6, B–25
- Wide area network (WAN)
- loading wide area virtual disk driver (NDDRV.SYS), *Memory*, 2–6
 - loading wide area virtual printer driver (NPDRV.SYS), *Memory*, 2–6
 - term defined, *UserHandbook*, 1–3; *Overview*, 1–1
 - using CTERM, *MSWindows*, 5–11
- Widgets
- disabling reserved memory used by, *PCDECwin*, 7–21
 - modifying memory requirements for, *PCDECwin*, 7–20
- WIK
- WIK (Cont.)
- See* Write Key Disk files
- Wildcards
- asterisk, *DECnetUser*, 4–17, A–2, A–4
 - combining, *DECnetUser*, A–2
 - limitations in using, *DECnetUser*, 4–14
 - percent sign, *DECnetUser*, A–3
 - question mark, *DECnetUser*, A–2
- WIN.INI file
- modifying, *MSWindows*, 5–32
- WIN3SETU
- and the VT320 emulator, *MSWindows*, 4–2
 - changing installation information, *MSWindows*, 2–5
 - installing the Windows support software, *MSWindows*, 2–2
- Window elements
- creating additional colors for, *PCDECwin*, 7–15
 - creating and specifying colors for, *PCDECwin*, 7–15
 - setting colors for, *PCDECwin*, 7–16
- Window Manager
- described, *UserHandbook*, 6–7
 - icon box, *UserHandbook*, 6–10
 - running, *UserHandbook*, 6–8
 - starting one automatically, *PCDECwin*, 3–10
- Windows
- See also* Microsoft Windows
 - See also* Window elements
 - customizing size and placement, *PCDECwin*, 7–17
 - locking, *UserHandbook*, 6–14
 - moving, *UserHandbook*, 6–11
 - repaint option, *PCDECwin*, 3–15
 - resizing, *UserHandbook*, 6–12
 - retrieving, *UserHandbook*, 6–15
 - running the Spawner command from, *DECnetUser*, 2–5
 - saving pixel contents option, *PCDECwin*, 3–15
 - selecting, *UserHandbook*, 6–11

Windows (Cont.)

setting colors for, *PCDECwin*, 3-12
shrinking, *UserHandbook*, 6-14
stacking, *UserHandbook*, 6-13
with DECnet-DOS utilities,
DECnetUser, 1-5

Windows 386 Enhanced Mode
and the DECnet transport,
MSWindows, 1-1
considerations for running Windows,
MSWindows, 2-5

Windows support software
components, *MSWindows*, 1-1
installing, *MSWindows*, 2-1
setup checklist, *MSWindows*, 2-1

Window titles
changing in the VT320 emulator,
MSWindows, 5-17

Workstations
identifying type of, *SEDT*, A-8

WPS-PLUS software, *SETHOST*, C-9

Wrapping text
in the VT320 emulator, *MSWindows*,
5-16

Write Key Disk files
commands, *ClientCmnds*, B-2
customizing Netsetup, *InstallDiskettes*,
E-1; *InstallVMS*, G-1;
InstallULTRIX, G-1

DECnet variables, *ClientCmnds*, B-15
locating, *InstallDiskettes*, E-2;
InstallVMS, G-2; *InstallULTRIX*,
G-2

modifying, *ClientCmnds*, B-1

TCP/IP variables, *ClientCmnds*, B-16
variables for all transports,
ClientCmnds, B-13

Write-protect
TK50 tape cartridge, *InstallVMS*, 2-3

X

X application resources
analyzing problems with, *PCDECwin*,
8-2

X applications
analyzing problems when starting,
PCDECwin, 8-2
available methods of starting,
PCDECwin, 2-2
getting help, *UserHandbook*, 6-22
making available the Application
Startup program, *PCDECwin*, 4-1
planning how to start, *PCDECwin*,
2-2
saving time when starting,
PCDECwin, 7-7
setting the backward compatibility
parameter, *PCDECwin*, 3-17
specifying automatic startup,
PCDECwin, 3-10
starting, *UserHandbook*, 6-8;
PCDECwin, 2-2
starting automatically, *PCDECwin*,
2-3, 6-7
starting from a command file,
PCDECwin, 7-7, 7-9
starting from a terminal session,
PCDECwin, 2-4, 6-8
starting from PC Session Manager,
PCDECwin, 2-3, 6-2
starting on ULTRIX or UNIX nodes
with DCL commands, *PCDECwin*,
6-12
starting on VMS nodes with DCL
commands, *PCDECwin*, 6-9
supporting older versions of,
PCDECwin, 3-17
using, *PCDECwin*, xvi

X client
term defined, *UserHandbook*, 6-2;
PCDECwin, 1-2

.Xdefaults file, *PCDECwin*, 7-20, 7-21

X font naming conventions, *PCDECwin*,
E-1

- XMS
 See Extended Memory Specification
- XMS configuration examples
- 80386 client
 - DECnet, *Memory*, 5–7, 5–28
 - 80286 client
 - DECnet, *Memory*, 6–7
 - TCP/IP, *Memory*, 6–35
- XMS driver
- showing version of, *ClientCmnds*, 1–61
- XMS memory
- See* Extended memory
- XOFF setting, *SETHOST*, 3–10
- XON/XOFF command, *SETHOST*, 4–98
- XONXOFF command (DOS)
- support for asynchronous ports,
 - ClientCmnds*, 3–28
 - with DECMODE, *ClientCmnds*, 3–12, 3–28
 - with VAXmate, *ClientCmnds*, 3–28
- X server
- abnormal termination of, *PCDECwin*, 8–1
 - analyzing problems with slow startup, *PCDECwin*, 8–3
 - error message code numbers, *PCDECwin*, A–20
 - exiting, *UserHandbook*, 6–27; *PCDECwin*, 3–14, 7–6
 - fatal messages, *PCDECwin*, A–3
 - features, *PCDECwin*, 1–3
 - getting help, *UserHandbook*, 6–21
 - guidelines for selecting, *PCDECwin*, 2–1
 - hints and techniques for using, *PCDECwin*, 7–1
 - log file messages, *PCDECwin*, A–2
 - message boxes, *PCDECwin*, A–2
 - messages, *PCDECwin*, A–1
 - obtaining memory statistics, *PCDECwin*, 3–15
 - pausing, *UserHandbook*, 6–26
 - pausing the session, *PCDECwin*, 3–14
 - running incompatible device drivers
 - with, *PCDECwin*, 7–23, 7–24
- X server (Cont.)
- selecting, *PCDECwin*, 2–1
 - starting, *UserHandbook*, 6–6; *PCDECwin*, 5–1
 - suspending a session to use DOS, *PCDECwin*, 3–15
 - tasks before using, *PCDECwin*, 1–7
 - term defined, *UserHandbook*, 6–2; *PCDECwin*, 1–1
 - time-saving techniques, *PCDECwin*, 7–6
 - using DOS from, *UserHandbook*, 6–25
 - using from Microsoft Windows, *PCDECwin*, 7–11
- XSERVER\FONTS100 directory, *PCDECwin*, 3–6
- XSERVER\FONTS75 directory, *PCDECwin*, 3–6
- XSERVER\FONTSMIT directory, *PCDECwin*, 3–7
- XSERVER\FONTSOL directory, *PCDECwin*, 3–7
- X Window applications, *Overview*, 5–13
- for DOS, *Overview*, 1–19
 - for Macintosh, *Overview*, 1–19
 - on Macintosh, *Overview*, 7–5
-
- Z
- ZERO CIRCUIT command, *NetMgt*, 5–7, 6–107
- ZERO COUNTERS command (LATCP)
 clearing error statistics, *ClientCmnds*, 1–47
- ZERO EXECUTOR command, *NetMgt*, 5–7, 6–108
- ZERO LINE command, *NetMgt*, 5–7, 6–109

Part 2

Microsoft LAN Manager User's Guide for MS-DOS

Index

NOTE Entries noted with a [B] refer to LAN Manager Basic. All other entries refer to LAN Manager Enhanced or both Basic and Enhanced.

A

Accounts menu

- Change your password command, 34
- Your account command, 33

Accounts, user

- changing a password, 93
- viewing your account, 88

Aliases, 61

- adding and deleting, 61–62, 91
- forwarding, 100
- viewing, 91

B

Batch programs, 37

- using commands in, 70

C

Clocks, computer

- synchronizing, 111

Commands [B]

- viewing a list of, 135

Commands, net, 73

- net access, 74–76
- net config workstation, 77
- net continue, 78
- net continue [B], 134
- net copy, 79–80
- net help, 81–82
- net help [B], 135
- net helmsg, 83
- net load, 84
- net log, 85–86
- net logoff, 87
- net logon, 88–89
- net move, 90
- net name, 91–92
- net name [B], 136
- net password, 93–94
- net pause, 95
- net pause [B], 137
- net print, 96–98
- net print [B], 138–139
- net save, 99
- net send, 100–101

net start messenger, 102–103

net start netpopup, 104

net start workstation, 105–109

net start workstation [B], 140

net stop, 110

net time, 111

net use, 112–114

net use [B], 141–142

net view, 115–116

net who, 117–118

working with commands

abbreviating, 69

commands summary, 71

commands summary [B], 133

expediting a command, 69

password requirements, 70

use in batch programs, 70

Computername [B]

assigning, 136

setting the computername at startup, 140

viewing, 136

Config menu

Load profile command, 65

Log off from LAN command, 36

Save profile command, 64

Workstation options command, 68

Configuration, workstation, 68

Connecting. *See* Directories, shared. Printer queues.

Connections

saving, 64

viewing, 43, 112

Connections [B]

continuing, 131, 134

pausing, 131, 137

viewing, 131, 141

Continuing a service. *See* Messenger service.

Netpopup service. Workstation service.

Controlling a service. *See* Messenger service.

Netpopup service. Workstation service.

Copying files. *See* Files

Country codes, 151

Current focus, 29

D

Deleting. *See* Aliases

Devicenames, 52

for disk resources, 40

assigning, 41

viewing, 40

for printer queues, 50

Directories, shared

changing permissions for, 74

connecting to, 40, 43

defined, 39

disconnecting from, 44–45

making a onetime connection, 43

using, 112

viewing connections, 39–40

Directories, shared [B], using, 125, 141

Disconnecting. *See* Directories, shared. Printer queues.

Disconnecting from printer queue. *See* Printer queues

Disk, shared. *See* Directories, shared

Display. *See* LAN Manager Screen

Domains

belonging to, 106

changing your password for a domain, 93

defined, 89

logon domain, 88–89

sending messages to domains, 100

synchronizing clocks in, 111

viewing servers in, 39, 115

workstation domain, 88–89, 105

E

Error messages, getting help with, 83

Exiting LAN Manager Screen. *See* LAN Manager Screen

F

Files

copying over the network, 44, 79

moving over the network, 44, 90

Files, shared

changing permissions for, 74

copying, 79

moving, 90

using, 112

See also Directories, shared

Finding users on network. *See* Users, viewing

H

Help system, 18, 27

displaying a Help message box, 28

F1 key, 27

for error messages, 28, 83

for net commands, 28, 81

Help system [B], 124, 135

Home directory, defined, 75

L

LAN Manager

quitting, 36

starting, 19–21

starting automatically, 37

LAN Manager Screen, 17

closing dialog boxes, 35

controlling the display, 70

exiting, 35

starting LAN Manager using, 19

LAN Manager services. *See* Messenger service.

Netpopup service. Workstation service.

Language of messages

assigning, 151

LANMAN.INI file, defined, 68

Log. *See* Message log

Logging messages. *See* Message log

Logging off, 36–37, 87

Logging on, 21, 88

Logon domain. *See* Domains

M

Message log, 58

changing the log file, 59–60, 85

controlling message logging, 59–60, 85

default, 58

LANMANLOGS directory, 58–59

MESSAGES.LOG file, 58

reading the log, 58–59

saving the log file, 59, 102

turning off message logging, 60

Message menu

Aliases command, 61

deleting an alias, 62

Log messages to file command, 60

changing the log file, 59

Read message log file command, 58

Send a typed message command, 56

Messages

LAN Manager

assigning a language for a user, 151

-
- Netpopup service
 closing a message box, 58
printing, 60
reading
 message log, 55, 58
 with Netpopup running, 57
receiving, 102
 for several users, 58
sending, 56, 100
 broadcasting, 56
 to a workstation, 56
Messenger service, 18, 55
 defined, 55
 starting, 102
Moving files. *See* Files
- N**
- Net, 73
Net access, 74–76
Net config workstation, 77
Net continue, 78
Net continue [B], 134
Net copy, 79–80
Net help, 81–82
Net help [B], 135
Net helmsg, 83
Net load, 84
Net log, 85–86
Net logoff, 87
Net logon, 88–89
 starting the workstation, 69
Net move, 90
Net name, 91–92
Net name [B], 136
Net password, 93–94
Net pause, 95
Net pause [B], 137
Net print, 96–98
Net print [B], 138–139
Net save, 99
Net send, 100–101
Net start messenger, 102–103
Net start netpopup, 104
Net start workstation, 105–109
Net start workstation [B], 140
Net stop, 110
Net time, 111
Net use, 112–114
Net use [B], 141–142
Net view, 115–116
Net who, 117–118
- Netpopup service, 19, 57
 closing a message box, 58
 and message logging, 58
 starting, 104
Network products, working with others, 11, 50
Non-LAN Manager servers, connecting to, 50
- P**
-
- Passwords
 changing your password, 93
 logging on with, 88
 using with net commands, 70
Passwords [B], using with net commands, 126
Pausing a service. *See* Messenger service. Netpopup service. Workstation service.
- Permissions
 changing, 74
 defined, 75
- Print jobs, 130
 defined, 47
 deleting, 52
 finding job numbers, 48
 holding and releasing, 52
 restarting, 52
 viewing, 48
- Printer queues
 connecting to, 49, 112
 controlling queued jobs, 96
 defined, 47
 disconnecting from, 54
 making a onetime connection, 51
 printing, using the LAN Manager Screen, 52
 viewing
 queue information, 48–49, 96
 server's, 96
 status, 52
 with several printers, 48
- Printer queues [B]
 connecting to, 129
 disconnecting from, 131
 viewing status, 130
- Printers, shared
 defined, 47
 See also Printer queues
- Printers, shared [B], 141
- Profiles, 18, 63
 creating, 99
 defined, 18
 loading, 66, 84
 modifying, 65

Q

Quitting LAN Manager. *See LAN Manager*

R

Reading messages. *See Netpopup service. Messages.*

Message log.

Resources, shared

 defined, 29

 viewing, 28–30

S

Saving connections. *See Connections. Profiles.*

Servers

 viewing, 28, 115

 viewing shared resources of, 115

Services

 adjusting, 67

 continuing, 66–67, 78

 controlling, 66

 defined, 18

 pausing, 66, 95

 stopping, 67, 110

See also Messenger service. Netpopup service.

Workstation service

Shared. *See Directories, shared. Printers, shared.*

Starting Workstation service. *See Workstation service.*

Stopping services. *See Messenger service. Netpopup service. Workstation service.*

T

Time, synchronizing the workstation's clock, 111

U

Users

 viewing, 32

 with the net who command, 117

V

View menu

Available resources command

 connecting to a printer queue, 49

 connecting to a shared directory, 40

 viewing resources, 29

 viewing shared directories, 39

Printer queues command

 deleting a print job, 53

 viewing printer queues, 48

Used resources command

 connecting to a printer queue, 50

connecting to a shared directory, 42

disconnecting from a printer queue, 54

disconnecting from a shared directory, 44

viewing printer queue connections, 52

viewing resource connections, 43

Users on a server command

 viewing users with connections to a server, 30, 32

Viewing. *See Connections. Domains. Print jobs.*

Printer queues. Resources, shared. Servers. Users.

Workstation.

W

Workstation

 viewing configuration, 68

 viewing connections, 113

Workstation [B]

 starting, 140

 viewing connections, 131

Workstation domain. *See Domains*

Workstation service, 18

 adjusting performance, 77, 105

 adjusting the display, 20

 Messenger service, 20

 Netpopup service, 20

 pausing, 37, 66

 effect on other services, 37

 starting, 19–21, 105

 starting with a batch program, 37

 stopping, 37, 110

 viewing configuration, 77

Reader's Comments

PATHWORKS for DOS
Client Master Index

AA-PAFDC-TK

Your comments and suggestions help us improve the quality of our publications.

**Please rate the manual in the
following categories:**

	Excellent	Good	Fair	Poor
Accuracy (product works as described)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Completeness (enough information)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Clarity (easy to understand)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Organization (structure of subject matter)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Figures (useful)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Examples (useful)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Table of contents (ability to find topic)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Index (ability to find topic)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Page design (overall appearance)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Print quality	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

What I like best about this manual: _____

What I like least about this manual: _____

Additional comments or suggestions: _____

I found the following errors in this manual:

Page Description

For which tasks did you use this manual?

- | | |
|--|---|
| <input type="checkbox"/> Installation | <input type="checkbox"/> Programming |
| <input type="checkbox"/> Maintenance | <input type="checkbox"/> System Management |
| <input type="checkbox"/> Marketing | <input type="checkbox"/> Training |
| <input type="checkbox"/> Operation/Use | <input type="checkbox"/> Other (please specify) _____ |

Name/Title _____

Company _____

Address _____

Phone _____ Date _____

— — Do Not Tear - Fold Here and Tape — — — —

digital



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 33 MAYNARD MASS.

POSTAGE WILL BE PAID BY ADDRESSEE

DIGITAL EQUIPMENT CORPORATION
CORPORATE USER PUBLICATIONS
PKO3-1/D30
129 PARKER STREET
MAYNARD, MA 01754-9975



— — Do Not Tear - Fold Here and Tape — — — —

digital

Order Number: AA-PAFDC-TK
Printed in the U.S.A.